# FÉDÉRATION INTERNATIONALE DE GYMNASTIQUE



## **2017 - 2020 CODE OF POINTS**



# Women's Artistic Gymnastics

#### For Women's Artistic Gymnastics competitions at

Olympic Games
Youth Olympic Games
World Championships
Regional and Intercontinental Competitions
Events with international participants

In competitions for nations with lower level of gymnastics development, as well as for Junior Competitions, modified competition rules should be appropriately designed by continental or regional technical authorities, as indicated by the age and level of development (see the FIG Age Group Development Program)

The Code of Points is the property of the FIG. Translation and copying are prohibited without prior written approval by FIG. In case any statement contained herein is in conflict with the Technical Regulations, the Technical Regulations shall take precedence. Where there is a difference among the languages, the English text shall be considered correct.

#### **ACKNOWLEDGEMENTS**

President	Donatella Sacchi	ITA
1st Vice-President 2nd Vice-President Secretary Member Member Member Athlete representative	Kym Dowdell Qiurui Zhou Johanna Gratt Loubov Burda-Andrianova Elena Davydova Tatiana Perskaia-Borisovna Beth Tweddle	AUS CHN AUT RUS CAN USA GBR
Advisor to the Women's Technical Committee	Naomi Valenzo	MEX
Illustrations	James Stephenson & Koichi Endo	USA JPN
Original illustrations	Ingrid Nicklaus	GER
Original Symbols	Margot Dietz	GER
Editing – Illustrations, Symbols, Charts	Linda Chencinski & Milvia Bernasconi	USA ITA
French text German text Spanish text Russian text	Yvette Brasier Sabrina Klaesberg Helena Lario Nellie Kim Elena Lowery	FRA GER ARG BLR USA
English text	Linda Chencinski	USA

#### **FIG CODE UPDATES**

After the Official FIG Competitions the FIG/WTC publishes a WAG Newsletter which includes:

- all new elements and variations with a number and illustration
- new connections

The Code Update will be sent by the FIG Secretary General to all affiliated federations, including the effective date, from which time it is valid for all further FIG competitions.

#### **HELP DESK**

For additional examples, descriptions, definitions, updates and clarifications can be found at the FIG website under WAG Help Desk.

#### **ABBREVIATIONS**

Committe	es
EC	Executive Committee
FIG	Federation of International Gymnastics
LOC	Local Organizing Committee
TC	Technical Committee
WAG	Women's Artistic Gymnastics
WTC	Women's Technical Committee
Document	ts
COP	Code of Points (Code)
TR	Technical Regulations
<b>Events</b>	
BB	Balance Beam
Evt	Event
FX	Floor Exercise
HB	High Bar
LB	Low Bar
UB	Uneven Bars
VT	Vault
<b>Panels</b>	
D-panel	Judges Evaluating Difficulty
D-Score	Difficulty Score
E-panel	Judges Evaluating Execution
E-Score	Execution Score
R-panel	Judges submitting a Control Score
R-Score	Reference Judge Score
SEC	Secretary
SJ	Superior Jury
Requirem	ents
CR	Compositional Requirement
CV	Connection Value
DMT	Dismount
DV	Difficulty Value
Gr.	Group
Max.	Maximum
Min.	Minimum
MT	Mount
P.	Points
SB	Series Bonus

<b>Body Positions</b>	
BA	Breadth axis
Bwd	Backward
Fwd	Forward
HSTD	Handstand
LA turn	Longitudinal axis turn
Root skill	The base element of a skill
Swd	Sideward
Competitions	
AA	All Around Final
AF	Apparatus Finals
OG	Olympic Games
QC	Qualification Competition
TF	Team Final
WC	World Championships
YOG	Youth Olympic Games
Support System	ns
CIS	Commentator Information System
IRCOS	Instant Control & Replay System – Video
	analysis system used by the FIG
JEP	Judges Evaluation Program

#### **GLOSSARY**

Performance Qu	ualities
Choreography	The creative arrangement of the exercise
Composition	Requirements for the exercise
Dynamic	Active, forceful, energetic, explosive change in
	the intensity of performance
Expressiveness	Serving to express or indicate meaning of
	feeling
Precision	Each movement must demonstrate perfect
	control in each phase, as well as a clear start
	and finish position

#### **TABLE OF CONTENTS**

PART I - REGULATIONS GOVERNING COMPETITIONPARTICIPANTS	Sect. 1	PART II - EVALUATION OF THE EXERCISE	
		Section 6 – DETERMINATION OF SCORE	Sect. 6
Section 1 – PURPOSE	1	Article 6.1 – General	1
		Article 6.2 – Determining Final Score	1
Section 2 – REGULATIONS FOR GYMNASTS	Sect. 2	Article 6.3 – Short Exercise	1
Article 2.1 – Rights of the Gymnast	1		
Article 2.2 – Responsibilities of the Gymnasts	2	Section 7 – REGULATIONS GOVERNING THE D- SCORE	Sect. 7
Article 2.3 – Duties of the Gymnasts	2	Article 7.1 – D-Score	1
Article 2.4 – Penalties	3	VT	
Article 2.5 – Gymnasts' Oath	3	UB/ BB/ FX	
· · · · · · · · · · · · · · · · · · ·		Article 7.2 – Difficulty Value (DV)	1
Section 3 – REGULATIONS FOR COACHES	Sect. 3	Article 7.3 – Compositional Requirements (CR)	3
Article 3.1 – Rights of the Coach	1	Article 7.4 – Connection Value (CV)	3
Article 3.2 – Responsibilities of the Coaches	1		•
Article 3.3 – Penalties for Coach Behavior	2	Section 8 – REGULATIONS GOVERNING THE E-SCORE	Sect. 8
Article 3.4 – Inquiries	2	Article 8.1 – Description of E-Score	1
Article 3.5 – Coaches' Oath	2	Article 8.2 – Evaluation by E-Panel	1
	_	Article 8.3 – Table of Deductions	2
Section 4 – REGULATIONS FOR TECHNICAL COMMITTEE	Sect. 4		_
Article 4.1 – The President of the WTC	1	Section 9 – TECHNICAL DIRECTIVES	Sect. 9
Article 4.2 – The WTC Members	1	Article 9.1 – All Apparatus	1
,	•	Article 9.2 – Balance Beam and Floor Exercise	2
Section 5 – REGULATIONS & STRUCTURE OF	Sect. 5	Article 9.3 – Requirements for selected Dance Elements	3
APPARATUS JURIES	1	Article 9.4 – Uneven Bars	5
Article 5.1 – Responsibilities of Judges	2	, who is a constant band	Ü
Article 5.2 – Rights of Judges	2	PART III - APPARATUS	
Article 5.3 – Composition of Apparatus Jury	2	7	
Article 5.4 – Functions of Apparatus Jury	_	Section 10 – VAULT	Sect. 10
D-Panel		Article 10.1 – General	1
E-Panel		Article 10.2 – Run Approaches	1
R-Panel		Article 10.3 – Vault Groups	1
Article 5.5 – Function of the Time & Line Judges & Secretaries	3	Article 10.4 – Requirements	2
Article 5.6 – Seating Arrangements	4	Article 10.5 – Method of Scoring	3
Article 5.7 – Judges' Oath	4	Article 10.6 – Specific Apparatus Deductions	3
, ii asis si. Saagoo Saar	•	7. I.	Ü

#### **TABLE OF CONTENTS**

Section 11 – UNEVEN BARS  Article 11.1 – General  Article 11.2 – Content & Construction of the Exercise  Article 11.3 – Composition requirements (CR)  Article 11.4 – Connection Value (CV)  Article 11.5 – Composition Deductions  Article 11.6 – Specific Apparatus Deductions  Article 11.7 – Notes	Sect. 11  1 1 2 2 2 3
Section 12 – BALANCE BEAM  Artistry  Article 12.1 – General  Article 12.2 – Content of the Exercise  Article 12.3 – Composition requirements (CR)  Article 12.4 – Connection Value (CV)  Article 12.5 – Artistry & Composition Deductions  Article 12.6 – Specific Apparatus Deductions  Article 12.7 – Notes	Sect. 12  1 1 2 2 2 4 4 5
Section 13 – FLOOR EXERCISE  Artistry  Article 13.1 – General  Article 13.2 – Content of the Exercise  Article 13.3 – Composition Requirements (CR)  Article 13.4 – Connection Value (CV)  Article 13.5 – Artistry & Composition Deductions  Article 13.6 – Specific Apparatus Deductions	Sect. 13  1 2 2 3 3 4 4
PART IV Section 14 – TABLE OF ELEMENTS 14.1 – VT Table 14.2 – UB Table 14.3 – BB Table 14.4 – FX Table	

#### PART V - APPENDICES

- Symbol Charts
- Exercise Recording Sheets
- Score SlipsModifications for Junior Competitions
- Symbol Brochure
- List of Elements performed for the first time by gymnasts at the FIG official competitions



# PART I REGULATIONS GOVERNING COMPETITION PARTICIPANTS SECTIONS 1-5

# PART I REGULATIONS GOVERNING COMPETITION PARTICIPANTS

#### SECTION — 1 PURPOSE

#### **PURPOSE**

The primary purpose of the Code of Points is to:

- 1. Provide an objective means of evaluating gymnastics exercises at all levels of regional, national, and international competitions.
- 2. Standardize the judging of the four phases of FIG official competitions:

Qualification
Team Finals
All Around
Individual Event Finals

- 3. Assure the identification of the best gymnast in any competition.
- 4. Guide coaches and gymnasts in the composition of competition exercises.
- 5. Provide information about the source of other technical information and regulations frequently needed at competitions by judges, coaches, and gymnasts

#### **SECTION 2** — Regulations for Gymnasts

#### 2.1 Rights of the Gymnasts

#### 2.1.1 General

#### The gymnast is guaranteed the right to:

- a) Have their performance judged correctly, fairly, and in accordance with the stipulations of the Code of Points.
- b) Receive in writing the evaluation of the difficulty rating for a submitted new vault or element within a reasonable time prior to the start of the competition.
- c) Have their score publicly displayed immediately following their performance or in accordance with the specific regulations governing that competition
- d) Repeat their entire exercise (without deduction) with the approval of the Superior Jury:
  - if the exercise has been interrupted for reasons beyond their control or responsibility,
  - if a handguard (grip) is significantly torn causing a fall, or interruption. The gymnast must immediately show the broken handguard (grip) to the D1 judge before leaving the podium in order to receive permission to repeat the exercise.

Note: A gymnast may repeat the entire exercise at the end of the rotation, or if she is the last gymnast in the rotation, at a time at the discretion of the SJ.

- e) Briefly leave the competition hall for personal reasons. *Note: The Competition may not be delayed through her absence.*
- Receive through their delegation leader the correct result output, showing all their scores received in the competition

#### 2.1.2. Apparatus

#### The gymnast is guaranteed the right to:

- a) Have identical apparatus and mats in the training halls, warm-up hall and on the competition podium that conforms to the specifications and norms for FIG official competitions.
- b) Place the take-off board on the supplementary 10 cm landing mat (UB & BB).
- c) Use magnesium on Uneven Bars and to make small markings on the Balance Beam.

- d) Have one spotter on Uneven Bars
- e) Rest or recuperate for up to 30 seconds following a fall from the UB and 10 seconds following a fall from BB
- f) Confer with their coach during the time available to her following a fall from the apparatus and between the first and second vaults.
- g) Request permission to raise both bar rails, if their feet touch the mat

#### Warm-up

#### In Qualifying, All Around Final & Team Final

- Each competing gymnast (including substitute of injured gymnast) is entitled to a touch warm-up period immediately prior to the competition on the podium on all apparatus in accordance with the Technical Regulations that govern that competition.
  - Vault (Teams and individual groups)
     All Around Final & Team Final two attempts only
     Qualification to Apparatus final & Apparatus Final on VT maximum of three attempts
  - BB, FX

30 sec. each

UB

50 sec. each, including the preparation of the bars

#### NOTE:

- In Qualifying and Team Final the entire warm-up time belongs to the team except Vault. The team must pay attention to the elapsed time, so that the last gymnast receives a warm-up.
- In mixed-groups the warm-up time belongs personally to the gymnast. The order of warm up should be the same as the order of competition.
- The end of the warm-up period is signaled by a gong. If at this time, a
  gymnast is still on the apparatus, she may complete the element or
  sequence started. Following the warm-up period or during the
  "competition pause", the apparatus may be prepared (max.2 persons on
  UB), but not used.
- There will be a conspicuous signal from the D<sup>1</sup> judge (at official FIG competitions, a green light) 30 seconds before their exercise is expected to begin.

#### 2.2 Responsibilities of the Gymnasts

- a) To know the Code of Points and conduct themselves accordingly.
- b) To submit, or have their coach submit, a written request at least 24 hours before podium training, to the Chair of the Superior Jury to assess the difficulty of a new element.
- c) Height increases of 10 cm shall be allowed in competitions for gymnasts who touch the mat with their feet during the exercise. This must be announced to the organizers at the time of the nominative entry and verified by the President or a member of the Superior Jury during the training.

#### 2.3 Duties of the Gymnasts

#### 2.3.1 General

- a) To present themselves in the proper manner (arm/s up) and thereby acknowledge the D<sup>1</sup> judge at the commencement of her exercise and to acknowledge the same judge at the conclusion of her exercise.
- b) To begin the exercise within 30 seconds of the green light or signal from D<sup>1</sup> (on all apparatus).
- c) To remount within 30 sec. after a fall from UB or 10 sec. after a fall from BB (the timing starts when the gymnast is on her feet after the fall). In this time the gymnast can recuperate, re-chalk, confer with her coach and remount.
- d) To leave the podium immediately after the conclusion of their exercise.
- e) To refrain from changing the height of any apparatus, unless permission has been granted.
- f) To refrain from speaking with active judges during the competition.
- g) To refrain from delaying the competition: remaining on the podium for too long, remounting the podium on completion of her exercise, and from otherwise abusing her rights or infringing on those of any other participant.
- h) To refrain from any other undisciplined or abusive behaviour or infringing on those of any other participant

(i.e. marking the floor carpet with-magnesium, damaging any apparatus surface or parts during preparation for her exercise or removing springs from the spring board; gymnast running/walking under LB to start the routine).

- i) To leave the supplementary mat in position (for landing) during the entire exercise (UB & BB).
- j) To use an additional 10 cm soft mat on top of the existing basic

- landing mats (20 cm) for dismounts on Vault, Bars and Beam.
- k) To participate in the respective Award Ceremony dressed in competition attire (leotards/unitards) according to FIG Protocol.

#### 2.3.2 Competition Attire

- a) They must wear a correct sportive non transparent leotard or unitard (one piece leotard with full length legs-hip to ankle), which must be of elegant design. She may wear complete leg coverings of the same color as that of the leotard; under or on top of the leotard.
- b) The neckline of the front and back of the leotard/unitard must be proper, that is no further than half of the sternum and no further than the lower line of the shoulder blades. Leotards/unitards may be with or without sleeves; shoulder strap width must be minimum 2 cm.
- c) The leg cut of the leotard may not extend beyond the hip bone (maximum). The leotard leg length cannot exceed the horizontal line around the leg, delineated by no more than 2 cm below the base of the buttocks.
- d) They have the option of wearing gymnastic slippers and socks
- e) They must wear the bib number supplied by the organizing committee
  With approval of her written petition, the gymnast may remove
  the number in rare cases of back spins on the Balance Beam
  and Floor.
  - The number must be displayed to the D Panel at the start of the exercise.
- f) They must wear a national identification or emblem on the leotard/unitard in accordance with the most recent FIG Publicity Rules.
- g) They must wear only those logos, advertising and sponsorship identifiers that are permitted in the most recent FIG Publicity Rules.
- h) The leotard/unitard must be identical for members from the same federation in the Qualification and Team Final Competition. In the Qualification, individual gymnasts from the same federation (without a team) may wear different leotards/unitards.
- i) Handguards, body bandages, and wrists wraps are permitted; they must be securely fastened, in good repair and should not detract from the aesthetics of the performance. Bandages must be beige or skin -colored when available from the manufacturer.
- j) They must refrain from wearing jewelry (bracelets or necklaces) except small stud type pierced earring/s.
- k) They must refrain from wearing hip or other padding.

#### 2.4 Penalties

- a) The normal penalty for a violation of the rules and expectations presented in Sections 2 and 3 are considered medium or large errors;
   -0.30 for behavioural violations and -0.50 for apparatus related violations. The penalty is deducted by the Chair of the Superior Jury, from the Final Score when notified by the D panel.
- b) A summary of the penalties is outlined in Section 8.3.
- c) In extreme cases, the gymnast or coach may be expelled from the competition hall in addition to suffering the specified penalty.

Behaviour Related Violations By Chair of the Superior Jury when notified by the D panel				
Violation	Penalty			
Violations of attire  Incorrect or unaesthetic padding  Missing national emblem and/or wrong placement  Missing start number  Incorrect attire – leotard, jewelry, bandage color	0.30 from Gym/App from the Final Score (once for a competition session)			
Violations of attire regulations that apply to Team Competition  Non-identical leotards (for gymnasts from the same team)	1.00P. In Qualification, Teams Finals taken 1 x in competition phase from apparatus where first recognized			
Unauthorized remaining on the podium	0.30 from the Final Score			
Remounting podium after the exercise	0.30 from the Final Score			
Other undisciplined or abusive behaviour including gymnast runs under the LB to perform mount after acknowledging the D-Panel	0.30 from the Final Score			
Incorrect Advertising	0.30 from the Final Score on the concerned apparatus     When requested by responsible body			
Absent from Victory Ceremony	Result and Final Score is annulled for team and individual			

Apparatus Related Violations By Chair of the Superior Jury when notified by the D panel			
Violation Penalty			
Incorrect use of magnesium and/or damaging apparatus	0.50 from the Final Score		
Re-arrangement or removal of springs from the springboard	0.50 from the Final Score		
Changing height of the apparatus without permission	0.50 from the Final Score		

#### 2.5 Gymnasts' Oath (FIG TR 7.12.2)

"In the name of all gymnasts I promise that we shall take part in their World Championships (or any other official FIG Event) respecting and abiding by the rules which govern them, committing ourselves to a sport without doping and without drugs, in the true spirit of sportsmanship, for the glory of sport and the honor of the gymnasts."

#### **SECTION 3** — Regulations for Coaches

#### 3.1 Rights of the Coaches

#### The coach is guaranteed the right to:

- Assist the gymnast or team under their care in submitting written requests related to the raising of apparatus and the rating of new vault or element.
- b) Assist the gymnast or team under their care on the podium during the warm up period on all apparatus.
- c) Help the gymnast or team prepare the apparatus for competition.
  - vault to prepare the safety collar.
  - vault, uneven bars and balance beam to prepare springboard and position the supplementary landing mat.
  - uneven bars to adjust and prepare the uneven bar rails
- d) Be present on the podium after the green light is lit to remove the springboard on
  - Balance Beam (then leave podium immediately)
  - Uneven Bars coach or gymnast (then leave podium immediately)
- e) Be present at Uneven Bars during the gymnast's exercise for reasons of safety this can be same or different coach who removes the springboard.
- f) Assist or advise the gymnast during the intermediate fall time period on all apparatus and between the first and second vault.
- g) Have their gymnast's score publicly displayed immediately following their performance or in accordance with the specific regulations governing that competition.
- h) Be present at all apparatus to help in case of injuries or defects of the apparatus.
- Inquire to Superior Jury concerning the evaluation of the content of the exercise of the gymnast (see TR 8.4).
- j) Request to Superior Jury a review of the Time and Line deductions.

#### 3.2 Responsibilities of the Coaches to:

- a) Know the Code of Points and conduct themselves accordingly.
- b) Submit the competition order and other information required in accordance with the CODE OF POINTS and/or the FIG Technical Regulations that govern that competition.
- Refrain from changing the height of any apparatus or add, re-arrange or remove springs from the springboard. (Refer to Section 2.1.2 for raising the rails at uneven bars).
- d) Refrain from delaying the competition, obstructing the view of the judges and from otherwise abusing or interfering with the rights of any other participant.
- e) Refrain from speaking to the gymnast or from assisting her in any other way (give signals, shouts, cheers or similar) during her performance.
- f) Refrain from engaging in discussions with active judges and/or other persons outside of the inner arena circle during the competition (exception: team doctor, delegation leader).
- g) Refrain from any other undisciplined or abusive behaviour.
- h) Conduct themselves in a fair and sportsmanlike manner at all times during the competition.
- Participate in a sportsmanlike manner in any applicable Award Ceremony.

**NOTE:** See Deductions for Violations and Unsportsmanlike Behaviour.

#### Number of Coaches Permitted in the Inner Circle:

- Qualifying Competition and Team Final Competition for:
  - Complete teams 1 female and 1 male coach or 2 female coaches; if only 1 coach, then the coach may be a male.
  - Nations with individuals 1 coach (F or M)
- All-Around Competition & Apparatus Finals Competitions for:
  - Each gymnast 1 coach

#### 3.3 Penalties for Coach Behaviour

By Chair of Superior Jury (In Consultation with Superior Jury)	Card System For FIG Official and Registered Competitions		
	impact on the result/performance of nast/team		
- Unsportsmanlike conduct (valid for all phases of the competition)	1st time – Yellow card for coach (warning)  2nd time – Red card and removal of coach from the competition*		
Other flagrant, undisciplined and abusive behaviour (valid for all phases of the competition)	Immediate Red card and removal of coach from the competition*		
	act on the result/performance of the st/team		
- Unsportsmanlike conduct (valid for all phases of the competition),  i.e. unexcused delay or	1st time – 0.50 (from gymnast/team at event) and Yellow card for coach (warning)		
interruption of competition, speaking to active judges during the competition except to D¹ Judge, inquiry only permitted, - speak directly to the gymnast,	1st time – <b>1.00</b> (from gymnast/team at event) and Yellow card for coach (warning) if coach speaks aggressively to active judges  2nd time – <b>1.00</b> (from gymnast/team at event) Red card & removal of coach		
give signals, shouts (cheers) or similar during the exercise. etc.	from the competition floor*		
<ul> <li>Other flagrant, undisciplined and abusive behaviour (valid for all phases of the competition),         i.e. incorrect presence of the prescribed persons in inner circle during competition, etc.</li> </ul>	1.00 (from gymnast/team at event), immediate Red card & removal of coach from the competition floor*		

**Note:** If one of two coaches from a team are dismissed from the competition inner circle, it is possible to replace that coach with another coach **one time** in the entire competition (e.g. Qualification).

1st offense = yellow card

 $2^{nd}$  offense = red card, at which time the coach is excluded from the rest of the competition phases.

\*if there is only one coach, then the coach would remain in the competition but would not be eligible for accreditation at the next World Championships, Olympic Games.

#### 3.4 Inquiries (TR 8.4)

Detailed Procedure for the request of marks reviews (Inquiry) as per T.R., (Section 1, Art. 8.4).

#### 3.5 Coaches Oath

"In the name of all Coaches and other members of the athlete's entourage, I promise that we shall commit ourselves to ensuring that the spirit of sportsmanship and ethics is fully adhered to and upheld in accordance with the fundamental principles of Olympism. We shall commit ourselves to educating the gymnasts to adhere to fair play and drug free sport and to respect all FIG Rules governing the World Championships"

# SECTION 4 — Regulations for Technical Committee

At official FIG Competitions and the Olympic Games, the members of the FIG Women's Technical Committee will constitute the Superior Jury and act as Apparatus Supervisors at the different apparatus.

#### 4.1 The President of the WTC

The **President of the Women's Technical Committee** or her representative will serve as Chair of the Superior Jury. Their responsibilities and those of the Superior Jury include:

- a) The overall Technical Direction of the competition as outlined in the Technical Regulations.
- b) To call and chair all judges' meetings and instruction sessions.
- To apply the stipulations of the Judges' Regulations relevant to that competition.
- d) To deal with requests for evaluation of new elements, raising the Uneven Bars, and other issues that may arise.
   Such decisions are normally made by the Women's Technical Committee.
- e) To make sure that the time schedule published in the Workplan is respected.
- f) To control the work of the Apparatus Supervisors and intervene if deemed necessary. Except in case of an inquiry and time or line errors, generally no change of score is allowed after the score has been flashed on the score board.
- g) To deal with inquiries as outlined in the FIG Technical Regulation (TR 8.4).
- h) In cooperation with the members of the Superior Jury, to issue warnings to or replace any person acting in any judging capacity who is considered to be unsatisfactory or to have broken their oath.

- i) To conduct a global video analysis (post competition) with the TC to determine errors in judgment.
- j) To supervise the checking of the apparatus measurement specifications according to the FIG Apparatus Norms.
- k) In unusual or special circumstances may nominate a judge to the competition
- To submit a report to the FIG Executive Committee, which must be sent to the FIG Secretary General as soon as possible, but no later than 30 days after the event, which contains the following:
  - General remarks about the competition including special occurrences and conclusions for the future
  - Detailed analyses of the judges performance (within 3 months) including proposals for
    - rewarding the best judges
    - sanctions against the judges who fail to meet expectations
  - Detailed list of all interventions
    - score changes before and after publication
  - Technical analyses of the D-judges' scores

#### 4.2 The WTC Members

During each phase of the competition, the members of the Women's Technical Committee or their representatives will serve as members of the Superior Jury and Apparatus Supervisors for each apparatus.

Their responsibilities include:

- a) Participating in the direction of the judges' meetings and instruction sessions and guiding the judges to perform the correct work on their respective apparatus.
- b) Applying the "Judges' Regulations" control with fairness, consistency and completely in accordance with the currently valid regulations and criteria.
- c) Recording the entire exercise content in symbol notation.
- d) Calculating the D and E Score *(control scores)* for the purpose of evaluation of the D, R and E Panels.
- e) Controlling the total evaluation and the final score for each exercise.
- f) Assuring that the gymnast is given the correct score for their performance or intervene as ruled herein.
- g) Checking the apparatus used at training, warm-up and competition with the FIG Apparatus Norms.

# SECTION 5 — Regulations & Structure of Apparatus Juries

#### 5.1 Responsibilities of Judges

Every Judge is fully and independently responsible for their scores. All members of the Apparatus Juries have the responsibility to:

- a) Have thorough knowledge of:
  - the FIG Technical Regulations
  - the Code of Points.
  - the FIG Judges' Rules
  - any other technical information necessary to carry out their duties during a competition
- b) Be in possession of the international Judge's Brevet valid for the current Cycle and produce the Judge's Log Book
- c) Possess the Category necessary for the level of competition they are judging
- d) Have extensive knowledge in contemporary gymnastics and understand the intent, purpose, interpretation, and application of each rule
- e) Attend all scheduled instruction sessions and meetings of judges before the respective Competition (extraordinary exceptions, which were unavoidable, will actually be decided by the FIG WTC)
- f) Adhere to any special organizational or judging related instruction given by the governing authorities (i.e. Scoring system instructions)
- g) Attend podium training (compulsory for all judges)
- h) Be prepared thoroughly on all apparatus

- Be capable of fulfilling the various necessary mechanical duties, which include:
  - correctly completing any required score sheets
  - using any necessary computer or mechanical equipment
  - facilitating the efficient running of the competition and
  - communicating effectively with other judges
- j) Be well prepared, rested, vigilant, and punctually present at least one hour before the start of competition or according to the instructions from the Workplan.
- k) Wear the FIG prescribed competition uniform (*dark blue suit skirt or trousers, as indicated and white blouse*), except at the OG, where the uniform is supplied by the Organizing Committee.

#### During the competition judges must:

- a) Behave at all times in a professional manner and exemplify nonpartisan ethical behavior
- b) Fulfill the functions outlined as specified in Section 5.4
- c) Evaluate each exercise accurately, consistently, quickly, objectively and fairly and when in doubt, give the benefit of that doubt to the gymnast
- d) Use the symbol notation sheets and maintain a record of their personal scores
- e) Remain in assigned seat (*except with the consent of D¹ Judge*) and refrain from having contact or discussions with gymnasts, coaches, delegation leaders or other judges

Penalties for inappropriate evaluation and behavior by judges will be in accordance with the current version of the FIG Judges' Rules and/or the TR that apply to that competition.

#### 5.2 Rights of Judges

In case of an intervention by the Superior Jury, the Judge has the right to explain their score and to agree *(or not)* to a change.

In case of disagreement the Judge may be overruled by the Superior Jury and shall be informed accordingly.

In case of arbitrary action taken against a judge, they have the right to file an appeal to the

- a) Superior Jury, if the action was initiated by the Apparatus Supervisor or
- b) Jury of Appeal, if the action was initiated by the Superior Jury.

#### 5.3 Composition of the Apparatus Jury

#### The Apparatus Jury (Judges' Panels)

For the official FIG Competitions, World Championships and Olympic Games, the Apparatus Jury will consist of a D- Panel (*Difficulty*), an E- Panel (*Execution*) and an R- Panel (*Reference*).

- The D- Judges are drawn and appointed by the FIG Technical Committee in accordance with the most current FIG Technical Regulations.
- E- Judging Panels and supplementary positions will be drawn under the authority of the TC in accordance with the current Technical Regulations or Judges' Rules that govern that competition.
- R- Judges are appointed by the FIG Presidential commission.

The structure of the Apparatus Jury for the various types of competitions

WC & OG 9 Judge Panel	International Invitational Min. 4 Judge Panel	
2 D- Panel Judges	2 D- Panel Judges	
5 E- Panel Judges 2 R- Panel Judges	2/4 E- Panel Judges	

#### Line & Time judges:

- Two (2) line judges for Floor Exercise
- One (1) line judge for Vault
- One (1) time keeper for Floor Exercise
- One (1) time keeper for Uneven Bars
- Two (2) Time keepers for Balance Beam

Modifications to the Judges' Panels are possible for other international competitions and for national and local competitions.

#### 5.4 Function of the Apparatus Jury

#### 5.4.1 Functions of the D- Panel

- a) D- Panel Judges record the entire program content in symbol notation, evaluate independently, without bias and then jointly determine the D- score content. Discussion is allowed.
- b) The D2- judge enters the D- score into the computer.
- c) The D-score content includes the:
  - Difficulty Value,
  - Composition Requirements
  - Connection Value, based on special rules for each apparatus
- d) The D- panel on Vault ensures the correct adherence to the warm-up time.

#### Functions of the D¹ judge:

- a) To serve as liaison between the Apparatus Jury and the Apparatus Supervisor.
  - The Apparatus Supervisor will then liaise when necessary with the Superior Jury.
- b) To coordinate the work of the Time and Line Judges and Secretaries.
- c) To ensure the efficient running of the apparatus including the control of warm up time.
- d) To display the green light or other conspicuous signal to notify the gymnasts they must begin their exercise within thirty seconds.
- e) To ensure that neutral deductions for time, line, behavior faults are taken from the Final Score before being flashed.
- f) To ensure the following deductions are applied for:
  - failure to present before and after the exercise.
  - performance of an invalid "0" vault
  - assistance during the: Vault, Exercise and Dismounts
  - short exercise

#### Function of the D- Panel after the Competition:

They will submit a written competition report as directed by the WTC President, with the following information:

- forms listing violations, ambiguities and questionable decisions with the number and name of the gymnast
- make their symbol notation sheets available during consultations and submit their symbol notation sheets at the end of the competition to the Apparatus Supervisor

#### 5.4.2 Functions of the E- Panel

#### They must:

- a) Observe the exercises attentively, evaluate the faults and apply the corresponding deductions correctly, independently and without consulting the other judges
- b) Record the deductions for:
  - General Faults
  - Specific Apparatus Execution Faults
  - Artistry Faults
- c) Complete the score slip with a legible signature or enter their deductions into the computer.
- d) Be able to provide a personal written record of their evaluation of all exercises (Execution and Artistry deductions).

#### 5.4.3 Function of the Reference Judges

The Reference Judges for Olympic Games and World Championships were introduced to have an automatic and time saving correction system in case of problems with Execution scores.

There will be 2 (two) reference judges per jury.

Reference judges may be used at all FIG official competitions (where IRCOS is available).

Other competitions may use Reference judges but are **not** obliged to do so.

#### 5.5 Functions of the Time, Line Judges & Secretaries

#### 5.5.1 Functions of the Time & Line Judges

The Time & Line Judges are drawn from among the Brevet judges to serve as:

#### Line judges to:

- Determine on FX & VT stepping outside of the border marking and to acknowledge the fault by raising a flag.
- Inform the D<sup>1</sup> judge of any violation or deduction; sign and submit the appropriate written record.

#### Time judges are required to:

- Time the duration of the exercise (FX & BB)
- Time the duration of the fall period (BB & UB)
- Time the duration between the green light and the commencement of the exercise
- Ensure adherence to the warm-up time (For non-adherence, written information to the D- panel)
- Give on an audible signal to the gymnast and D- panel (BB)
- Inform the D¹ judge of any violation or deduction; sign and submit the appropriate written record
- Time violations where there is no computer input, the time judge must record the exact amount of time over the time limit

#### 5.5.2 Functions of the Secretaries

The Secretaries need to have COP and computer knowledge; they are usually appointed by the Organizing Committee.

Under the supervision of the D¹ Judge they are responsible for correctness of all entries (proceedings) into the computers:

- adherence to the correct order of the teams and gymnasts
- operating the green and red lights
- correct flashing of the Final Score

#### **5.6 Seating Arrangements**

The judges will be seated at a location and distance from the apparatus which permits an unobstructed view of the total performance and which permits them to fulfill all of their evaluation duties.

- D- Panel Judges must be in line with the center of the apparatus.
- The timer(s) sit by the Apparatus Jury (either side).
- The line judges at FX must sit at opposite corners and observe the 2 lines closest to them.
- The line judge at Vault must sit at the far corner of the landing side.
- The placement of the E- and R juries will be clockwise around the apparatus beginning from the left of the D- Panel (see Diagrams).

VT:

<u>2</u>	<u>R2</u>	<u>3</u>			<u>1</u>	
<u>1</u>	<u>R1</u>	<u>D</u> <sup>2</sup>	<u>D</u> 1	<u>SEC</u>	<u>5</u>	

UB:

<u>1</u>	2	<u>R2</u>			<u>3</u>
<u>R1</u>	<u>D</u> <sup>2</sup>	<u>D</u> 1	<u>SEC</u>	<u>5</u>	<u>4</u>

BB:

2	2	DΩ			1	
	S	<u> </u>			4	
1 7		=-	- 4	0-0	_	
l 1	R1	)/	1)1	SEC	5	
		_		<u></u>		

FX:

2	3		<u>R2</u>		4
<u>1</u>	<u>R1</u>	$D^2$	<u>D</u> 1	<u>SEC</u>	<u>5</u>

Variations in the seating arrangement are possible depending on the conditions available in the competition hall.

#### 5.7 Judge's Oath (TR 7.12)

At the World Championships, and other important international events, juries and judges pledge to respect the terms of the Judges' Oath.

"In the name of all the judges and officials, I promise that we shall officiate in these World Championships (or any other official FIG Event) with complete impartiality, respecting and abiding by the rules which govern them, in the true spirit of sportsmanship".

# Reach the Maximum







# PART II EVALUATION OF THE EXERCISES SECTIONS 6-9

#### **PART II Evaluation of the Exercise**

#### **SECTION 6** — Determination of Score

#### 6.1 General

The rules governing the evaluation of the exercises and the determination of the Final Score are identical for all sessions of competition (Qualification, Team Final, All Around Final, Apparatus Finals) except for Vault, where special rules in Qualification and in Apparatus Finals apply (Section 10).

#### 6.2 Determining Final Score

- a) The Final Score on each apparatus will be established utilizing two separate scores, D- Score and E- Score.
- b) The D- panel establishes the D- score, the content of an exercise, and the E- panel the E- Score, the execution and artistry.
- c) The Final Score of an exercise will be established by the addition of the D-Score and E-Score

If necessary, subtraction of the neutral deductions (See 5.4.1).

- d) The All-Around Score is the sum of the Final Scores obtained from the four apparatus.
- e) The Team Score is calculated in accordance with the current Technical Regulations that govern that competition.
- f) Qualification for, and participation in, the Team Final, the All Around Final, and the Apparatus Finals will occur in accordance with the current Technical Regulations that govern that competition.
- g) In principle, the repetition of an exercise is not permitted.

#### The Final Score Calculation

#### **Example:**

#### D- Score + E- Score = Final Score

#### **D-Score**

	D- Score	5.70
Connection Value		+ 0.60
Composition Requirements		+ 2.00
Difficulty (3 C-, 3 D-, 2 E-)		+ 3.10

E- Score*		10.00
Execution	- 0.70	
Artistry	- 0.30	- 1.00
	E- Score	9.00
	Final Score	14.70

**\*E- Score:** the execution & artistry deductions are added together and then subtracted from 10.00

(E- score is calculated by averaging the middle 3 of 5 scores deductions)

#### 6.3 Short Exercise

For the execution and artistry of presentation, the gymnast may earn a maximum E- Score of 10.00P:

The D-Panel will take the appropriate neutral deduction (penalty) for a short exercise from the Final Score:

• 7 or more elements – no deductions

• 5-6 elements – 4.00 P.

• 3-4 elements – 6.00 P.

1-2 elements – 8.00 P.

No elements – 10.00 P.

#### Example: FX

The gymnast falls and injures herself after performing only 3 elements.

$$\Omega$$
 / Well (without landing feet first)  $\Omega$   $\Omega$ 

#### **Evaluation:**

Final Score after neutral deduction for Short exercise applied 7.90 P. – 6.00 P. (short exercise) = 1.90 P.

# SECTION 7 — Regulations Governing the D-Score

#### 7.1 D-Score (Content)

- a) The D-Score on VT is the Difficulty Value in the Table of Vaults.
- The D-Score on Uneven Bars, Balance Beam and Floor Exercise includes the highest 8 difficulties, compositional requirements and connection value.

#### 7.2 Difficulty Value (DV)

The DV are elements from The Table of Elements in the Code of Points which are open ended and may be expanded as needed.


- a) The Maximum 8 highest DV including the dismount are counted on UB, BB and FX.
- b) The D-Panel will always recognize the difficulty value of the element unless there is a failure to meet the technical requirement of the element.

#### Difficulty Value

- A = 0.10
- B = 0.20
- C = 0.30
- D = 0.40
- E = 0.50
- F = 0.60
- G = 0.70
- H = 0.80
- I = 0.90

#### 7.2.1 Recognition of DV of elements

- a) To reward DV an element must be performed according to the description of the body position in the Table of Elements.
- b) The same element will receive Difficulty Value only one time in an exercise and in chronological order.
- c) Arabian elements are considered Forward Elements



- d) Recognition of the Same and Different Elements
  - Different dance elements from the same box in the Table of Elements (same number) will receive DV only one time in the exercise and in chronological order.
  - The maximum number of turns recognized for:
    - passé pirouettes is 4/1 turn (1440°)
       (Therefore 5/1 passé pirouette would be considered the same element as 4/1)
    - all other pirouettes with a different leg position is 3/1 turn (1080°)
    - Split/Straddle Leaps and Jumps (ie. 
       ) is 1½ turn (540°)
    - Complex jumps and leaps (ie. ' أَصُ ) is 1/1 turn (360°)
- e) Elements are considered <u>different</u>, if they are listed under <u>different</u> numbers in the Table of Elements
- f) Elements are considered the <u>same</u>, if they are listed under the same number and have the following criteria:

#### **UB** elements:

- are performed with or without a hop grip change
- giants fwd & bwd performed with legs straddled or together, with hip bent or stretched
- pike sole circle fwd & bwd performed with legs straddled or together

#### Dance elements:

- with take off from one or two feet with the same leg position
  - Example: wolf hop (take off from one leg) and wolf jump (take off from 2 legs)
- are performed in Side or Cross position (BB)
  - Jumps performed in side position will be awarded 1 DV higher than in cross position
  - If the same element is performed in cross and in side position, the DV will be awarded one time only and in chronological order
  - Jumps that start from side position and finish in cross position, or vice versa – consider as elements performed in cross position (additional 90° does not make element different)
- land on one or both feet (BB)
- land on one or both feet or in prone position (FX)

#### Acro elements:

- that land on one or both feet
- g) Elements are considered <u>different</u>, if they are listed under the <u>same</u> <u>number</u> and have the following criteria:

#### Acro elements:

- there are different body positions (tuck, pike or stretched) in saltos
- there are different degrees of turns:
   ½, 1/1, 1½ (180°, 360°, 540°) etc.
- the support is performed on one or both arms or free
- the take-off from one or both legs

#### Dance elements:

 turns on one leg (pirouettes) performed in "in" and "out" directions (en dedans and en dehors) will only be considered different if directly connected. Difficulty will be awarded to both elements in the connection (excluding passé or leg below horizontal turns)

#### 7.2.2 Recognition of elements occurs in chronological order

- a) In case of technical failure elements will be recognized as:
  - another element in the table of difficulties or
  - No DV or
  - One DV lower

- b) If an element is recognized as another element (from the Table of Elements) due to failure to meet technical requirements and later the element is performed with correct technique they both receive DV.
  - Example: Split leap to ring without required arch it becomes Split leap, if the Split leap to ring is performed later with correct technique it is recognized as a Split leap to ring because both elements appear in the Table of Elements.
  - Example BB: turn is credited as another element from the COP of the due to failure to hold the free leg at horizontal from the beginning to the end of the turn (360°). It is then performed a 2<sup>nd</sup> time in the exercise correctly Credit DV
- c) If an element is credited one DV lower due to technical requirement failure and is later performed again in the exercise it will then be considered as a repetition and no DV will be awarded.
  - Example UB: Giant bwd with 1½ turn that is credited one DV lower (C-), due to failure to reach handstand prior to the turn (Swing).
     It is then performed a 2<sup>nd</sup> time in the exercise and completed
    - It is then performed a 2<sup>nd</sup> time in the exercise and complete 1½ turn in handstand then no DV, (*D*-) will be awarded.

#### 7.2.3 New Vaults, Elements and Connections

Coaches are encouraged to submit new vaults, and elements that have not yet been performed and/or do not yet appear in the Table of Elements.

Additionally the WTC will consider new and original CVs which have not yet been performed.

Send to the WTC by electronic mail, facsimile or post at any time during te year.

 a) In principle, only those elements which have been performed will appear in the Code of Points. b) In order to be recognized as a new element, the element must be successfully performed (without a fall) for the first time at an FIG Official Competition:

World Championships Olympic Games Youth Olympic Games

- No element will be named if there is more than one gymnast who has performed it for the first time. The element must be minimum C- difficulty.
- d) The new elements must be presented no later than the day and hour, as stipulated in the Work Plan. The request for evaluation must be accompanied with technical drawings, as well as with a DVD.
- e) The FIG/WTC will evaluate concerning:
  - Difficulty Value of new vaults (vault group & number)
  - Difficulty Value of new elements
  - Connection Value
- f) The evaluation may be different in comparison to the value received at competitions other than Official FIG Competitions.
- g) The decision will then be communicated as soon as possible in writing to the:
  - Concerned Federation and
  - Judges at the Judges' Review Session (Instruction) or Judges' Briefing before the respective competition.

New vaults and elements may be submitted at all other International Competitions to the technical director and/or FIG Technical Representative. The evaluation and decision takes place in the technical discussions prior to the respective competition.

- a) The decisions have validity **only** at that respective competition;
  - however these should be forwarded by the technical delegate to the President of the WTC for review by the WTC at the next subsequent meeting of the WTC.
  - Such new elements, etc. will appear for the first time in the Code Update, only when they have been submitted, confirmed and also performed at an Official FIG Competition.

#### 7.3 Compositional Requirements (CR) 2.00

Composition Requirements are described in the respective Apparatus Sections. A maximum of 2.00 is possible.

- a) Only elements from the Table of Elements may fulfill CR.
- b) One element may fulfill more than one CR; however, an element may not be repeated to fulfill another CR.

#### 7.4 Connection Value (CV)

Connection Value is to be achieved through unique combinations of elements on Uneven Bars, Balance Beam and Floor Exercise.

- a) Elements used for CV do NOT necessarily have to be among the 8 counting DV. All elements must be from the Table of Elements.
- b) Connection Value on UB, BB and FX is evaluated at:

+0.10

+0.20

+0.30 (possible)

- c) Formulas for CV are described in the respective apparatus Part 3: Sections 11, 12 and 13.
- d) Devalued Elements may be used for CV.
- e) In order to be credited, the connection must be performed without a fall.

#### 7.4.1 Direct and Indirect Connections

All connections must be **Direct**;

only on Floor can acrobatic connections be Indirect.

**Direct Connections** are those in which elements are performed without:

- a) stop between elements
- b) extra step between elements
- c) foot touching beam between elements
- d) loss of balance between elements
- e) obvious leg/hip extension on 1st element before takeoff for 2<sup>nd</sup> element
- f) additional arm swing

**Indirect Connections** (*only in acrobatic series on FX*), are those in which directly connected acrobatic elements with flight phase and hand support (*from Group 3, eg. round-off, flic-flac, etc. as preparatory elements*) are performed between saltos.

**The recognition** of direct or indirect (FX) connections should be to the benefit of the gymnast.

The order of succession of elements within a connection can be freely chosen on BB, FX and UB (unless there is a special requirement for CV recognition).

#### 7.4.2 Repetition of elements for CV (SB on BB)

- a) Elements may not be repeated in another connection for CV.
  - Recognition occurs in chronological order.
- b) Same elements on UB, acrobatic elements on BB and FX may be performed 2 times within one connection. Dance elements cannot be repeated.

#### Examples:

- UB Tkatchev 2x or Stalder with 1/1 turn 2x
- BB flic flac with 1/1 turn 2x
- FX indirect or direct connection with whip salto backward 2x to double salto backward piked.
- c) With the direct connection of 3 or more elements, the 2<sup>nd</sup> element may be used:
  - the 1st time as the last element of a connection and
  - the 2<sup>nd</sup> time as the 1<sup>st</sup> element to begin a new connection

#### Examples:

D + D + D 0.10 + 0.10

 $\begin{array}{c}
D + D + D \\
\hline
CV 0.20 + 0.20 \\
SB + 0.10
\end{array}$ 

d) With the direct connection of 3 or more elements, the repeated <u>flight</u> <u>element</u> on UB, or <u>salto</u> on BB & FX must be directly connected.
 CV will be rewarded for all connections.

#### Examples:

UB

XÎ U, U, e

D + D + X + D

Total CV + 0.40

0.10 + 0.20 + 0.10

The flight element may be used:

- the 1st time as the 2nd element of a connection
- the 2<sup>nd</sup> time as the connection of 2 same flight elements
- the 3<sup>rd</sup> time as the 1<sup>st</sup> element to begin a new connection

BB

C + C + X CV +0.10 +0.10

Total CV + 0.20 & SB + 0.10

SB +0.10

Salto may be used:

- the 1st time as the 2nd element of a connection
- the 2<sup>nd</sup> time as the 1<sup>st</sup> element to begin a new connection
- the 3<sup>rd</sup> time as the connection of 2 same saltos

FΧ

C+X+C

**Total CV + 0.20** 

0.10 + 0.10

Salto may be used:

- the 1st time as a connection of 2 same saltos
- the 2<sup>nd</sup> time as the 1<sup>st</sup> element to begin a new connection

# SECTION 8 — Regulations Governing the E- Score

#### 8.1 Description of E- Score 10.00 P. (Performance)

For perfection of execution, combination and artistry of presentation, the gymnast may earn a score of **10.00 P.** 

#### The E- Score includes deductions for faults in:

- Execution
- Artistry of presentation

#### 8.2 Evaluation by E- Panel

The E- judges will judge an exercise and determine the deductions independently.

Each performance is evaluated with reference to expectations of perfect performance. All deviations from this expectation are deducted.

Deductions for errors in execution and artistry are added together and then deducted from 10.00 points to determine the E- Score.

Section 8.3 - Table of General Faults and Penalties

Faults	Small	Med.	Large	Very Large		
	0.10	0.30	0.50	1.00 or more		
By E- & R- Panel Judges						
Execution Faults	1		1	T		
- Bent arms or bent knees	each time	Х	X	Х		
- Leg or knee separations	each time	Х	X shoulder width or more			
- Legs crossed during elements with twist	each time	Х				
- Insufficient height of elements (external amplitude)	each time	Х	Х			
Insufficient  – exactness of tuck or pike position in single salto	each time	X 90° Hip/knee angle	X >90° Hip/knee angle			
<ul><li>-Failure to maintain stretched body posture (piking too early)</li></ul>	each time	X	Х			
Hesitation during performance of elements & movements	each time	X				
Attempt without performance of an element (empty run)	each time		Х			
- Deviation from straight direction	each time	Х				
Body and/or leg position in elements (non-dance)  – Body alignment  – Feet not pointed/relaxed  – Insufficient split in acro elements (non-flight)	each time each time each time	X X X	×			
Failure to fulfill technical requirements in dance elements     (as per Sec.9 for list of errors in dance elements)	each time	X	X	×		
- Precision	each time	Х				
Performance of DMT too close to the apparatus     (UB & BB)			Х			
Landing Faults (all elements including dismounts)		If there is no fall the maximum landing deduction may not exceed 0.80				
- Legs apart on landing	each time	Χ				
– Extra arm swings		Х				
- Lack of balance	each time	Х	Х			
- Extra steps, slight hop	each time	Х				
Very large step or jump     (guideline – more than 1 meter)	each time		Х			
– Body posture fault	each time	Х	Х			
- Deep squat	each time			Х		
<ul> <li>Support on mat/apparatus with 1 or 2 hands</li> </ul>	each time				1.00	
- Fall on mat to knees or hips	each time				1.00	
– Fall on or against apparatus	each time				1.00	
- Failure to land feet first on landing from element	each time				1.00	

Section 8.3 – Table of General Faults and Penalties

Section 6.3 – Table		Small	Med.	Large	Very Large	
Faults		0.10	0.30	0.50	1.00 or more	
By	D- Panel				1.00 01 more	
Performance of connection with fall	UB, BB,		Ì		No CV, No SB (BB)	
Failure to land feet first or in prescribed	FX each				No DV, CV, CR,	
position from an element	time				No SB (BB)	
<ul> <li>Take-off outside the border markings (entirely outside)</li> </ul>	FX				No DV, CV, CR	
<ul> <li>Failure to acknowledge D- Panel Judges before and/or after exercise</li> </ul>	Gym/Evt		Х		From the Final Score	
- Spotting assistance (help)					1.00 from the Final Score No DV, CV, CR No SB (BB)	
<ul> <li>Non-permitted presence of spotter</li> </ul>	Gym/Evt			Х	From Final Score	
By D- Panel Judges $(D^1 - D^2)$	) with no	tificatio	n to the	Superior	Jury, or by the SJ	
Apparatus irregularities through:						
<ul> <li>Failure to properly use safety collar for round-off entry vaults (see 10.4.3)</li> </ul>	Gym/Evt				Invalid VT "0"	
- Failure to use supplementary mat	Gym/Evt			X		
<ul> <li>Placement of springboard on unpermitted surface</li> </ul>	Gym/Evt			X		
Use of unpermitted supplementary mats	Gym/Evt			X From the Final Scor		
Moving the supplementary mat during exercise or moving to unpermitted end of the balance beam	Gym/Evt			Х		
By Chair of the	ne Superi	or Jury	from the	e Final Sc	ore	
	ication fro					
<ul> <li>Changing measurement of apparatus without permission</li> </ul>	Gym/Evt			Х		
Addition, re-arrangement or removal of springs from springboard	Gym/Evt			Х	From the Final Score	
<ul> <li>Incorrect use of magnesia and/or damage to the apparatus</li> </ul>	Gym/Evt			Х		
By Chair of th Notific	ne Superio Cation fro				ore	
Behaviour of Gymnast						
- Incorrect or unaesthetic padding	Gym/Evt		Х			
Missing national emblem and/or wrong placement	Gym/Evt		X		ication, All Around and Team	
- Missing start number	Gym/Evt		Χ		ken 1 x in competition phase aratus where first recognized	
Incorrect attire – leotard, jewelry, bandage color	Gym/Evt		Х	In Apparatus Finals taken from even		
- Incorrect advertising	Team Gym/Evt		Х	From the Final Score on the apparatus concerned Upon request of the responsible body		
- Unsportsmanlike conduct	Gym/Evt		Х	From the Final Score		
– Unauthorized remaining on the podium			Х	F	From the Final Score	
- Remounting podium after the exercise is over	Gym/Evt		Χ	F	From the Final Score	
<ul> <li>Speaking to active judges during the competition</li> </ul>	Gym/Evt		Х	F	From the Final Score	
Team gymnasts competing in the incorrect order	Team			1.00 P. In Qualification &Team Fina from the team total on the apparate concerned		
Non-identical leotards (for gymnasts from the same team)	Team			taken 1	n Qualification &Team Finals x in competition phase from atus where first recognized	

#### Section 8.3 - Table of General Faults and Penalties

		Small	Med.	Large	Very Large	
Faults	0.10	0.30	0.50	1.00 or more		
Failure to complete the competition due to absence from the Competition area				Disqualified		
Unexcused delay or interruption of competition				Disqualified		
Written Noti			IDGE			
	To D- Par	nel				
<ul><li>Flagrant exceeding of touch warm-up time (after warning)</li></ul>	Team/Evt		Х			
by Individuals     Gy			Χ		From the	
<ul> <li>Failure to start within 30 sec. after green light is lit</li> </ul>	Gym/Evt		X		Final Score	
- Failure to start within 60 seconds Gym/		The right to begin the exercise will be terminated				
– Overtime (BB, FX)	Gym/Evt	Х				
<ul> <li>Starting exercise without signal or when red light is lit</li> </ul>	Gym/Evt				"0"	
UB and BB  - Exceeding allowable intermediate fall time  - Exceeding intermediate fall time (more than	Gym/Evt		Х			
60 seconds)	Gym/Evt				Exercise ended	

By Chair of the Superior Jury (In Consultation with the Superior Jury)	Card System For FIG Official and Registered Competitions			
Behaviour of Coach with NO direct impact on the r	result/performance of the gymnast/team			
Unsportsmanlike conduct     (valid for all phases of the competition)	1 <sup>st</sup> time – Yellow card for coach <i>(warning)</i> 2 <sup>nd</sup> time – Red card & removal of coach from the competition and/or training hall			
<ul> <li>Other flagrant, undisciplined and abusive behaviour (valid for all phases of the competition)</li> </ul>	Immediate Red card & removal of coach from the competition and/or training hall			
Behaviour of Coach with DIRECT impact on the re	esult/performance of the gymnast/team			
<ul> <li>Unsportsmanlike conduct         (valid for all phases of the competition),         i.e. unexcused delay or interruption of competition,         speaking to active judges during the competition         except to D¹ Judge – inquiry only permitted,         speak directly to the gymnast, give signals, shouts         (cheers) or similar during the exercise. etc.</li> </ul>	1st time – 0.50 (from gymnast/team at event) & Yellow card for coach (warning)  1st time – 1.00 (from gymnast/team at event) & Yellow card for coach (warning)  if coach speaks aggressively to active judges  2nd time – 1.00 (from gymnast/team at event),  Red card & removal of coach from the competition floor			
<ul> <li>Other flagrant, undisciplined and abusive behaviour (valid for all phases of the competition),</li> <li>i.e. incorrect presence of the prescribed persons in inner circle during competition and/or in the preparation of the apparatus, etc.</li> </ul>	<b>1.00</b> (from gymnast/team at event), immediate Red card & removal of coach from the competition floor*			

**Note:** If one of two coaches from a team are dismissed from the competition inner circle, it is possible to replace that coach with another coach **one time** in the entire competition (e.g. Qualification).

<sup>1&</sup>lt;sup>st</sup> offense = yellow card 2<sup>nd</sup> offense = red card, at which time the coach is excluded from the rest of the competition phases.

<sup>\*</sup>if there is only one coach, then the coach would remain in the competition but would not be eligible for accreditation at the next World Championships, Olympic Games.

#### **SECTION 9 — Technical Directives**

In order to recognize DV specific technical expectations are required.

All directives for angles of completion of elements and body positions are approximate and meant to serve as a guideline.

#### 9.1 ALL APPARATUS

#### **Body Positions**

#### Tuck

Less than 90° hip and knee angle in salto & dance elements

#### Pike

Less than 90° hip angle in salto & dance elements

#### Stretch

All body parts in alignment

#### 9.1.1 Element Recognition

#### Stretch

- The majority of the salto must be maintained in the stretched position in:
  - Single saltos
  - Double saltos on FX and UB DMTS
  - Vaults (saltos)
- When there is NO stretched position shown it is considered pike position in:
  - Non-twisting elements
  - Vaults without LA turn









#### Recognition of body positions in single & double Saltos without LA turn

Pike salto becomes tuck	D-Panel If in Pike salto knee angle is less than 135° – Credit Tuck salto			
Tuck salto becomes stretch	<u>D-Panel</u> Hip open (180°) — Credit Stretch salto			
Stretch position becomes pike	D-Panel Pike in hips — Credit Pike salto  A slight hollow in the chest or a slight arched body position is acceptable			

#### 9.1.2 Landing from Single Saltos with Twists

- a) Elements with twists performed
  - as mounts and dismounts from UB and BB
  - during the exercise on BB and FX
  - all landings on VT

must be completed exactly or another element from the COP will be recognized.

Note: The placement of the front foot is decisive when awarding the difficulty value

- b) For under turning\*
  - 3/1 twist becomes 21/2 twist
  - 21/2 twist becomes 2/1 twist
  - 2/1 twist becomes 1½ twist
  - 1½ twist becomes 1/1 twist

\*FX: When there is a salto with twist directly connected to another salto and in the first salto the turn is not completed exactly (but the gymnast is able to continue into the next element), the first element will NOT be devalued.

#### 9.1.3 Falls on Landing

a) with landing feet first — the DV is awarded

b) without landing feet first - No DV is awarded

#### 9.2 BALANCE BEAM AND FLOOR EXERCISE

#### 9.2.1 Rewarding DV for Turns on One Leg are in increments of:

• 180° for BB

• 360° for FX

 The turn must be completed exactly or another element from the COP will be credited.

 The position of the shoulders and hips are decisive otherwise another element from the COP will be credited.

#### **Turn Considerations:**

Must be performed on the toes.

- Have a fixed and well defined shape throughout the turn.

 The support leg whether stretch or bent (choreography) does not change the value of the difficulty.

 For turns on 1 leg requiring the free leg to be at a specific position, the position must be maintained throughout the turn.

 If the free leg is not in the prescribed position - credit another element from the COP.

#### a) Under turning on Support leg:

Example:

- BB ⊠ becomes Ø

# 9.2.2 Rewarding DV for Leaps, Jumps & Hops with turns are in increments of:

• 180° for BB & FX (split, straddle and ring elements)

• 360° for FX

Various techniques of jumps, leaps and hops with turns are permitted; piking, tucking, straddling the legs, may be in the beginning, middle or end of the turn (unless there is a special requirement for the element).

**Under turning of more than 30° another** element from the COP will be recognized.

The position of the shoulders and hips are decisive

#### Example:

BB/FX ≥ becomes ≥ or ≥ (if clear straddle position shown)

- FX ⊠ becomes O

- FX  $\stackrel{\circ}{\geq}$  becomes  $\stackrel{\circ}{\geq}$  or  $\stackrel{\circ}{>}$  (if clear straddle position shown)

- BB Ø becomes ○

An additional ¼ turn does not make an element different

#### **Definition:**

**Leaps** – take off from 1 foot to land on other or 2 feet

**Hops** – take off from 1 foot and land on the same foot or 2 feet


(180° leg separation is not required)

Jumps - take off from 2 feet and land on 1 or 2 feet

**Note:** – In Jumps and Leaps with split 180° leg separation is required.

#### 9.2.3 Split Requirement


For missing degrees of leg separation in Leaps, Jumps, Turns



#### **Insufficient Split:**

> 0° - 20° deduct 0.10 > 20° - 45° deduct 0.30 > 45° credit another eler

credit another element from the COP or no DV



#### 9.3 REQUIREMENTS FOR SELECTED DANCE ELEMENTS

#### **Scales (4.102)**



#### Requirement:

• 180° split

#### **D-Panel**

• < 180° split

- No DV

#### Example for the turns with specific leg positions:



#### Requirement:

• Free leg fwd or bwd at horizontal throughout turn

#### **D-Panel**

 Free leg below horizontal — credit another element from the COP

## Tuck Jump with/without turn



#### Requirement:

- Hip angle < 90°
- Knees above horizontal

#### **D-Panel**

• > 135° hip/knee angle

No, or other DV

#### E-Panel

Knees at horizontal

- 0.10 (small fault)

Knees below horizontal

- 0.30 (medium fault)

## Wolf Jump with/without turn



#### Requirement:

- Hip angle < 90°
- Extended leg above horizontal

#### **D-Panel**

• > 135° hip angle

No, or other DV

#### E-Panel

Extended leg at horizontal

- 0.10 (small fault)

Extended leg below horizontal

- 0.30 (medium fault)

### Cat Leap with/without turn



#### Requirement:

- · Legs alternation
- Knees above horizontal
- Evaluate the lowest knee position

#### **D-Panel**

> 135° hip/knee angle
 Lack of alternation
 No, or other DV
 Tuck jump

#### E-Panel

One/both legs at horizontal – 0.10 (small fault)
 One/both legs below horizontal – 0.30 (medium fault)

## Straddle Pike Jump with/without turn

#### Requirement:

• Both legs must be above horizontal



#### **D-Panel**

• > 135° hip angle – No, or other DV

#### E-Panel

Incorrect (uneven) leg position
 Legs at horizontal
 Legs below horizontal
 - 0.10 (small fault)
 - 0.30 (medium fault)

#### Ring jump



#### Requirements:

- Upper back arch and head release
- 180° split of legs on the diagonal
- Back foot to crown of head

#### **D-Panel**

No arch & release of head,
 Split jump or Sissone

No split – No DV

#### E-Panel

Insufficient arch position
 Rear foot at head height
 Rear foot at shoulder height
 - 0.10 (small fault)
 - 0.10 (small fault)
 - 0.30 (medium fault)

#### **Sheep Jump**



#### Requirements:

- Upper back arch & head release with feet to crown of head
- Hip extension

#### **D-Panel**



No arch & release of head
 Feet below shoulder height
 No DV

#### E-Panel >

Insufficient arch
 Feet at head height & below
 Insufficient hip extension
 Insufficient bent legs (≥ 90°)
 O.10 (small fault)
 O.10 (small fault)
 O.10 (small fault)

#### Yang Bo



#### Requirements:

- Large body arch & head release
- Over split with front leg minimum horizontal

#### **D-Panel**

- No arch & release of head Split jump or Sissone
- Front leg below horizontal Ring jump

#### E-Panel

- Insufficient arch position 0.10 (small fault)
- No over split but both legs
   at horizontal

at horizontal – 0.10 (small fault)

## Split Leap with leg change


#### Requirement:

- Free leg swing minimum 45°
- · Swing with straight free leg

#### E-Panel

- Free leg swings less than 45° 0.10 (small fault)
- Free leg bent 0.10/0.30 (small/medium fault)

### Split Leap with leg change and turn ( $\stackrel{\frown}{>}$ )



#### Requirement:

- Free leg swing minimum 45°
- Swing with straight free leg
- Must show cross split

#### **D-Panel**

- Incomplete turn in 

  becomes 

  or 

  A
- Incomplete turn in ≥ becomes ≥ or ≥

#### E-Panel

- Free leg swing less than 45° − 0.10 (small fault)
- Free leg bent -0.10/0.30 (small/medium fault)

## Split Leap to Ring / Split Leap with leg change to Ring / Split Jump to Ring (with/without turn)

#### Requirements:





- Front leg at horizontal and back foot to crown of head
- The turn should be performed after ring position is shown

#### **D-Panel**

- No arch & release of head
   Back foot below shoulders
   Split/Switch leap/split jump

   Split/switch leap/split jump
   (valid from 1 October 2017)
- Incorrect timing of the turn Split/Switch leap/split jump with turn

#### E-Panel

Insufficient arch position

 Front leg below horizontal
 Front leg below horizontal (approx. 45°)
 Rear foot at head height
 Rear foot at shoulder height
 O.10 (small fault)
 (valid from 1 October 2017)
 Rear foot at shoulder height
 O.30 (medium fault)
 O.30 (medium fault)

Maximum cumulative deductions for deviation from required body shapes may not exceed 0.50.

#### Body Shape Deductions include:

- Insufficient split
- Bent legs
- Toes not pointed
- Legs separated
- Specific Element Body Shape Deductions (listed in 9.3)

#### NOTF:


One small fault as deviation from the ideal execution will be deducted 0.10. Multiple small or one small and one medium fault as deviation from ideal execution will be deducted 0.30.

Large deviations from the ideal execution will be deducted 0.50 (as per Section 8.3)

#### 9.4 UNEVEN BARS

- Handstand position is considered reached when all body parts are aligned in vertical.

#### 9.4.1 Cast to Handstand



#### **D-Panel**

If element completed:


- within 10° of vertical - Credit DV
- >10° - No DV



#### E-Panel

- $> 30^{\circ} 45^{\circ}$ -0.10
- > 45° -0.30

#### 9.4.2 Circle elements to handstand without turn & Flight elements from HB to handstand on LB



#### **D-Panel**

If element completed


- > 10° before vertical No or other DV
- > 10° after vertical - 1 DV lower

#### E-Panel

- $> 10^{\circ} 30^{\circ}$ 
  - -0.10-0.30
- $> 30^{\circ} 45^{\circ}$
- > 45° -0.50

#### 9.4.3 Swings – elements with turns that:

- do not reach handstand
- do not pass through vertical
- continue movement after turn in opposite direction



#### **D-Panel**

If element completed

- within 10° of vertical Credit DV (see 9.4.4)
- > 10° before vertical Credit 1 DV lower than circle element with turn to hstd

#### E-Panel

- $> 10^{\circ} 30^{\circ}$
- -0.10> 30° - 45° -0.30
- > 45° -0.50



Swing elements with ½ (180°) turn:


All body parts must reach horizontal to receive DV, otherwise No DV will be credited (empty swing).

#### 9.4.4 Circle elements with turns to HSTD & Casts with turns to HSTD



0.10





#### **D-Panel**

If element completed

• within 10° of vertical (either side) - Credit DV

#### E-Panel

- > 10° 30°
- $> 30^{\circ} 45^{\circ}$


-0.10-0.30

> 45°

-0.50

If the same skill is performed as a Swing and as a circle element with turn it will be counted only once in chronological order.


# 9.4.5 Requirements for selected UB elements




# **D-Panel** completed:

- Within 30° of vertical - Credit DV
- > 30° - Credit 1 DV lower

- - -0.10-0.30





-0.10-0.30

Execution Deductions for body posture faults must be taken in addition to penalties assessed for amplitude in elements.



# **PART III**

**APPARATUS** 

**SECTIONS 10-13** 

# PART III APPARATUS SECTION 10 — Vault

#### 10.1 General

Depending on the requirements for that competition phase, the gymnast is required to perform one or two vaults from the Table of Vaults.

Run distance is a maximum of 25 meters, measured from the front edge of the table to the inner side of the block attached at the end of the vault run up mat.

- The vault begins with a run, an arrival and take-off from the board with two feet, from either a
  - forward position or
  - backward position
- No vault with sideward landing may be submitted.
- All vaults must be performed with repulsion from both hands off the vaulting table.
- The gymnast is required to properly use the "safety collar" supplied by the Organizing Committee for round-off entry vaults.
- A hand placement mat may be used only for Yurchenko vaults from groups 1, 4 and 5.
- All vaults are illustrated with a number.
- The gymnast is responsible for flashing the intended vault number prior to the beginning of each vault (manually or electronically).
- After receiving the green light or signal from the D¹ judge, the gymnast executes the 1st vault and then returns to the end of the runway to post the number for her 2nd vault.
- Beginning with the take-off, the vault phases are evaluated:
  - pre-flight (1st flight)
  - repulsion
  - flight (2<sup>nd</sup> flight) and landing.

# 10.2 Run Approaches

Additional run approaches are permitted as follows, with deduction of -1.00 P. for empty run (if gymnast has not touched the springboard or the apparatus).

- When 1 vault is required, a second run approach is permitted with deduction
- Third approach not permitted.
- When 2 vaults are required, a third run approach is permitted with deduction
- Fourth approach <u>not</u> permitted.

The D- Panel judges will take deduction from the Final Score of the vault performed.

# 10.3 Vault Groups

The vaults are classified into the following groups:

- **Group 1** Vault without salto (*Handspring*, *Yamashita*, *Round-off*) with or without LA turn in 1<sup>st</sup> and/or 2<sup>nd</sup> flight phase
- **Group 2** Handspring fwd with or without 1/1 turn (360°) in 1<sup>st</sup> flight phase salto fwd or bwd with or without LA turn in 2<sup>nd</sup> flight phase
- **Group 3** Handspring with ¼ ½ turn (90° 180°) in 1<sup>st</sup> flight phase (*Tsukahara*) salto bwd with or without LA turn in 2<sup>nd</sup> flight phase
- **Group 4** Round-off (*Yurchenko*) with or without ¾ turn (270°) in 1<sup>st</sup> flight phase salto bwd with or without LA turn in 2<sup>nd</sup> flight phase
- **Group 5** Round-off with ½ turn (180°) in 1<sup>st</sup> flight phase salto fwd or bwd with or without LA turn in 2<sup>nd</sup> flight phase

# 10.4 Requirements

- The **intended** vault number to be flashed (manually or electronically) before the vault is performed.
- In the Qualifying, Team Final and All-Around:
   One vault must be performed.
  - In Qualifying, the 1<sup>st</sup> vault score counts toward the Team and/or All-Around Total.
  - The gymnast who wishes to qualify for the Apparatus Final must perform 2 vaults as per the Apparatus Finals rules below.

#### Apparatus Finals

- The gymnast must perform 2 vaults, which will be averaged for the Final Score.
- The two vaults must be from different Vault Groups.
- Must show a different 2<sup>nd</sup> flight phase.

# Example:

1. If the first vault is from Gr. 4  $\wedge \bigcirc$   $\mathbb{A}^{f}$  Round-off, flic-flac on – stretched salto backward with 2½ turn (900°) off,

then the choices for the 2<sup>nd</sup> vault would be:

- 2. If the first vault is from Gr. 2

  Handspring fwd on- tucked salto fwd off √

then the choices for the 2<sup>nd</sup> vault would be:

- Tsukahara piked ℰ℩ ℄ℷ

Note: Handspring fwd on – tucked double salto fwd off: ○ 100 If the 2<sup>nd</sup> salto is not completed because the gymnast lands on the feet

and any other body part simultaneously, then the vault will be recognized as Handspring fwd on – Tucked fwd Salto off  $\, \cap \, \mathcal{T}$ 

#### 10.4.1 Corridor Markings

As an orientation for directional deductions there will be a marked corridor on the landing mat. The gymnast must land and finish to a stable stand in this zone.

The D¹ Judge (with written notification from the Line Judge) will deduct from the Final Score for touching mat with any part of the body outside of the marked corridor as follows:

_	Land or step outside with one foot/hand (part of foot/hand)	- 0.10
_	Land or step outside with two feet/hands	
	(part of feet/hands) or body part	-0.30

#### 10.4.2 Specific Apparatus Deductions (*D- Panel*)

Taken from the Final Score of the vault performed

_	More than 25 meters run distance	- 0.50
_	Run approach without performing vault	- 1.00
_	Support (repulsion phase) with only one hand	- 2.00

- In the Qualification to and in Apparatus Finals:
  - When one of two vaults receives "0" points (10.4.3)

#### **Evaluation:**

Score of the vault performed divided by 2 = Final Score (FS)

 When the two vaults are <u>not</u> from different groups or do <u>not</u> show a different second flight phase

#### Evaluation:

[(FS of the  $1^{st}$  Vault) + (FS of the  $2^{nd}$  Vault, minus 2.00)]/2 = Final Score

#### 10.4.3 Performance of Invalid Vaults (0.00 points) \*

- The vault is executed without a support phase, i.e., neither hand touches the table
- Failure to properly use the safety collar for round-off entry vaults
- Spotting assistance during the vault
- Failure to land on feet first
- The vault is so poorly executed that the intended vault cannot be recognized, or the gymnast pushes from the table with her feet
- The gymnast performs a prohibited vault (straddled legs, prohibited pre-element before the vaulting board, intentionally lands in side position)
- The first vault is repeated for the second vault in Qualification for Vault Final or in Vault Final

\*Note: "0" score recorded by D- Panel. No evaluation by E- Panel.

A video review by the D- Panel and Apparatus Supervisor will automatically occur for every vault that receives an Invalid - 0 Score or Vaults performed with support of one hand only

# 10.5 Method of Scoring

#### D- Panel:

Enters the Value of the performed vault and shows on the board to the E- judges the symbol of the vault recognized (if different from flashed number). The score of the first vault must be flashed before the gymnast executes the second vault.

Execution Deductions (Section 8) must be taken in addition to Specific Execution penalties mentioned below.

# 10.6 Specific Apparatus Deductions (E- Panel)

Faults	0.10	0.30	0.50
First Flight Phase			
<ul> <li>For missing degrees of LA turn during flight phase:</li> </ul>			
• Gr. 1 with ½ (180°) turns	≤ 45°	≤90°	
• Gr. 4 with ¾ (270°) turns	≤ 45°		
• Gr. 1 or 2 with 1/1 turn (360°)	≤ 45°	≤90°	>90°
<ul> <li>Poor technique</li> </ul>			
Hip angle	X	Х	
Arch	Х	X	
Bent knees	X	Х	Х
<ul> <li>Leg or knee separations</li> </ul>	Χ	X	
Repulsion Phase			
<ul> <li>Poor technique</li> </ul>			
<ul> <li>Staggered hand placement Gr.1, 2 &amp; 5 (not</li> </ul>	Х	X	
applicable for Salto fwd stretched w/LA turn)			
Bent arms	Х	X	X
Shoulder angle	X	X	
Failure to pass through vertical	Х		
Prescribed LA turn begun too early (on the table)	X	Х	
Second Flight Phase			
- Excessive snap	Х	X	
- Height	Х	Х	Х
Exactness of LA turn (includes Cuervo)	Х		
- Body position	.,	.,	
Exactness of tuck/pike position in salto	X	X	
Exactness of tuck/pike position in salto with LA turn	X		
Body alignment in stretched salto	Х		
Failure to maintain stretched body position	Х	Х	
(piking too early)	V		
Insufficient and/or late extension (tuck/pike vaults)	X	X	
- Bent knees	X	X	Х
Leg or knee separations	X	Х	
Under-rotation of salto without a fall	Х		
• With a fall		X	
Distance (Insufficient length)	X	Х	
Deviation from a straight direction	Х		
- Dynamics	Х	X	
Landing deductions	S	See Sec.	8

# Section 11 — Uneven Bars

#### 11.1 General

The evaluation of the exercise begins with the take off from the board or the mat. Additional supports under the board (i.e. an extra board) are **not** permitted.

#### a) Mounts

- If the gymnast on her first attempt touched the springboard, the apparatus, or ran underneath the apparatus:
  - Deduct
- 1.00
- · She must start her exercise
- · No Value will be awarded for the Mount
- A gymnast is permitted a 2<sup>nd</sup> attempt to mount (with a penalty) if she has <u>NOT</u> touched the springboard, the apparatus, or run underneath the apparatus
  - Deduct
- 1.00
- A 3<sup>rd</sup> attempt is not permitted.

Gymnast may NOT run/walk under low bar to perform mount (see 2.4)

D- Panel judges will take the deduction from the Final score.

# b) Fall Timing:

For interruption of the exercise due to a fall from the apparatus an intermediate time period of 30 seconds is allowed.

If the gymnast exceeds the allowable time to resume her exercise a - 0.30 P. neutral deduction for excessive time will be applied if the gymnast continues her exercise

- The timing starts when the gymnast is on her feet after the fall.
- The elapsed time during the fall will be displayed in seconds on the scoreboard.
- A warning signal (gong) will be communicated at
  - o 10 seconds
  - o 20 seconds and again at the
  - o 30 second time limit
- The exercise officially resumes when the feet leave the floor.
- If the gymnast has not resumed the exercise within the 60 second time limit, the exercise will be terminated.


No salute is necessary to resume an exercise after a fall.

#### 11.2 Content and Construction of the Exercise

The maximum 8 highest difficulties including the dismount are counted for DV.

- NO DMT 0.50 from Final Score (D- Panel)
- Only 3 elements in chronological order from the same root skill\* will be counted for DV, CR and CV.
  - Except: Kips, Giants (fwd/bwd) and casts to HSTD

\*The root skill is determined by the entry into the skill and the direction of the rotation (bwd or fwd)



- MTs (e.g. "\$\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathcal{Y}\mathca
- Elements with no DV (due to failure to meet the technical requirement) will not be counted in the root skill number.

The value parts should represent a variety of the following categories of movement:

# a) Circle and Swings

- Giant Circles backward
- Giant Circles forward
- Swings & Clear Hip Circles
- Stalders Forward/Backward
- Pike Circles Forward/Backward

# b) Flights

- flight from HB to grasp on LB (or reversed)
- counter flight (over the bar)
- vaults
- hechts
- saltos

# 11.3 Composition Requirements (CR) - D- Panel 2.00P

1.	Flight element from HB to LB	award 0.50
2.	Flight element on the same bar	award 0.50
3.	Different grips (no cast, MT or DMT)	award 0.50
4.	Non flight element with min. 360° turn, (no MT)	award 0.50

# 11.4 Connection Value (CV) - D- Panel

Connection Value can be awarded for direct connections. The CV will be added to the D-Score.

#### Formulas for direct connections

0.10	0.20
D + D (or more)	D (flight - same bar or LB to HB) + C or more  (on HB and must be performed in this order)  D + E (both flight elements)
	D + E (both flight elements)

Note: C/D element must have flight or min. ½ turn (180°)

- a) An element can be performed 2 times within the same direct connection for CV, but may **NOT** receive DV a 2<sup>nd</sup> time.
- b) Flight elements include elements with visible flight:
  - From HB to grasp on LB (or reversed)
  - With counter flight (over the bar), vault, hecht or salto followed by regrasp on same bar or the other bar
  - Performed as dismounts

Note: Hop-grip changes with/without 180°-360° turns do **NOT** constitute flight.

- c) These direct connections can be performed as a:
  - Mount connection (Gr.1 elements are not considered flight elements)

Example: 
$$D+D = 0$$
.

- Connection within the exercise
- Dismount connection
- If an empty swing or intermediate swing is performed between 2 elements, CV can <u>NOT</u> be awarded.
   Empty swing = swing fwd or bwd without the execution of an

element in the Table, before the swing reverses to the opposite direction.

Exception: "Shaposhnikova" type elements with/without 1/1 turn (360°) and following elements:

Note: If kip performed after Shaposhnikova type elements with/without 1/1 turn - apply deduction for empty swing

 Intermediate swing = pump swing from a front support and/or a long swing not needed in order to perform the next element.

# 11.5 Composition deductions (E- Panel)

	Faults	0.10	0.30	0.50
<ul><li>Jump from</li></ul>	LB to HB			Х
<ul> <li>Hang on H</li> </ul>	B, put feet on LB, grasp LB			Х
	2 of the same elements directly to the dismount	Х		

# 11.6 Specific Apparatus Deductions

	Faults	0.10	0.30	0.50 or more
_	Body alignment in hstd and cast to hstd	Χ	Χ	
_	Adjusted grip position	Χ		
_	Hit on apparatus with feet			0.50
_	Hit on mat with feet (fall)			1.00
-	Uncharacteristic element (Elements with take off 2 feet or thighs)			0.50
_	Poor rhythm in elements	X		
_	Insufficient height of flight elements	Х	X	
_	Under rotation of flight elements	Х		
_	Insufficient extension in kips	Х		
_	Intermediate swing			0.50
_	Empty swing			0.50
_	Angle of Completion of elements	Х	Х	Х
An	nplitude of:			
_	Swings fwd or bwd under horizontal	Χ		
-	Casts	X	Х	
_	Excessive flexion of hip joint in the leg tap (DMT)	Х	Х	

#### **11.7 NOTES**

#### Falls -

# Flight Elements

- a) with grasp of both hands (momentary hang or support) on the bar, the DV is awarded
- b) without grasp of both hands on the bar No DV is awarded (element may be performed again to receive DV)

#### **Dismounts**

a) No attempt for DMT at all (e.g 🖞)

#### Evaluation:

- No DV count 7 elements only (D- Panel)
- NO DMT 0.50 (D Panel)
- Fall -1.00 or apply landing deductions, if no fall (*E- Panel*)
   If she remounts to perform DMT then apply deduction for fall (no deduction for "No DMT")
- b) If the dismount has begun

**Example 1:** with initiation of salto (failure to land feet first)

#### **Evaluation:**

- No DV count 7 elements only (D- Panel)
- Fall -1.00 (E- Panel)

#### **Mounts**

- a) Can fulfill CR 1 for flight from HB to LB
- b) Elements performed as mounts can be performed in the exercise (or vice versa) but receive DV only once.

# **SECTION 12 — Balance Beam**

#### **ARTISTRY**

#### Artistic Performance

An artistic performance is one in which the gymnast demonstrates her ability to transform her balance beam exercise from a well-structured composition into a performance. In so doing the gymnast must demonstrate creativity, confidence of performance, personal style and perfect technique.

This is not "what" the gymnast performs, but "How" she performs.

#### Composition and Choreography

The composition of a balance beam exercise is based on the movement vocabulary, both gymnastic and artistic, of the gymnast, as well as the choreography of these elements in relationship to the Balance Beam, while establishing a strong sense of rhythm and modulation of pace. It is the balancing of elements of difficulty with artistic components in order to create a continuous flow, a cohesive whole.

The design, structure and composition of the exercise includes:

- A rich and varied selection of elements from different structure groups in the table of elements
- Changes of level (up and down)
- Changes of direction (fwd, bwd, swd)
- Changes of rhythm & tempo
- Creative or original movements and transitions.

This is "what" she performs.

# Rhythm & Tempo

The Rhythm and tempo (speed/pace) must be varied, sometimes lively, sometimes slow, but predominately dynamic and above all uninterrupted.

The transition between the movements and elements should be smooth and fluent:

- · without unnecessary stops or
- prolonged preparatory movements before elements

The exercise should not be a series of disconnected elements.

#### 12.1 General

The evaluation of the exercise begins with the take-off from the board or the mat. Additional supports under the board (ie: an extra board) are **not** permitted.

#### a) Mounts

- If the gymnast on her first attempt touched the springboard, or the apparatus.
  - Deduction 1.00
  - She must start her exercise
  - No Value will be awarded for the Mount.
  - Deduction for "Mount without DV" will be applied
- A gymnast is permitted a 2<sup>nd</sup> attempt to mount (with a penalty) if she has not touched the springboard or the apparatus.
  - Deduction 1.00
- A 3<sup>rd</sup> attempt is not permitted.

D- panel judges will take the deduction from the Final score.

#### b) Timing

The duration of the exercise on the balance beam may not exceed 1:30 minutes (90 seconds).

- The Time Judge 1 (Assistant) begins timing when the gymnast takes-off from the springboard or mat. She stops the clock, when the gymnast touches the mat upon completion of her beam exercise.
- A signal (gong) will be communicated ten (10) seconds prior to the maximum time limit and again at the maximum time limit (1:30) to indicate that the exercise is to be finished.
- If the dismount lands at the sound of the second signal, there is no deduction.
- If the dismount lands after the sound of the second signal, there is a deduction for exceeding the time limit.

The deduction for overtime will be taken, if the exercise is more than 1:30 minutes (90 seconds)

- 0.10
- Elements performed after the 90 second time limit will be recognized by the D- Panel and evaluated by the E- Panel.
- Time violations are reported in writing by the respective Time Judge to the D- Panel judges, who then takes the deduction from the Final Score.

### c) Fall Timing:

For interruption of the exercise due to a fall from the apparatus, an intermediate time period of 10 seconds is allowed.

- If the gymnast exceeds the allowable time to resume her exercise a 0.30 P. neutral deduction for excessive time will be applied if the gymnast continues her exercise.
- Time Judge 2 begins timing when the gymnast is on her feet after the fall.
- The duration of the fall is timed separately; it will <u>not</u> be calculated in the total time of the exercise.
- The fall period ends when the gymnast takes-off from the mat to remount the beam.
- No salute is necessary to resume an exercise from a fall.
- After remounting the beam the resumption of timing by Time
   Judge 1 begins with the first movement to continue the exercise.
- The elapsed time during the fall will be displayed in seconds on the scoreboard.
- A signal (gong) will be communicated at the
  - 10 second time limit.
- If the gymnast has not resumed within 60 seconds, the exercise will be terminated.

#### 12.2 Content of the Exercise

The maximum 8 highest difficulties including the dismount are counted for DV.

NO DMT - 0.50 from Final Score (D- Panel)

Within the 8 counting elements there must be a minimum of:

- 3 Dance
- 3 Acro

and 2 optional elements

# 12.3 Composition Requirements (CR) - D- Panel 2.00P.

1. One connection of at least 2 **different** dance elements,

1 being a leap or jump with

180° split (cross or side), or straddle position award 0.50

2. Turn (Gr. 3) award 0.50

3. One Acro series, min. of 2 flight\* elements

1 being a salto (elements may be the same) award 0.50

4. Acro elements in different directions (fwd/swd and bwd) award 0.50

#### Note:

- CR 1 4 must be performed on the Beam.
- Rolls, handstands and holds may <u>not</u> be used to fulfill CR.

# 12.4 Connection Value (CV) and Series Bonus (SB) - D- Panel

- a) Connection Value can be awarded for direct connections.
- b) The CV will be added into the D- Score.
- Series Bonus will be awarded for the connection of 3 or more elements.

<sup>\*</sup> Flight elements with or without hand support.

#### Formulas for direct connections

ACRO	BATIC
0.10	0.20
2 acro flight elements, including All connections m	g mount & min. F dismount ust be rebounding*
C + C B + E	C/D + D (or more) B + D (both elements fwd) B + F

# Series Bonus (SB) of + 0.10 P.

Will be awarded to dance/mixed and acro series (\*rebounding and non-rebounding) of B + B + C in any order, including MT & DMT (min.C), or more in addition to CV

Example 1: B + B + C = +0.10 series bonus

D + B + C = +0.10 series bonus

Example 2: C+C+C

+0.10 series bonus Total CV + SB = 0.30

#### To receive the SB:

- Non-flight acro elements min. B (except "Holds") may be used
- The same (flight or non-flight) acro element may be repeated within connection)

\*Connections with rebounding effect utilize the elasticity of the apparatus and develop speed in one direction.

- Landing (on 2 feet) from the 1<sup>st</sup> flight element with hand support followed by an immediate take-off/rebound into the 2<sup>nd</sup> element, or
- Landing from the 1<sup>st</sup> flight element (with/without hand support) on one leg and placing the free leg with an immediate rebound from both legs into the 2<sup>nd</sup> element.

DANCE & MIXED (acro – flight elements only), excluding dismount			
0.1	0.2		
C + C or more (dance) A + C (turns only) B + D (mixed) D + A (Salto to 1 foot scale) (This order & no step is permitted)	D + D or more		

**Note:** Turns may be performed on the same support leg (brief demi-plié is permitted), or with step into turn on opposite leg (demi-plié on one or both feet is NOT permitted)

The following **B- acro elements** with hand support and flight

- flic-flac with legs together
- flic-flac with step-out
- gainer flic-flac
- round-off
- handspring forward

may be performed a  $2^{nd}$  time in the exercise to receive CV and SB, but may not be performed a  $2^{nd}$  time to receive CR.

# 12.5 Artistry & Composition Deductions (E- Panel)

Faults	0.10	0.30	0.50
Artistry of Performance  - Insufficient artistry of performance throughout the exercise including:			
Confidence     Personal style	X X		
<ul> <li>Rhythm &amp; Tempo</li> <li>Insufficient variation in rhythm &amp; tempo in movements (no DV)</li> </ul>	Х		
<ul> <li>Performance of the entire exercise as a series of disconnected elements &amp; movements (lack of fluency)</li> </ul>	Х		
Composition  - Mount without DV (All mounts without DV will be commonly recognized as "A" except straddle over to sit or squat on)	Х		
<ul> <li>Insufficient use of entire apparatus:</li> <li>Insufficient use of entire length of beam</li> <li>Lack of side movements (NO DV)</li> <li>Missing combination of movements/elements close to the beam with a part of the torso (including thigh, knee or head) touching the beam (element not necessary)</li> </ul>	X X X		
Insufficient Complexity or creativity in the movements     (A complex and creative movement is one that requires training time, coordination and previous preparation)	Х		
<ul> <li>One-sided use of elements:</li> <li>More than one ½ turn on 2 feet with straight legs throughout exercise</li> </ul>	Х		

# 12.6 Specific Apparatus Deductions (E- Panel)

Faults	0.10	0.30	0.50
<ul> <li>Poor rhythm in connection (with DV)</li> </ul>	ea X		
Excessive preparation			
<ul> <li>Adjustment (unnecessary steps &amp; movements)</li> </ul>	ea X		
<ul> <li>Excessive arm swing before dance elements</li> </ul>	ea X		
<ul><li>Pause (apply at 2 sec.)</li></ul>	ea X		
Poor body posture/amplitude throughout (maximum elongation of the body movements)			
Head, trunk, shoulder and arm positions	X		
Feet not pointed/relaxed/turned in	X		
<ul><li>Lack of work in relevé</li><li>Insufficient amplitude of leg swings/kicks</li></ul>	X		
<ul> <li>Additional support of leg against the side surface of the beam</li> </ul>		Х	
<ul> <li>Failure to meet the technical requirement of the element</li> </ul>			
<ul> <li>through use of additional support</li> </ul>		Х	
Grasp on beam in order to avoid a fall			Х
<ul> <li>Additional movements to maintain balance</li> </ul>	Х	X	Χ

#### \*Dismount:

a) If the salto for the dismount has <u>not</u> begun (no initiation of rotation) and a fall occurs

**Example 1:** \( \) jump off BB:

Evaluation:

- No DV count 7 elements only (D- Panel)
- No DMT–0.50 (D Panel)
- Fall -1.00 or apply landing deductions if no fall (*E- Panel*)
   If she remounts to perform DMT then apply deduction for fall (no deduction for "No DMT")
- b) If the salto for the dismount has begun and then a fall occurs:

**Example 2:** begin salto, but failure to land feet first Evaluation:

- No DV count 7 elements only (D- Panel)
- Fall 1.00 (E- Panel)

#### **12.7 NOTES**

#### Falls - Acro and Dance Elements

Acro and Dance Elements must return to the beam with foot or torso in order to be awarded difficulty.

- a) with a landing on 1 or 2 feet or in prescribed position on the beam
   the DV is awarded
- b) **without** a landing on 1 or 2 feet or in prescribed position on the beam **No** DV is awarded (element may be performed again to receive DV)

#### **Mounts**

- a) Only one acro element may precede the mount
- b) Some elements listed as mounts (rolls, handstands and holds) can be performed in the exercise (or vice-versa) but receive DV only once.

#### Holds

- a) Handstands (without turns) & Holds must be held for 2 sec. when prescribed in the table of elements in order to receive DV. If the element is not held for 2 sec. and does not appear as another element in the Code, award 1 DV lower or no DV. (HSTD or hold position should be completed).
- b) For CR, CV and SB "Hold" acro elements (with flight) may be used as the last element in an Acro series or mixed connection.
- c) and will be credited 1 DV lower if the handstand is **NOT** held for 2 seconds
  - If the gymnast performs the same element again in the exercise and holds the HSTD position for 2 sec. No DV awarded

# Onodi Tic Toc

- Can only be used as the last element to fulfill CR of acro series and for CV
- Can be used anywhere for Series Bonus
- Will be considered the same element as Onodi

# **Specific Elements**



hands must land in cross position.



Hands placed together in Cross position - Correct



If front hand completed turn – Apply deductions for Precision



Hands in Side Position – Apply deductions for Precision

# **SECTION 13 — Floor Exercise**

#### **ARTISTRY**

#### Artistic Performance

An artistic performance is one in which the gymnast demonstrates her ability to transform her floor exercise routine from a well-structured composition into an artistic performance. In so doing the gymnast must demonstrate a strong choreographic flow, artistry, expressiveness, musicality and perfect technique.

The main objective is to create and present a unique and well-balanced artistic gymnastic composition by combining the body movements and expression of the gymnast harmoniously with the theme and character of the music

# Composition and Choreography

**The composition** of a floor exercise is based on the movement vocabulary of the gymnast, as well as the **choreography** of those elements and movements, that is, the mapping out of the body's movements, both gymnastic and artistic, over space and time in relationship to the floor exercise area and in harmony with the selected music.

The choreography should be developed such that one movement flows smoothly into the next with contrasts in the speed and intensity.

Creative choreography that is the originality of the composition of elements and movements, means that the exercise has been constructed and is performed using new ideas, forms, interpretations and originality, thereby avoiding copying and monotony.

The design, structure and composition of the exercise includes:

- A rich and varied selection of elements from different <u>structure</u> groups in the table of elements
- Changes of level (up and down)
- Changes of direction (fwd, bwd, swd and curves)
- Creative or original movements, connections and transitions into acro lines.

This is "what" the gymnast performs.

#### **Expression**

Expression can be defined generally as the attitude and range of emotion exhibited by the gymnast with both her face and through her body. This includes how a gymnast generally presents herself and connects with the jury and public, as well as her ability to control/manage her expression during the performance of the most difficult and complex movements. It is also her ability to play a role or a character throughout the performance. In addition to the technical execution, artistic harmony and feminine grace must also be considered.

It is not only "what" the gymnast performs, but also "how" she performs her routine.

#### Music

The music must be flawless, without any abrupt cuts, and must contribute a sense of unity to the overall composition and performance of the exercise.

It should flow and must have a clear start and clear finish. The chosen music must also help to highlight the unique characteristics and style of the gymnast. The character of the music should provide the guiding idea/theme of the composition.

 There must be a direct correlation between the movements and the music. The accompaniment should be personalized to the gymnast and must contribute to the overall artistry and perfection of her performance.

# Musicality

Musicality is the ability of the gymnast to interpret the music and to demonstrate not only its rhythm and speed, but its flow, shape, intensity and passion.

The music must support the performance and through <u>her</u> movements, the gymnast, must convey the theme of the music to the audience and jury.

#### 13.1 General

#### a) CD Requirements

- The floor exercise music CD will be given to the competition administration. Each CD will be timed; said time will be approved by the administration and the delegation head coach.
- The following must be written on the CD:
  - The name of the gymnast and the 3 capitalized letters used by FIG for the country code
  - The name of the composer and of the title of the music.
- The musical accompaniment with orchestration, piano or other instruments must be recorded.
  - A signal or tone may be used at the beginning of the recording. However, the name of the gymnast may <u>not</u> be spoken.
  - The human voice may be used as a musical instrument without word/s
    - Examples of the 'human voice' as an acceptable instrument are: humming, vocalizing without words, whistling, chanting.
  - Absence of music or music with words 1.00

Note: Taken by the D- Panel from the Final Score. In case of doubt Federation/gymnast may submit music to the WTC for evaluation

# b) **Timing**

The evaluation of the exercise begins with the first movement of the gymnast. The duration of the floor exercise may not exceed 1:30 minutes (90 seconds).

- The assistant begins timing, when the gymnast begins with the first movement of her floor exercise.
- The assistant stops timing, when the gymnast ends her floor exercise with the last position. The exercise must end with the music.
- The deduction for overtime will be taken if the exercise is more than 1:30 minute (90 sec.).
- Elements performed after the 90 sec. time limit will be recognized by the D- Panel and evaluated by the E- Panel.

#### c) Border Markings

Exceeding the prescribed floor area (12 X 12 m), that is touching the floor with any part of the body outside of the border markings, will result in a deduction.

One step or landing outside of the boundary with a foot or hand -0.10
 Step(s) outside with both feet, both hands or a body part or landing with both feet outside -0.30

Both time and line violations are reported in writing by the respective Time and Line Judge to the D- Panel, who then takes the deduction from the Final Score.

#### 13.2 Content of the Exercise

The maximum 8 highest difficulties including the dismount are counted for DV.

NO DMT - 0.50 from Final Score (D- Panel)

Within the 8 counting elements there must be a minimum of:

- 3 Dance
- 3 Acro

and 2 optional elements

The dismount is the last counting acro Line (credit highest DV)

No DMT will be credited if only one acro Line is performed

# a) Acro Lines

- The maximum number of acro Lines is 4.
- Any difficulty in additional acro Line(s) will not be counted for DV.
- Any acro element performed after the last counting acro Line will not be counted for DV.
- An acro line consists of a minimum of 2 directly connected flight elements one of which must be a salto.
  - Failure to land on the feet first from a salto will still be considered an acro Line

# 13.3 Composition Requirements (CR) - D- Panel 2.00

1. A dance passage composed of two different, leaps or hops, (from the Code) connected directly or indirectly (with running steps, small leaps, hops, chassé, chainé turns), one of them with 180°cross/side split or straddle position

(The objective is to create a large flowing and traveling movement pattern)

award 0.50

- No jumps or turns are permitted because they are stationary. Chainé turns (½ turns on two feet) are allowed because they are traveling steps.
- Leaps and hops must land on one leg if performed as the 1<sup>st</sup> element in the dance passage.

2.	Salto with LA turn (min. 360°)	award 0.50
3.	Salto with double BA	award 0.50
4.	Salto bwd and salto fwd (no aerials) in the same	
	or different acro line	award 0.50

Note: CR 2, 3 and 4 must be performed within Acro line.

# 13.4 Connection Value (CV) - D- Panel

Connection Value can be awarded for indirect (acrobatic) and direct (acrobatic, mixed, turns) connections.

The CV will be added into the D- Score.

#### Formulas for indirect and direct connections

INDIRECT ACROBATIC						
0.10	0.20					
B/C + D	C + E D + D					
A + A + D	A + A + E					
DIRECT	DIRECT ACROBATIC					
A + D	A + E					
C + C	C + D					
	MIXED					
D salto + B (dance) E salto + A (dance) (this order only)						
CONNECTION o	f TURNS on ONE LEG					
D + B B + B (no step)	Note: Turns may be performed on the same support leg (brief demi-plié on support leg is permitted), or with step into turn on opposite leg (no demi-plié is permitted)					

**Indirect connections** are those in which directly connected acrobatic elements with flight phase and hand support (i.e. round-off, flic-flac, etc. as preparatory elements) are performed between saltos.

Note: Acro elements for CV are without hand support only.

# 13.5 Artistry & Composition Deductions (E- Panel)

Faults	0.10	0.30	0.50
Artistry of Performance			
Insufficient artistry of performance throughout the entire exercise			
<ul><li>Lack of Expressiveness</li><li>Inappropriate gesture or facial expression (mimic)</li></ul>	Х		
not corresponding to the music or to the movements	Х		
Failure to engage the audience	X		
<ul> <li>Inability to reflect musical theme, to play a role or a character throughout the performance</li> </ul>	X		
<ul> <li>Performance of the entire exercise as a series of disconnected elements &amp; movements</li> </ul>	Х		
Composition			
Incorrect selection of movements for particular music Example: "Tango" music, but "Polka" movements	Х	Х	
<ul> <li>Insufficient Complexity or creativity of movements (A complex and creative movement is one that requires training time, coordination and previous preparation)</li> </ul>	X		
<ul> <li>Missing movement touching floor (including min. trunk, or thigh, or knee or head)</li> </ul>	Х		
Music and Musicality			
<ul> <li>Editing of music (e.g. no opening, ending, or accents)</li> <li>No structure to the music</li> </ul>	Х		
- Musicality		V	
<ul> <li>Lack of synchronization between movement and musical beat during a part of the exercise</li> </ul>		Х	
<ul> <li>Lack of synchronization between movement and musical beat at the end of exercise</li> </ul>	Х		
Background music     (the exercise is connected to the music only at the beginning and end of the exercise)			Х

# 13.6 Specific Apparatus Deductions (E- Panel)

Faults	0.10	0.30	0.50
<ul> <li>Excessive preparation:</li> <li>Pause (apply at 2 sec.)</li> <li>Adjustment (unnecessary steps)</li> <li>Excessive arm swing before dance elements</li> </ul>	ea X ea X ea X		
<ul> <li>Poor Body posture/ Amplitude (maximum elongation of the body movements) throughout</li> <li>Head, trunk, shoulder and arm positions</li> <li>Feet not pointed/relaxed/ turned in/flat</li> <li>Insufficient amplitude of leg swings/kicks</li> </ul>	X X X		
Distribution of elements     Exercise starts immediately with an acro line/acro element	X ea X		
<ul> <li>Subsequent acro line performed after previous line along the same diagonal without choreography in between (long acro line allowed)</li> </ul>	ea X		
<ul> <li>More than 1 Subsequent acro line</li> <li>Exercise ends with acro element (no choreography after last acro)</li> </ul>	X		
<ul> <li>Lack of variety in choreography into corners</li> </ul>	^		

# **Acro Lines & Dismounts**

Example 1

ME ME Y MULLY

Only one acro Line

#### Evaluation:

- No DV count max. 7 elements (*D- Panel*)
- No DMT 0.50 (*D- Panel*)
- Apply landing deductions (E- Panel)

# Example 2 a) M ME or b) Med M

Only one acro Line

#### Evaluation:

- No DV count max.7 elements (D- Panel)
- No DMT 0.50 (D- Panel)
- Landing deductions (E- Panel)



Two acro Lines

#### Evaluation:

• Credit DMT (D- Panel)

Example 4 ME Mell Fall M

The gymnast fails to land feet first in the  $2^{nd}$  acro Line:

#### Evaluation:

- No DV count max. 7 elements (D- Panel)
- Fall 1.00 (E- Panel)

Example 5 
$$// \xi / / k \downarrow$$

$$D + D + X (not completed)$$

With repetition of the same element

#### **Evaluation:**

- No DV count max. 7 elements (D- Panel)
- Apply landing deductions if necessary (E- Panel)

# YOUR PROJECTS OUR KNOW HOW

YOUR PARTNER IN YOUR PROJECTBUSINESS















Bänfer GmbH Industriestraße 11 D-34537 Bad Wildungen

Tel.: +49 (0) 5621/7878-0 Fax: +49 (0) 5621/7878-32 Bänfer



# PART IV TABLES OF ELEMENTS

# Janssen-Fritsen presents:


Free Exercise Floor Apollo Antwerp
Springboard Kreon Gold
Springboard Iris Silver
The new Pegases



Official partner FIG www.janssen-fritsen.com

Janssen Íritsen





**Vault Table — Elements** 

1.00 Handspring fwd	1.01 Handspring fwd on – ½ turn (180°) off	1.02 Handspring fwd on – 1/1 turn (360°) off	1.03 Handspring fwd on – 1½ turn (540°) off	1.04 Handspring fwd on – 2/1 turn (720°) off	1.05 Handspring fwd on – 2½ turn (900°) off
2.00 P.	2.40P.	3.00 P.	3.60 P.	4.00 P.	4.40 P.
1.10 Yamashita	1.11 Yamashita with ½ turn (180°) off	1.12 Yamashita with 1/1 turn (360°) off	1.13	1.14	1.15
2.40 P.	2.80 P.	3.20 P.			
A V	A NE	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			

1.20	1.21	1.22	1.23	1.24	1.25
Handspring fwd with ½ turn (180°)	Handspring fwd with ½ turn (180°)	Handspring fwd with ½ turn (180°)	Handspring fwd with ½ turn (180°)	Handspring fwd with ½ turn	
on – repulsion off	on – ½ turn (180°) off (in either	on – 1/1 turn (360°) off	on – 1½ turn (540°) off	(180°) on – 2/1 turn (720°) off	
	direction)				
2.00 P.	2.80 P.	3.00 P.	3.60 P.	4.00 P.	
		)			
	A Alexander		\		
		70.525.75		7000	
W. Tank	180°	360°	A STATE OF THE STA	A STATE OF THE STA	
/ 180°	/ 180°	/ 180°	180° 540°	720°	
(	(- 01	EN NE		60 06	
EN	Er Me	Z 4 / 4.g	er ve	er Me	
~ ,	24 .7	-	DV VE	<u> </u>	
1.30	1.31	1.32	1.33	1.34	1.35
Handspring fwd with 1/1 turn	Handspring fwd with 1/1 turn (360°)				
(360°) on – Handspring fwd off	on – 1/1 turn (360°) off				
3.60 P.	4.00 P.				
1	R //				
1 1	A common				
	The state of the s				
Mark Comment	360.				
( 260° )	( 360° €				
\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\					
$\alpha \alpha \alpha$	CO 06				
( )	ENM				
	V - 2				

1.40 Round-off, flic-flac on – repulsion off	1.41	1.42	1.43	1.44	1.45
2.40 P.					
MA					
1.50 Round-off, flic-flac with ½ turn (180°) on – Handspring fwd off	1.51 Round-off, flic-flac with ½ turn (180°) on –½ turn (180°) off	1.52 Round-off, flic-flac with ½ turn (180°) on – 1/1 turn (360°) off	1.53 Round-off, flic-flac with ½ turn (180°) on – 1½ turn (540°) off	1.54	1.55
2.60 P.	3.00 P.	3.40 P.	3.80 P.		
1	8 R	D	D.		
180	180°	180° 360°	180° 540°		
180° ]	180° 180° 180°	180° 360° 360° 4€ AEA NE	180° 540°  **EN ME		
	180°				
	180°				
	180°				
	180°				

1.60 Round-off, flic-flac with 1/1 turn (360°) on – Repulsion off	1.61 Round-off, flic-flac with 1/1 turn (360°) on – ½ turn (180°) off	1.62 Round-off, flic-flac with 1/1 turn (360°) on –1/1 turn (360°) off	1.63	1.64	1.65
2.80 P.	3.20 P.	3.80 P.			
360°	360°	360°			
NEW 1	NEA NO	NEW ME			
		350779			

GROUP 2 — HANDSPRING FWD WITH/WITHOUT 1/1 (360°) IN 1ST FLIGHT PHASE – SALTO FWD/BWD WITH/WITHOUT LA TURN IN 2ND FLIGHT PHASE 2.14 2.10 2.11 2.12 2.13 2.15 Handspring fwd on – tucked Handspring fwd on – tucked salto Handspring fwd on - tucked salto fwd Handspring fwd on – tucked salto fwd with  $\frac{1}{2}$  turn (180°) off, also –  $\frac{1}{2}$ with 1/1 turn (360°) off fwd with 11/2 turn (540°) off salto fwd off turn (180°) and tucked salto bwd off 4.40 P. 4.00 P. 4.80 P. 5.20 P. 186 A EW 2.20 2.21 2.22 2.23 2.24 2.25 Handspring fwd on – piked salto Handspring fwd on – piked salto fwd Handspring fwd on - piked salto fwd with ½ turn (180°) off, also – ½ turn with 1/1 turn (360°) off fwd off (180°) and piked salto bwd off 4.20 P. 4.60 P. 5.00 P. NW A EUN

# GROUP 2 — HANDSPRING FWD WITH/WITHOUT 1/1 (360°) IN 1ST FLIGHT PHASE – SALTO FWD/BWD WITH/WITHOUT LA TURN IN 2ND FLIGHT PHASE

GROUP 2 — HANDSPRING	FWD WITH/WITHOUT 1/1 (360	°) IN 1°' FLIGHT PHASE – SALT(	O FWD/BWD WITH/WITHOUT	LA TURN IN 2" FLIGHT PE	1A3E
2.30	2.31	2.32	2.33	2.34	2.35
Handspring fwd on – stretched			Handspring fwd on – stretched		
salto fwd off	Handspring fwd on – stretched salto	Handspring fwd on – stretched salto	rianuspring iwu on – stretched		
saito twa ott	fwd with ½ turn (180°) off	fwd with 1/1 turn (360°) off	salto fwd with 1½ turn (540°) off		
4.60 P.	5.00 P.	5.40 P.	5.80 P.		
	5.00 F.	3.401.	3.001.		
		4 & 8			
	1 8 - 2				
- M	1 100	Ti West			
2 H9 H - A			540°		
		360°			
	180°				
		//			
			~ ~ ~		
			~ ~ × ×		
	1/2	/			
0 /	$\bigwedge$ . $\checkmark$	0. 1			
14 1	/ <b>V</b> 8	' <b>'</b> ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' '			
, v , 0		•			
0.40	0.44	0.40	0.40	0.44	0.45
2.40	2.41	2.42	2.43	2.44	2.45
Handspring fwd with 1/1 turn (360°)	Handspring fwd with 1/1 turn (360°)				
on – tucked salto fwd off	on – piked salto fwd off				
	,				
5.20 P.	5.60 P.				
5.20 P.	3.001.				
	. 4::				
	I de la				
to the second second					
	I BUT				
The same of	and the same of th				
Well to the	The state of the s				
	360°				
(1 360° 4 )					
	<u> </u>				
EN T	EN W				
T/W:/	( V 0 V				
2.50	2.51	2.52	2.53	2.54	2.55
Handspring fwd on – tucked double					
salto fwd off					
6.40 P.					
1 Dear to do					
IN TO TOP AND					
All The Same					
1					
H					
<i>y</i>					
N W					
' V 4 4					

GROUP 3 — HANDSPRING WITH 1/4 - 1/2 TURN (90°-180°) IN 1ST FLIGHT PHASE (TSUKAHARA) – SALTO BWD WITH/WITHOUT TURN IN 2ND FLIGHT PHASE 3.10 3.12 3.13 3.11 3.15 Tsukahara tucked Tsukahara tucked with 1/2 turn Tsukahara tucked with 1/1 turn Tsukahara tucked with 11/2 turn Tsukahara tucked with 2/1 turn (180°) off (360°) off (540°) off (720°) off 3.50 P. 4.10 P. 3.80 P. 4.40 P. 4.90 P. & le 3.20 3.21 3.22 3.23 3.24 3.25 Tsukahara piked 3.70 P. Free 3.30 3.31 3.32 3.33 3.34 3.35 Tsukahara stretched Tsukahara stretched with 1/2 turn Tsukahara stretched with 1/1 turn Tsukahara stretched with 11/2 turn Tsukahara stretched with 2/1 turn Tsukahara stretched with 21/2 turn (180°) off (360°) off (540°) off (720°) off (900°) off 4.20 P. 4.40 P. 4.80 P. 5.20 P. 5.60 P. 6.00 P. GROUP 4 — ROUND-OFF (YURCHENKO) WITH/WO 3/4 TURN (270°) IN 1ST FLIGHT PHASE – SALTO BWD WITH/WITHOUT TURN IN 2ND FLIGHT PHASE

<u> </u>		110 3/4 10 KN (2/0 ) NY 1 1	<u> LIGHT PHASE – SALTO BWD (</u>	WITH WITH COLL TOKIN IN Z TE	IOIII I IIAGE
4.10	4.11	4.12	4.13	4.14	4.15
Round-off, flic-flac on – tucked	Round-off, flic-flac on – tucked	Round-off, flic-flac on - tucked	Round-off, flic-flac on – tucked salto	Round-off, flic-flac on – tucked salto	
salto bwd off	salto bwd with ½ turn (180°) off	salto bwd with 1/1 turn (360°) off	bwd with 1½ turn (540°) off	bwd with 2/1 turn (720°) off	
	, ,	, ,	,	, ,	
3.30 P.	3.60 P.	3.90 P.	4.20 P.	4.70 P.	
	3.001.	0.0011			
		N ~0		\$ M 288	
	A TIME	A LEIGHT		The State of the s	
and end		A S COLOR		720°	
	180°	360°	540°		
/0	/	10.16	10186	1 we	
Ne	bruge	NUC	Mue	/	
/ 🗸 🗸	/ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	S on see or reader	7		
4.20	4.21	4.22	4.23	4.24	4.25
	4.21	4.22	4.23	4.24	4.25
Round-off, flic-flac on – piked					
salto bwd off					
2 FO D					
3.50 P.					
Λ /					
10 1011					
12 Lev					
/ , , , , , , ,					

GROUP 4 — ROUND-OFF (YURCHENKO) WITH/WO 3/4 TURN (270°) IN 1ST FLIGHT PHASE – SALTO BWD WITH/WITHOUT TURN IN 2ND FLIGHT PHASE

GROUP 4 — ROUI	GROUP 4 — ROUND-OFF (YURCHENKO) WITH/WO 3/4 TURN (270°) IN 1 <sup>ST</sup> FLIGHT PHASE – SALTO BWD WITH/WITHOUT TURN IN 2 <sup>ND</sup> FLIGHT PHASE					
4.30	4.31	4.32	4.33	4.34	4.35	
Round-off, flic-flac on – stretched salto bwd off	Round-off, flic-flac on – stretched salto bwd with ½ turn (180°) off	Round-off, flic-flac on – stretched salto bwd with 1/1 turn (360°) off	Round-off, flic-flac on – stretched salto bwd with 1½ turn (540°) off	Round-off, flic-flac on – stretched salto bwd with 2/1 turn (720°) off	Round-off, flic-flac on –stretched salto bwd with 2½ turn (900°) off	
date swa en	sand sind man /2 tall (100 ) sin	Sand Sind man in realin (666 ) on			cano swa mar 2/2 tam (eee ) en	
4.00 P.	4.20 P.	4.60 P.	5.00 P.	5.40 P.	5.80 P.	
4.5011	4.2011	4.0011	0.0011	0.4011		
	180°	360°	540°	720°	900°	
MW	www	M w/e	M ek	M w/E	n wh	
440		4.42	4.43		4.45	
<b>4.40</b> Round-off, flic-flac with ¾ turn (270°) on – tucked salto bwd off	A.41 Round-off, flic-flac with ¾ turn (270°) on – tucked salto bwd with ½ turn (180°) off	Round-off, flic-flac with ¾ turn (270°) on – tucked salto bwd with 1/1 turn (360°) off	4.43	4.44	4.45	
4.00 P.	4.40 P.	4.60 P.				
1360° P	180°	360°				
MA W	LA USE	Mer lek				

GROUP 4 — ROUND-OFF (YURCHENKO) WITH/WO 3/4 TURN (270°) IN 1ST FLIGHT PHASE – SALTO BWD WITH/WITHOUT TURN IN 2ND FLIGHT PHASE


GROUP 4 — ROUN	ID-OFF (YURCHENKO) WITH	/WO 3/4 TURN (2/U°) IN 1°' F	<u> FLIGHT PHASE – SALTO BWD (</u>	MITH/WITHOUT TURN IN 2'	"FLIGHT PHASE
4.50 Round-off, flic-flac ¾ turn (270°) on – piked salto bwd off	A.51 Round-off, flic-flac with ¾ turn (270°) on – stretched salto bwd off	A.52 Round-off, flic-flac with ¾ turn (270°) on – stretched salto bwd with ½ turn (180°) off	4.53 Round-off, flic-flac with ¾ turn (270°) on – stretched salto bwd with 1/1 turn (360°) off	4.54	4.55
4.20 P.	4.60 P.	5.00	5.40 P.		
#360° P	1 360°	180°	360°		
HAUN	MA W	NON WE	Her we		

GROUP 5 - ROUND-OFF WITH ½ TURN (180°) IN 1ST FLIGHT PHASE - SALTO FWD/BWD WITH/WITHOUT TURN IN 2ND FLIGHT PHASE

	GROUP 5 – ROUND-OFF WITH $1\!\!{}^\prime$ TURN (180°) IN 1 $^{ m ST}$ FLIGHT PHASE – SALTO FWD/BWD WITH/WITHOUT TURN IN 2 $^{ m ND}$ FLIGHT PHASE										
5	.10	5.11	5.12	5.13	5.14	5.15					
	Round-off, flic-flac with ½ turn 180°) on – tucked salto fwd off	Round-off, flic-flac with ½ turn (180°) on – tucked salto fwd with ½ turn (180°) off, also – ½ turn (180°)	Round-off, flic-flac with ½ turn (180°) on – tucked salto fwd with 1/1 turn (360°) off	Round-off flic-flac with ½ turn (180°) - tucked salto fwd with 1½ turn (540°) off							
	4.20 P.	and tucked salto bwd off 4.60 P.	5.00 P.	5.40 P.							
Ę.	180° 180° 1	180° 180°	180"	540°							
	MA V		Med re	160 06.							
		180° 180° 180° 180° 180° 180° 180° 180°	7 V P V & C	Merse							
5	.20	5.21	5.22	5.23	5.24	5.25					
F	Round-off, flic-flac with ½ turn 180°) on – piked salto fwd off 4.40 P.	Round-off, flic-flac with ½ turn (180°) on – piked salto fwd with ½ turn (180°) off, also – ½ turn (180°) and piked salto bwd off  4.80 P.	Round-off, flic-flac with ½ turn (180°) on – piked salto fwd with 1/1 turn (360°) off 5.20 P.	<b>5.25</b>	<b>5.24</b>	5.25					
	180°	180° 110°	180° 360°								
	MA W	Men We	NES WE								
		NEN EVEN									

# GROUP 5 – ROUND-OFF WITH ½ TURN (180°) IN 1<sup>ST</sup> FLIGHT PHASE – SALTO FWD/BWD WITH/WITHOUT TURN IN 2<sup>ND</sup> FLIGHT PHASE


5.30 Round-off, flic-flac with ½ turn	5.31 Round-off, flic-flac with ½ turn	5.32 Round-off flic-flac with ½ turn	5.33 Round-off flic-flac with ½ turn	5.34	5.35
(180°) on – stretched salto fwd off	(180°) on – salto fwd stretched with ½ turn (180°) off	(180°) on – stretched salto fwd with 1/1 turn (360°) off	(180°) on – stretched salto fwd with 1½ turn (540°) off		
4.80 P.	5.20 P.	5.60 P.	6.00 P.		
180'	180° 180°	180° 360°	180° 540°		
Mad	Mer Ly	NEW LE	Nor Le		



Innovation for Sports and Wellness.
スポーツと健康の未来を創る







**Uneven Bars** — **Elements** 

			- MOUNIS		
A	В	С	D	E	F/G
1.101 Glide Kip to support on LB, or Glide with ½ turn (180°) kip to support on LB	1.201	1.301	1.401	1.501	1.601
L <i>L</i> <sub>0</sub>					
Jump with ½ turn (180°) kip to support on LB	1.202  Jump with 1/1 turn (360°) and  Glide kip to support on LB	1.302	1.402	1.502	1.602
180'	360				
U	→/eL				
Jump with ½ turn (180°) stoop through to rear support on LB (back kip)					
180'					
4					

			- MOUNIS	<del>_</del>	
A	В	С	D	Е	F/G
1.103 Glide on LB (or swing fwd on HB) and stoop through to rear support (back kip); or straddle cut bwd to hang on same bar	1.203 Reverse kip from: – glide fwd on LB – swing fwd on HB – stoop through to kip hang, back kip swing, seat (pike) circle bwd to rear support	1.303	1.403	1.503	1.603
	S S S S S S S S S S S S S S S S S S S				
1.104	1.204	1.304	1.404	1.504	1.604
Jump to hang on HB – also with reverse grip – kip to support	Facing HB – Jump with ½ turn (180°) – kip to support on HB	Jump with ½ turn (180°) over LB – kip to support on HB ਰੰ ਹੋ			
ATPATA	180	F180 1 1 1 1 1 1			
1 N	<u></u>	1			
	Free jump with ½ turn (180°) over LB to hang on HB				
	180				
	761				

			- MOUNIS		
A	В	С	D	E	F/G
1.105 Facing HB – jump with 1/1 turn (360°) to hang on HB	1.205	1.305	1.405	1.505	1.605
1.106 Straddle vault with hand repulsion over LB to catch HB	1.206 Free straddle jump over LB to hang on HB  Hecht jump (legs together) with hand repulsion over LB to hang on HB	1.306 Free stretch jump over LB with legs together to hang on HB	1.406 Hecht jump (legs together) with hand repulsion and 1/1 turn (360°) over LB to hang on HB	1.506	1.606

А	В	С	D	E	F/G
1.107	1.207	1.307	1.407	1.507	1.607
	Salto fwd tucked, piked or straddled over LB into L hang on LB	Facing HB – salto fwd to hang on HB	Salto fwd tucked over LB to hang on HB without touching LB		
		Roll fwd piked with hand repulsion over LB with flight to hang on HB	7		
1.108	1.208 Round-off in front of LB – flight bwd (straddled) through clear straddle support on LB	1.308 Round-off in front of LB – flight bwd over LB with legs together or straddled to hang on HB	1.408 Round-off in front of LB – flight bwd over LB with 1/1 turn (360°) to hang on HB	1.508	1.608
	ATT AND THE PARTY OF THE PARTY		360		

Δ			IU — MOUNTS	-	F/0
A 400	В	C	D	E	F/G
1.109	1.209	1.309	1.409 Round-off in front of LB – tucked salto bwd over LB to hang on LB	Round-off in front of LB, flic-flac with 1/1 twist (360°) to clear support or through hstd phase on LB	Round-off in front of LB – tucked arabian salto over LB to hang on HB without touching the LB
			MATTER AT THE	3600	180°
			Round-off in front of LB, flic-flac through hstd phase on LB	× 1	
					1.709  Round-off in front of LB – piked arabian salto over LB to hang on HB without touching the LB
			<b>√</b>		180°
					→/ww/

	A	В	C 1.000 — 1	D		E	F/G	
1.110	Λ	1.210	1.310	1.410	1.510	<u>L</u>	1.610	
1.110					1.510		1.010	
		Jump to hstd on LB with hips bent,	Jump to hstd on LB with hips	Jump with extended body to hstd				
		then extended, also with ½ turn	bent, then extended and 1/1 turn	on LB with 1/1 turn (360°) in hstd				
		(180°) in hstd phase, legs together	(360°) in hstd phase, legs	phase				
		or straddle	together or straddle	,				
		or olludaro	togother or chadalo					
		<b>K S</b>						
			. 8 8 8 8 .					
		are I I						
		A TA TO TO TO	M 1-18 H H L					
			8-11 199 T					
		1 1 1 1		1/ 360 //				
		<b>1</b>	310	JON				
		=	360					
			40	Å				
		$\rightarrow \widehat{\Lambda}$	$\rightarrow \mathring{\Lambda}$	<b>1</b>				
		/₩	Ť,	<b>∠</b> *,				
		7	Lancing with a set on dead to a deat of the					
		6 8	Jump with extended body to hista					
1			Jump with extended body to hstd on LB, also with ½ turn (180°)					
1		M , N H H .						
		2 1 1 4 7 1						
		100.	Sand Melbourd					
			A STATE OF THE STA					
			\$ 180°					
			1 1 8					
		\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \						
		<i>7</i> 1.	$\rightarrow \lambda$ $\chi$					
		<u> </u>	<i>→</i>					
1.111		1.211	1.311	1.411	1.511		1.611	
1.111		1.211	1.511		1.511		1.011	
				Jump to clear support on HB –				
				clear hip circle to hstd on HB,				
				also with ½ turn (180°) in hstd				
1				also with ½ turn (180°) in hstd phase on HB				
1				A				
1				A				
				1 2 2 NB				
				8 Date				
				1 1-11-1-1-				
1				1				
				C 1 1				
1				7SU				
1				J				
				A M A				
				180 ( )				
1				P # 1				
				1 th and 1				
1				1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1				
		T .	1		I			
				<u> </u>				
				2				
				-seř				

Α	В	2.000 - CASTS AND CL	D	E	F/G
2.101	2.201	2.301	2.401	2.501	2.601
Cast to hstd with legs straddled or with hips bent; also with hop-grip change	Cast to hstd with legs together and hips extended; also with hop-grip change, also with ½ turn (180°) legs together or straddled	Cast with 1/1 turn (360°) to hstd	Cast with 1½ turn (540°) to hstd	2.501	2.001
		360°	540°		
1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1	p! <u>p!</u>	ا <sup>گ</sup> رو	9		
	A PI				
2.102	2.202 Front support on HB – stoop with flight or free straddle fwd over HB and ½ turn (180°) to hang on HB	2.302 Hip circle bwd hecht with flight and ½ turn (180°) passing over bar to hang on same bar – also from clear hip circle bwd	2.402	2.502	2.602
	STAR M	and only			
	180.				
	9^				

A	В	C C	D	Е	F/G
2.103	2. 203	2.303	2.403	2.503	2.603
200	1.100	From front support on HB – swing	From inner front support on LB –	Front support on HB – cast with	2.000
		From front support on HB – swing bwd with release and 1/1 turn	cast with salto roll fwd to hang on	salto fwd straddlad to hang on	
		(360°) to hang on HB	From inner front support on LB – cast with salto roll fwd to hang on HB (Radochla roll)	Front support on HB – cast with salto fwd straddled to hang on HB (Comaneci Salto)	
		(esc ) to many entries	TIB (Radocilia Toll)	TIB (Gornancei Gallo)	
		m Af			
		2000	1 1 STATE A	1. 340 4	
		100000000000000000000000000000000000000			
		11 11 11			
				11 111 1	
		1.7	/		
		121	10	00	
		801	<b>9 0</b>	981	
		=	<u> </u>	/	
				•	
2.104	2.204	2.304	2.404	2.504	2.604
Hip circle fwd (hips touching bar)			Clear hip circle fwd to hstd, also		
			with ½ turn (180°) in hstd phase		
			(Weiler-kip)		
A PO V					
			15 16 5 1 1 1		
0-					
0-			180°		
0-			180°		
0-			180°		
0-			180°		
0-			180°		
0-			180°		
0-			180°		
O-			180°		
O-			180°		
O-			180°  L1 L1		

А	В	C C CASTS AND CL	D	E	F/G
2.105	2.205	2.305	2.405	2.505	2.605
Hip circle bwd (hips touching bar)		Clear hip circle to hstd, also with hop-grip change in hstd phase, or with ½ turn (180°) to hstd	Clear hip circle with 1/1 turn (360°) to hstd	Clear hip circle with 1½ turn (540°) to hstd	
			360°	540°	
0	1	l1		0 8	
			0	<u>U</u>	
Clear hip circle bwd or hip circle bwd on LB – hip repulsion – flight with regrasp on LB ("false-pop")			M.		
The state of the s					
		ν <u>:</u>		1	
<b>~</b> ·		180			
		N.			

	Α	В	C C	D	Е	F/G
2.106		2.206	2.306	2.406	2.506	2.606
		Clear underswing on LB, release and		Inner front support on LB – clear hip	Clear hip circle on HB, counter	Clear hip circle on HB. counter
		counter movement fwd in flight to		circle through hetd with flight to	straddle over HB to hang on HB	pike over HB to hang on HB
		counter movement fwd in flight to hang on HB.		circle through hstd with flight to hang on HB (Schaposchnikova)	strature ever 1.2 to having en 1.2	pinto ever 1.2 to mang en 1.2
		mang on the.		Trang of the (Schaposchillikova)		A Alla
					ll»	ll->
				0.4/	,	)(A)
		l√		W	Clear hip circle through hstd with ½ turn (180°) in flight to hang on HB	
		•			1807	
					1 1/1 11/2 esse	
2.107		2.207	2.307 Outer front support – clear hip circle bwd on LB with hecht to hang on HB, also with ½ turn (180°) (legs together or straddled)	2.407	2.507	2.607

А	В	C	D	Е	F/G
3.101	3.201	3.301	3.401	3.501	3.601
	Giant circle bwd in regular grip, or on one arm: also with ½ turn (180°) to hstd	Giant circle bwd with 1/1 turn	Giant circle bwd with 11/2 or 2/1		
	one arm: also with ½ turn (180°) to hstd	(360°) to hstd	turn (540° or 720°) to hstd, also		
	, , ,	, ,	turn (540° or 720°) to hstd, also with hop 1/1 turn (360°) to hstd		
		- 300° 00 R			
		360°//	540° A R \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \		
		I WAR STANKE			
	101 .01	<u> </u>			
	U N	0	<b>X</b>		
		U	1.1		
	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	O!			
			360°		
	U				
	U		0		
	O:		9		
			U.		
3.102	3.202	3.302	3.402	3.502	3.602
			Hang on HB – Swing fwd with ½ turn (180°) and flight to hstd	Hang on HB – Swing two with	
			turri (160 ) and night to rista	Hang on HB – Swing fwd with 1½ turn (540°) and flight over LB to hang on LB	
				LB to hang on LB	
			10		
			180 180		
			1 4 4 5 / 10		
			1 1 1 1 1 1	1 540 1	
			7-71 TI	HH HAI	
			U.S.	Residence Control of the Control of	
			\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	1. Æ	
			In Article	VE,	

	A	В	3.000 — GIANT	D	E	F/G
3.103	^	3.203	3.303	3.403	3.503	3.603
3.103		5.205	5.555	Long swing fwd, counter straddle- reverse hecht over HB to hang (Tkatchev)	Tkatchev piked	3.503
				(Tradition)	Tkatchev with ½ turn (180°)	
				Swing fwd with ½ turn (180°), pike vault over HB to hang		
				180	Long swing fwd with ½ turn (180°) - ½ turn (180°) to counter straddle in flight over HB to hana (Schuschunova)	
				<u> </u>	The state of the s	
					UE.	
3.104		3.204	3.304 Hang on HB, facing LB – swing fwd and roll bwd (legs straddled) to clear support on LB	3.404 Hang on HB, facing LB – swing fwd, salto bwd stretched between bars to clear support on LB (Pak Salto)	3.504 Pak Salto with 1/1 turn (360°)	3.604 Facing outward on HB - swing fwd and counter salto fwd with legs straddled to catch HB in reverse grip
					PHE T	
			ŵ.	w.	J€.	A.

А	В	3.000 — GIANT	D	E	F/G
3.105	3.205	3.305	3.405	3.505	3.605
			Swing fwd with ½ turn (180°) and salto fwd straddled (Deltchev Salto), or swing fwd and salto bwd with ½ turn (180°) piked (Gienger Salto) – to hang on HB	Swing fwd and salto bwd with ½ turn (180°) stretched to hang on HB	
				well	
				0007	3.705
					Swing fwd and salto bwd stretched with 1½ turn (540°) to hang on HB
			······································		AHHA
					neg

		3.000 — GIANT	5	_	F/0
Α	В	С	D	E	F/G
3.106	3.206 Giant circle fwd in reverse, regular or mix grip, also with legs straddled or hips bent in upswing phase; also with ½ turn (180°) to hstd	3.306 Giant circle fwd with 1/1 turn (360°) to hstd  360°	3.406	3.506 Giant circle fwd in reverse grip to hstd with initiation of 1/1 turn (360°) on one arm before hstd phase, or giant circle fwd in reverse grip with 1½ turn (540°) to hstd  360°  540°	3.606
3.107	3.207	3.307 Swing bwd – straddle flight bwd over LB to hstd on LB	3.407 Swing bwd release and ½ turn (180°) in flight between the bars to catch LB in hang	3.507	3.607

		_	3.000 — GIANT	-	_	=:=
	A	В	С	D	E	F/G
3.108		3.208	3.308	3.408	3.508	3.608
			Swing bwd salto fwd tucked to hang on HB (Jaeger-Salto)	Jaeger Salto straddled to hang on HB	Jaeger Salto piked to hang on HB	Jaeger Salto stretched to hang on HB
			hang on HR (Jaeger-Salto)	HR	HR	on HB
			Harig off TIB (bacger ballo)	TIB	I IIB	3
						A MILES
			§	9		
				2 20 6	A	
						1
			A PAN PROPERTY			
						\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
				\ \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\		
			10 10	\		4
						(N)
			IA.		$\triangle \infty I$	
			$\bigcap_{n}$	$\wedge$	(JAM)	
			.√ω <sub>ν</sub>	$\infty$		
				$\hat{m}$		
						3 708
					Jaeger Salto straddled with ½ turn (180°) to hang on HB	3.708 Swing bwd with salto fwd tucked over HB to hang on HB
					turn (180°) to hang on HR	Swing Dwa with Saito Iwa tacked
					tam (100 ) to hang on the	over HB to nang on HB
					۵	1 0
					<u> </u>	i Resold i
						A GREET OF A
					180°	
					100	
						80
						₩ ¥
					^	(P)
					0.04	
					(-)08/	
					1 .79	
		1	l .	l .	İ	İ

Α	В	С	D	E	F
3.109	3.209	3.309 Swing bwd with free stoop or straddle vault and ½ turn (180°) over HB to hang	3.409 Swing bwd with ½ turn (180°) and straddle flight bwd over HB to catch HB	3.509	3.609
		ON ON	~~		
3.110	3.210	3.310  Giant circle fwd in L grip with piked or stretched body (L grip giant), also with ½ turn (180°) to hstd	3.410  Giant circle fwd in L grip with 1/1 turn (360°) to hstd	3.510  Giant circle fwd in L grip with initiation of 1/1 turn (360°) on 1 arm before hstd phase, completed to hstd, or Giant circle fwd in L grip with 1½ turn (540°) to hstd (any technique accepted)	3.610
			360°	360° 540°	
		Mi Mi Mi	∫·\vî.	Å Å	

Δ		4.000 — STALDE		Г	F/C
A	В	C	D	E	F/G
4.101	4.201	4.301	4.401	4.501	4.601
Clear straddle circle fwd to clear	Kip on HB, passing through clear	Stalder fwd to hstd,	Stalder fwd with 1/1 turn (360°) to		
support	straddle support – swing/press to	also with ½ turn (180°) to hstd	hstd		
	hstd and ½ turn (180°) in hstd phase	R			
MAR - ON FA			360' 1 1 1		
ar all all	( R )		a d All		
T MO MARKET ST	13 (4) 51	250			
1 770 9					
1 1 1 1 1	STORY MARKET				
		YΛ			
(X)-		X!			
			0		
		180	VA		
	V	l l l l l l l l l l l l l l l l l l l	X!		
	/xx/				
	/ / 3 .				
		v			
		YA			
		X.			
4.102	4.202	4.302	4.402	4.502	4.602
4.102	Clear straddle circle bwd on HB with	4.302	Clear straddle circle bwd on HB	Stalder bwd on HB with counter	Stalder bwd on HB with
	flight to hang on LB		with flight fwd to hstd on LB	straddle - reverse hecht over HB to	counter pike - reverse hecht
	Ingrit to hang on LB		With hight two to rista on EB	hang	over HB to hang
				nang	over 1.2 to many
			1		
	( Ac Ma		+0	The state of	<i>a</i> 5
	100		A - S - H	The same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the sa	
					Thomas II
			The state of	7 7 11 12	
					"
			/ 1/ 1/ 1 / 1 / 1 /	\/	\ / \/
	$\otimes$ .			X,	X <sub>V</sub>
	₩.		WA.	, , ,	
			<b>**</b>		
				Clear pike Circle bwd with counter	Clear pike Circle bwd with
				straddle (open hip before flight) – reverse Hecht over HB to hang	counter pike – reverse Hecht
				reverse Hecht over HB to hang	over HB to hang
				] \$\	à
				district and	S
					TY SEE BY THE TO
					1118 9 W 11111 K
					1444 12 1444 1 10
					1111
				u. D .	. 0.7
				<b>∨</b> />	₩,
				1	

Δ	R	4.000 — STALDE		F	F/C
A 4.103 Clear straddle circle fwd in L grip to clear support	4.203	4.303	4.403 Stalder fwd in L grip to hstd, also with ½ turn (180°) to hstd	4.503 Stalder fwd in L grip with 1/1 turn (360°) to hstd (any technique accepted)	F/G 4.603
Clear straddle circle bwd to clear support		Stalder bwd to hstd, also with hop- grip change in hstd phase or with ½ turn (180°) to hstd  M.  180°	Stalder bwd with 1/1 turn (360°) to hstd	Stalder bwd with 1½ turn (540°) to hstd	

A	В	C 4.000 — 31ALDL	D	Е	F/G
4.105	4.205 Facing inward – Stalder bwd with release and counter movement fwd in flight to hang on HB	4.305 Facing inward – Stalder bwd with hecht flight to hang on HB	4.405 Facing outward – Stalder bwd through hstd with flight to hang on HB	4.505 Stalder bwd through hstd with flight and ½ turn (180°), to hang on HB	4.605
			PAH I		
	XV	X~~	XN.		
				XNE	
4.106 Rear support - seat (pike) circle fwd to rear support	4.206	4.306	4.406 Clear pike circle fwd to hstd, also with ½ turn (180°) to hstd	4.506 Clear pike circle fwd with 1/1 turn (360°) to hstd	4.606
0			180°	360°	
			MP! MPĬ	MPI°	

A	В	C 4.000 — 31ALDL	D	E	F/G
4.107	4.207	4.307	4.407	4.507	4.607
Rear support – seat (pike) circle			Clear pike circle bwd to hstd, also	Clear pike circle bwd with 1/1 turn	
bwd to rear support			with ½ turn (180°) to hstd	(360°) to hstd	
4				360°	
P & P			180°		
A FO MA				一种, 四部州州	
F/ 1981			L THE CAR MY	THE ONE OF THE	
<u> </u>					
			, , , 0A	0	
<b>②</b>				81	
			11 -41	W!	
4.108	4.208 Clear pike circle bwd on LB with	4.308	4.408	4.508	4.608
	counter flight to hang on HB	Clear pike circle bwd on LB with hecht flight to hang on HB		Clear pike circle bwd through hstd with flight to hang on HB	
	R	8			
	1 Den	Carl Si A		A A	
				Ø 1	
				0.4 /	
				<b>₩</b>	
		\\ #		, .	
		<u> </u>		Clear pike circle bwd through hstd	
	J. DA4 /			Clear pike circle bwd through hstd with flight and ½ turn (180°) to hang on HB	
		1			
				1 Jan	
				The state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the s	
				/	
				Y/VE/	
				** # *	

A	В	C 5.000 — TIKE	D	E	F/G
5.101	5.201	5.301	5.401	5.501	5.601
	3.201		3.401	Ote and in the Addition and the Man Addition	3.001
Rear support on LB or HB – seat (pike) circle fwd with straddle cut		Outer rear support on HB – fall bwd to inverted pike swing		Stoop in to Adler-seat (pike) circle fwd through clear extended support to finish in L grip (deviation up to 30° allowed), also with ½ turn (180°)	
(pike) circle fwd with straddle cut		fall bwd to inverted pike swing		fwd through clear extended support	
bwd to hang on same bar		or seat (pike) circle fwd – straddle cut bwd with flight over LB to hang		to finish in L grip (deviation up to 30°	
		bwd with flight over I B to hang		allowed), also with ½ turn (180°)	
		ova war mgm over 2D to hang		( 11 )	
A		al a d			
and I May to				180°	
1/1 1 40 1 1 16 1					
		.4			
		$\vee$ $\vee$			
(4->					
•		an Mo		1.00	
				$\triangle I - \triangle K$	
		A CAST OF C		(/.V //.VX	
		A TOP A		19. 9.	
		<b>→</b>			
		<i>(</i> ) -			
		•			
		Rear support on LB - seat (pike)			
		circle fwd with straddle cut bwd and			
		grip change to hang on HB.			
		grip orlarige to riarig or rib.			
		m II m			
		M PP IN			
		TO THE TO THE			
		1 45			
		1 1 1 1 1			
		Ds.			
		5			

Α	В	5.000 — FIRE	D	E	F/G
5.102	5.202	5.302	5.402	<u> </u>	5.602
5.102	5.202 Rear support on HB – seat circle bwd with release to hang on LB	Clear rear pike support on HB (legs together) – full circle swing bwd to finish in clear rear support on HB (Steinemann circle)	5.402 Clear rear pike support on HB (legs together)  - full circle swing bwd – continuing through clear over HB into hang  - circle swing bwd and continue to salto bwd str bars to clear support on LB  - circle swing bwd and ½ turn (180°) with flight to	etched (or piked) between	5.602
	<i>≥</i> ⁄.	Elf	wa.	180°	
			From hstd clear pike circle bwd to rear inverted pike	e support	
5.103	5.203	5.303 Clear rear pike support (legs together) on HB – full circle swing bwd with stoop out bwd to hang on HB	5.403 Clear rear pike support (legs together) on HB – full swing bwd with counter flight bwd straddled	circle	5.603

		0.000	NE CIRCLES	_	T 5/0
A	В	С	D	E	F/G
5.104 Underswing bwd (inverted pike swing), dislocate (Schleudern) to hang on HB	5.204	5.304 Schleudern to near hstd with hop-change to regular grip on HB	5.404 Underswing bwd (inverted pike swing) on HB – dislocate with flight to hstd on LB (Zuchold-Schleudern), also from stoop through etc	5 504	5.604
N		<u>2</u> 1	<u> </u>		
			A91		

A	В	С	D	Е	F/G
5.105	5.205	5.305	5.405	5.505	5.605
Sole circle forward (piked or		Pike sole circle fwd in reverse	Pike sole circle fwd in reverse grip		
straddle)		grip to hstd, also with ½ turn	Pike sole circle fwd in reverse grip with 1/1 turn (360°) to hstd		
,		(180°) to hstd	man n n tann (eee ) te neta		
		(100) to 110ta			
		8	360°		
			R R R		
		(Day 1)			
		you pay,			
			1 641111		
-		MA) [ [ [ [ V]	├ <del>┤</del> ┤ ┩┩┥┥┥┤		
			0		
( v )-		180°n ъ	ΩĬ		
		100	(∨ <b>)</b>		
		a di	1 . 1		
		\\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\			
		H + 7 + M			
5.106	5.206	5.306	5.406	5.506	5.606
Sole circle forward in L- grip	3.200	Dika sala sirala fud in Larin ta	Pike sole circle fwd in L grip with	3.300	3.000
Sole circle forward in L- grip (piked or straddle)		Pike sole circle fwd in L grip to hstd, also with ½ turn (180°)	1/1 turn (360°) to hstd		
(pined of diraddie)		rista, aiso witii /2 tarri (100 )	1/1 tum (300 ) to rista		
		,			
		ß			
0 0			360°		
			s a R		
y pa/s pa		y pay part	a a fill the		
.   ~940		,     •••••			
		$\vdash$ $\vdash$ $\vdash$ $\vdash$ $\vdash$ $\vdash$ $\vdash$ $\vdash$ $\vdash$ $\vdash$			
		$\bowtie$	0		
		\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	$\wedge$ i		
~(v)-			\ v \/i		
		180°n ∧	<i>l</i> "		
		(A) (I	•		
		l oĭ			
		$   \widetilde{\mathbb{M}} $			
		<i>[</i>			
		1			

			INE CIRCLES	_	_
A	В	С	D	E	F/G
5.107	5.207 Underswing on LB (support of feet) with counter movement fwd in flight to hang on HB	5.307 Underswing on HB or LB with hand release and 1½ turn (540°) to hang	5.407	5.507	F/G  5.607  Facing outward on HB— underswing with support of feet-counter salto fwd straddled to catch on HB
5.108 Sole circle bwd (piked or straddle)	5.208	5.308  Pike sole circle bwd to hstd, also with hop-grip change to reverse grip in hstd phase, also with ½ turn (180°)	5.408 Pike sole circle bwd with 1/1 turn (360°) to hstd	5.508 Pike sole circle bwd with 1½ turn (540°) to hstd	5.608

5.109  5.209  5.309  5.400 paged on LB – pike sole wind but divising hist with sole wind but divising hist with sole wind but divising hist with sole wind but divising hist with sole wind but divising hist with sole wind but divising hist with sole wind but divising his history of HB his abec circle but divising and his but over HB to harmy with but over HB to harmy wind heart over HB to harmy wind heart of his but over HB to harmy wind heart of his but over HB to harmy wind heart of his but over HB to harmy wind heart of his but over HB to harmy wind heart of his but over HB to harmy wind heart of his but over HB to harmy wind heart over HB to harmy wind heart over HB to harmy wind heart of harmy wind heart over HB to harmy wind heart over HB to harmy wind heart over HB to harmy wind heart over HB to harmy wind heart over HB to harmy wind heart over HB to harmy wind heart over HB to harmy wind heart over HB to harmy wind heart over HB to harmy wind heart over HB to harmy wind heart over HB to harmy wind heart harmone heart harmone heart harmone heart harmone heart harmone heart harmone heart harmone heart harmone heart harmone heart harmone heart harmone heart harmone heart harmone heart harmone heart harmone heart harmone heart harmone heart harmone heart harmone heart harmone heart harmone heart harmone heart harmone heart harmone heart harmone heart harmone heart harmone heart harmone heart harmone heart harmone heart harmone heart harmone heart harmone heart harmone heart harmone heart harmone heart harmone heart harmone heart harmone heart harmone heart harmone heart harmone heart harmone heart harmone heart harmone heart harmone heart harmone heart harmone heart harmone heart harmone heart harmone heart harmone heart harmone heart harmone heart harmone heart harmone heart harmone heart harmone heart harmone heart harmone heart harmone heart harmone heart harmone heart harmone heart harmone heart harmone heart harmone heart harmone heart harmone heart harmone heart harmone heart harmone heart harmone hear			-		KE CIKCLES	-	_:-
5.110  5.210  5.310  5.410  Pike sole circle bud counter straddic-reverse heeth over HB to hang in mixed L-grip  This sole circle bud with counter straddic-reverse heeth over HB to hang in mixed L-grip  Pike sole circle bud counter pike heeth over HB to hang in mixed L-grip  The sole circle bud with counter straddic-reverse heeth over HB to hang in mixed L-grip  The sole circle bud with counter straddic-reverse heeth over HB to hang in mixed L-grip  The sole circle bud with counter straddic-reverse heeth over HB to hang in mixed L-grip  The sole circle bud with counter straddic-reverse heeth over HB to hang in mixed L-grip  The sole circle bud with counter straddic-reverse heeth over HB to hang in mixed L-grip  The sole circle bud with counter straddic-reverse heeth over HB to hang in mixed L-grip  The sole circle bud with counter straddic-reverse heeth over HB to hang in mixed L-grip  The sole circle bud with counter straddic-reverse heeth over HB to hang in mixed L-grip  The sole circle bud with counter straddic-reverse heeth over HB to hang in mixed L-grip  The sole circle bud with counter straddic-reverse heeth over HB to hang in mixed L-grip  The sole circle bud with counter straddic-reverse heeth over HB to hang in mixed L-grip  The sole circle bud with counter straddic-reverse heeth over HB to hang in mixed L-grip  The sole circle bud with counter straddic-reverse heeth over HB to hang in mixed L-grip  The sole circle bud with counter straddic-reverse heeth over HB to hang in mixed L-grip  The sole circle bud with counter straddic-reverse heeth over HB to hang in mixed L-grip  The sole circle bud with counter straddic-reverse heeth over HB to hang in mixed L-grip  The sole circle bud with counter straddic-reverse heeth over HB to hang in mixed L-grip  The sole circle bud with counter straddic-reverse heeth over HB to hang in mixed L-grip  The sole circle bud with counter straddic-reverse heeth over HB to hang in mixed L-grip  The sole circle bud with counter straddic-reverse heeth over HB to hang in mixe		A	<u>B</u>	C	D		F/G
5.110  5.210  5.310  5.410  Pike sole circle bud counter straddic-reverse heeth over HB to hang in mixed L-grip  This sole circle bud with counter straddic-reverse heeth over HB to hang in mixed L-grip  Pike sole circle bud counter pike heeth over HB to hang in mixed L-grip  The sole circle bud with counter straddic-reverse heeth over HB to hang in mixed L-grip  The sole circle bud with counter straddic-reverse heeth over HB to hang in mixed L-grip  The sole circle bud with counter straddic-reverse heeth over HB to hang in mixed L-grip  The sole circle bud with counter straddic-reverse heeth over HB to hang in mixed L-grip  The sole circle bud with counter straddic-reverse heeth over HB to hang in mixed L-grip  The sole circle bud with counter straddic-reverse heeth over HB to hang in mixed L-grip  The sole circle bud with counter straddic-reverse heeth over HB to hang in mixed L-grip  The sole circle bud with counter straddic-reverse heeth over HB to hang in mixed L-grip  The sole circle bud with counter straddic-reverse heeth over HB to hang in mixed L-grip  The sole circle bud with counter straddic-reverse heeth over HB to hang in mixed L-grip  The sole circle bud with counter straddic-reverse heeth over HB to hang in mixed L-grip  The sole circle bud with counter straddic-reverse heeth over HB to hang in mixed L-grip  The sole circle bud with counter straddic-reverse heeth over HB to hang in mixed L-grip  The sole circle bud with counter straddic-reverse heeth over HB to hang in mixed L-grip  The sole circle bud with counter straddic-reverse heeth over HB to hang in mixed L-grip  The sole circle bud with counter straddic-reverse heeth over HB to hang in mixed L-grip  The sole circle bud with counter straddic-reverse heeth over HB to hang in mixed L-grip  The sole circle bud with counter straddic-reverse heeth over HB to hang in mixed L-grip  The sole circle bud with counter straddic-reverse heeth over HB to hang in mixed L-grip  The sole circle bud with counter straddic-reverse heeth over HB to hang in mixe	5.109		5.209	5.309		5.509	
5.110  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.					Inner front support on LR – nike	Facing outward on LR – nike sole	
5.110  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  6.22  6.22  6.22  6.22  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23  6.23					sole circle bwd through hetd with	circle hwd through hetd with flight	
5.110  5.210  5.310  5.410  Pike sole circle bwd counter pike sole circle bwd counter pike sole circle bwd counter pike sole circle bwd counter hB to hang  Pike sole circle bwd counter pike sole circle bwd counter pike sole circle bwd counter straddle recent file to hang with 5 sun (1807) to hang in mixed L-grip  1807  5.710  Pike sole circle bwd with counter stratched - reverse heach over HB to hang with 5 sun (1807) to hang in mixed L-grip  1807  5.710  Pike sole circle bwd with counter stratched - reverse heach over HB to hang with 5 sun (1807) to hang in mixed L-grip  1807  5.710  Pike sole circle bwd with counter stratched - reverse heach in syour position over HB					flight to hand on LID	and 1/ turn (1900) or 1/1 turn	
5.110  5.210  5.310  5.410  Pike sole circle bwd counter pike sole circle bwd counter pike sole circle bwd counter pike sole circle bwd counter hB to hang  Pike sole circle bwd counter pike sole circle bwd counter pike sole circle bwd counter straddle recent file to hang with 5 sun (1807) to hang in mixed L-grip  1807  5.710  Pike sole circle bwd with counter stratched - reverse heach over HB to hang with 5 sun (1807) to hang in mixed L-grip  1807  5.710  Pike sole circle bwd with counter stratched - reverse heach over HB to hang with 5 sun (1807) to hang in mixed L-grip  1807  5.710  Pike sole circle bwd with counter stratched - reverse heach in syour position over HB					night to hang on HB	(0000) (- 1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-	
5.110  5.210  5.310  5.410  Pike sole circle bwd counter pike pict owner HB to hang  5.510  Pike sole circle bwd counter pike hecht over HB to hang  5.510  File sole circle bwd with counter straddle hecht over HB to hang  180°  5.710  Pike sole circle bwd with counter straddle hecht over HB with % turn (180°) to hang in mixed L-grip  180°  5.710  Pike sole circle bwd with counter stratched - reverse hecht in leyour position over HB						(360°) to hang on HB	
5.110  5.210  5.310  5.410  Pike sole circle bwd counter pike pict owner HB to hang  5.510  Pike sole circle bwd counter pike hecht over HB to hang  5.510  File sole circle bwd with counter straddle hecht over HB to hang  180°  5.710  Pike sole circle bwd with counter straddle hecht over HB with % turn (180°) to hang in mixed L-grip  180°  5.710  Pike sole circle bwd with counter stratched - reverse hecht in leyour position over HB						4	
5.110  5.210  5.310  5.410  Pike sole circle bwd counter straddle-reverse-hecht over HB to hang  Pike sole circle bwd counter pike hecht over HB to hang  Pike sole circle bwd counter pike hecht over HB to hang  Pike sole circle bwd counter straddle hecht over HB with ½ turn (180°) to hang in mixed L-grip  180°)  5.710  Pike sole circle bwd with counter straddle hecht over HB with ½ turn (180°) to hang in mixed L-grip  180°)					A A	/ 180°	
5.110  5.210  5.310  5.410  Pike sole circle bwd counter straddle-reverse-hecht over HB to hang  Pike sole circle bwd counter pike hecht over HB to hang  Pike sole circle bwd counter pike hecht over HB to hang  Pike sole circle bwd counter straddle hecht over HB with ½ turn (180°) to hang in mixed L-grip  180°)  5.710  Pike sole circle bwd with counter straddle hecht over HB with ½ turn (180°) to hang in mixed L-grip  180°)							
5.110  5.210  5.310  5.410  Pike sole circle bwd counter straddle-reverse-hecht over HB to hang  Pike sole circle bwd counter pike hecht over HB to hang  Pike sole circle bwd counter pike hecht over HB to hang  Pike sole circle bwd counter straddle hecht over HB with ½ turn (180°) to hang in mixed L-grip  180°)  5.710  Pike sole circle bwd with counter straddle hecht over HB with ½ turn (180°) to hang in mixed L-grip  180°)						1 P P P P	
5.110  5.210  5.310  5.410  Pike sole circle bwd counter straddle-reverse-hecht over HB to hang  Pike sole circle bwd counter pike hecht over HB to hang  Pike sole circle bwd counter pike hecht over HB to hang  Pike sole circle bwd counter straddle hecht over HB with ½ turn (180°) to hang in mixed L-grip  180°)  5.710  Pike sole circle bwd with counter straddle hecht over HB with ½ turn (180°) to hang in mixed L-grip  180°)							
5.110  5.210  5.310  5.410  Pike sole circle bwd counter straddle-reverse-hecht over HB to hang  Pike sole circle bwd counter pike hecht over HB to hang  Pike sole circle bwd counter pike hecht over HB to hang  Pike sole circle bwd counter straddle hecht over HB with ½ turn (180°) to hang in mixed L-grip  180°)  5.710  Pike sole circle bwd with counter straddle hecht over HB with ½ turn (180°) to hang in mixed L-grip  180°)							
5.110  5.210  5.310  5.410  Pike sole circle bwd counter straddle-reverse-hecht over HB to hang  Pike sole circle bwd counter pike hecht over HB to hang  Pike sole circle bwd counter pike hecht over HB to hang  Pike sole circle bwd counter straddle hecht over HB with ½ turn (180°) to hang in mixed L-grip  180°)  5.710  Pike sole circle bwd with counter straddle hecht over HB with ½ turn (180°) to hang in mixed L-grip  180°)						1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-	
5.110  5.210  5.210  5.310  5.410  Pike sole circle bwd counter straddle-reverse-hecht over HB to hang  Pike sole circle bwd counter pike hecht over HB to hang  Pike sole circle bwd counter pike hecht over HB to hang  Pike sole circle bwd counter straddle hecht over HB with ½ turn (180°) to hang in mixed L-grip  5.710  5.710  Pike sole circle bwd with counter straddle hecht over HB with ½ turn (180°) to hang in mixed L-grip  Fixe sole circle bwd with counter straddle hecht over HB with ½ turn (180°) to hang in mixed L-grip  Fixe sole circle bwd with counter straddle hecht over HB with ½ turn (180°) to hang in mixed L-grip  Fixe sole circle bwd with counter straddle hecht over HB with ½ turn (180°) to hang in mixed L-grip  Fixe sole circle bwd with counter straddle hecht over HB with ½ turn (180°) to hang in mixed L-grip						\V/ <i>V</i> 7/	
5.110  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  Fike sole circle bwd counter straddle-reverse hecht over HB to hang  Fike sole circle bwd counter pike hecht over HB to hang  Fike sole circle bwd with counter straddle hecht over HB with ½ turn (180°) to hang in mixed L-grip  5.710  Fike sole circle bwd with counter stratched - reverse hecht in layout position over HB to hang						J: 6	
5.110  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  Fike sole circle bwd counter straddle-reverse hecht over HB to hang  Fike sole circle bwd counter pike hecht over HB to hang  Fike sole circle bwd with counter straddle hecht over HB with ½ turn (180°) to hang in mixed L-grip  5.710  Fike sole circle bwd with counter stratched - reverse hecht in layout position over HB to hang							
5.110  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  Fike sole circle bwd counter straddle-reverse hecht over HB to hang  Fike sole circle bwd counter pike hecht over HB to hang  Fike sole circle bwd with counter straddle hecht over HB with ½ turn (180°) to hang in mixed L-grip  5.710  Fike sole circle bwd with counter stretched – reverse hecht in layout position over HB					. /		
5.110  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  Fike sole circle bwd counter straddle-reverse hecht over HB to hang  Fike sole circle bwd counter pike hecht over HB to hang  Fike sole circle bwd with counter straddle hecht over HB with ½ turn (180°) to hang in mixed L-grip  5.710  Fike sole circle bwd with counter stratched - reverse hecht in layout position over HB to hang					/ /	100:	
5.110  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  Fike sole circle bwd counter straddle-reverse hecht over HB to hang  Fike sole circle bwd counter pike hecht over HB to hang  Fike sole circle bwd with counter straddle hecht over HB with ½ turn (180°) to hang in mixed L-grip  5.710  Fike sole circle bwd with counter stratched - reverse hecht in layout position over HB to hang					(V/V		
5.110  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  Fike sole circle bwd counter straddle-reverse hecht over HB to hang  Fike sole circle bwd counter pike hecht over HB to hang  Fike sole circle bwd with counter straddle hecht over HB with ½ turn (180°) to hang in mixed L-grip  5.710  Fike sole circle bwd with counter stratched - reverse hecht in layout position over HB to hang					0 ;	17	
5.110  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  Fike sole circle bwd counter straddle-reverse hecht over HB to hang  Fike sole circle bwd counter pike hecht over HB to hang  Fike sole circle bwd with counter straddle hecht over HB with ½ turn (180°) to hang in mixed L-grip  5.710  Fike sole circle bwd with counter stratched - reverse hecht in layout position over HB to hang						11 K K V	
5.110  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  Fike sole circle bwd counter straddle-reverse hecht over HB to hang  Fike sole circle bwd counter pike hecht over HB to hang  Fike sole circle bwd with counter straddle hecht over HB with ½ turn (180°) to hang in mixed L-grip  5.710  Fike sole circle bwd with counter stratched - reverse hecht in layout position over HB to hang						H 4	
5.110  5.210  5.210  5.210  5.210  5.210  5.210  5.210  5.210  Fike sole circle bwd counter straddle-reverse hecht over HB to hang  Fike sole circle bwd counter pike hecht over HB to hang  Fike sole circle bwd with counter straddle hecht over HB with ½ turn (180°) to hang in mixed L-grip  5.710  Fike sole circle bwd with counter stratched - reverse hecht in layout position over HB to hang						<b>\</b> ♥ \ <i>\\\</i> \?/	
Pike sole circle bwd counter straddle-reverse-hecht over HB to hang  Pike sole circle bwd counter pike hecht over HB to hang  Pike sole circle bwd counter pike hecht over HB to hang  Pike sole circle bwd counter straddle hecht over HB with ½ turn (180°) to hang in mixed L-grip  5.710  Pike sole circle bwd with counter straddle hecht over HB with ½ turn (180°) to hang in mixed L-grip  Pike sole circle bwd with counter straddle hecht over HB with ½ turn (180°) to hang in mixed L-grip  Fike sole circle bwd with counter straddle hecht over HB with ½ turn (180°) to hang in mixed L-grip  Fike sole circle bwd with counter straddle hecht over HB with ½ turn (180°) to hang in mixed L-grip  Fike sole circle bwd with counter straddle hecht over HB with ½ turn (180°) to hang in mixed L-grip  Fike sole circle bwd with counter straddle hecht over HB with ½ turn (180°) to hang in mixed L-grip  Fike sole circle bwd with counter straddle hecht over HB with ½ turn (180°) to hang in mixed L-grip  Fike sole circle bwd with hecht over HB with ½ turn (180°) to hang in mixed L-grip  Fike sole circle bwd with power heads and the sole circle bwd with counter straddle hecht over HB with ½ turn (180°) to hang in mixed L-grip  Fike sole circle bwd with power heads and the so						<u> </u>	
Pike sole circle bwd counter straddle-reverse-hecht over HB to hang  Pike sole circle bwd counter pike hecht over HB to hang  Pike sole circle bwd counter pike hecht over HB to hang  Pike sole circle bwd counter straddle hecht over HB with ½ turn (180°) to hang in mixed L-grip  5.710  Pike sole circle bwd with counter straddle hecht over HB with ½ turn (180°) to hang in mixed L-grip  Pike sole circle bwd with counter straddle hecht over HB with ½ turn (180°) to hang in mixed L-grip  Fike sole circle bwd with counter straddle hecht over HB with ½ turn (180°) to hang in mixed L-grip  Fike sole circle bwd with counter straddle hecht over HB with ½ turn (180°) to hang in mixed L-grip  Fike sole circle bwd with counter straddle hecht over HB with ½ turn (180°) to hang in mixed L-grip  Fike sole circle bwd with counter straddle hecht over HB with ½ turn (180°) to hang in mixed L-grip  Fike sole circle bwd with counter straddle hecht over HB with ½ turn (180°) to hang in mixed L-grip  Fike sole circle bwd with hecht over HB with ½ turn (180°) to hang in mixed L-grip  Fike sole circle bwd with power heads and the sole circle bwd with counter straddle hecht over HB with ½ turn (180°) to hang in mixed L-grip  Fike sole circle bwd with power heads and the so							
hang  with ½ turn (180°) to hang in mixed L-grip  180°  5.710  Pike sole circle bwd with counter stretched – reverse hecht in layout position over HB	5.110		5.210	5.310			
hang  with ½ turn (180°) to hang in mixed L-grip  180°  5.710  Pike sole circle bwd with counter stretched – reverse hecht in layout position over HB					Pike sole circle bwd counter	Pike sole circle bwd counter pike	Pike sole circle bwd with
hang  with ½ turn (180°) to hang in mixed L-grip  180°  5.710  Pike sole circle bwd with counter stretched – reverse hecht in layout position over HB					straddle-reverse=hecht over HB to	hecht over HB to hang	counter straddle hecht over HB
mixed L-grip  180°  5.710  Pike sole circle bwd with counter stretched – reverse hecht in layout position over HB							with 1/2 turn (180°) to hang in
5.710 Pike sole circle bwd with counter stretched – reverse hecht in layout position over HB					nang		mixed Larin
5.710 Pike sole circle bwd with counter stretched – reverse hecht in layout position over HB							mixed L-gnp
5.710 Pike sole circle bwd with counter stretched – reverse hecht in layout position over HB					,		. 180° e
5.710 Pike sole circle bwd with counter stretched – reverse hecht in layout position over HB					la la la	, ,	The state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the s
5.710 Pike sole circle bwd with counter stretched – reverse hecht in layout position over HB					of of the second	Res Well and Many	
5.710 Pike sole circle bwd with counter stretched – reverse hecht in layout position over HB						I Was Pair	
5.710 Pike sole circle bwd with counter stretched – reverse hecht in layout position over HB					( ) ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( )	1 1/10 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
5.710 Pike sole circle bwd with counter stretched – reverse hecht in layout position over HB							
5.710 Pike sole circle bwd with counter stretched – reverse hecht in layout position over HB							4
5.710 Pike sole circle bwd with counter stretched – reverse hecht in layout position over HB					<del></del>		
5.710 Pike sole circle bwd with counter stretched – reverse hecht in layout position over HB							
5.710 Pike sole circle bwd with counter stretched – reverse hecht in layout position over HB							
Pike sole circle bwd with counter stretched – reverse hecht in layout position over HB					1.7.1	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	<b>₩</b>
Pike sole circle bwd with counter stretched – reverse hecht in layout position over HB					\	(v)*	5 710
counter stretched – reverse hecht in layout position over HB							Dika aala airala huud with
hecht in layout position over HB							
hecht in layout position over HB to hang							counter stretched – reverse
to hang							necnt in layout position over HB
							to nang
							// . et
							i yan da i i wa
							4415 4444 🔭
							1 <i>111 1111</i>
							<i>7</i>
							lv/
							•

<b>-</b>	,	6.000 DISMC			
A	В	С	D	Ш	F/G
6.101 From HB – underswing with ½ turn (180°) or 1/1 turn (360°) to stand	6.201 From HB – underswing with salto fwd tucked or piked	6.301 From HB – underswing with salto fwd tucked or piked with ½ turn (180°) or 1/1 turn (360°)	6.401 From HB – underswing with salto fwd tucked with 1½ turn (540°)	6.501	6.601
180°		180   180	From HB - underswing with salto fwd stretched with ½ turn (180°).		
Pr re	h m	360°	180° WE		
6.102	6.202	6.302	6.402	6.502	6.602
From HB – clear underswing with		From HB – clear underswing with salto	From HB – clear underswing	From HB – clear underswing with	
½ turn (180°) or		fwd tucked or piked also with ½ turn	with salto fwd tucked with 1/1	salto fwd tucked with 1½ turn	
1/1 turn (360°) to stand		(180°) or Clear straddle circle with salto fwd	turn (360°)	(540°)	
360		tucked R v	POE	540	
ly le			Clear Pike underswing to salto forward stretched with ½ turn (180°)	he	
		Pre "			
		Xn	180°		

A	В	C C.000 DISW	D	E	F/G
6.103	6.203	6.303 From HB – underswing with ½ or clear underswing with ½ turn (180°) to salto bwd tucked or piked	6.403 From HB – underswing with ½ turn (180°) to salto bwd stretched	6.503	6.603
		180	180		
		<u>h</u> ev	fue		
		hev	From HB – clear underswing with ½ turn (180°) to salto bwd stretched		
			From HB – underswing with ½ turn (180°) to salto bwd tucked with 1/1 twist (360°)		
			<u>lue</u>		

	6.000 DISMOUNTS						
A	В	С	D	E	F/G		
6.104 Swing fwd to salto bwd tucked, piked or stretched (Flyaway)	6.204 Swing fwd to salto bwd tucked, or stretched with ½ turn (180°) or 1/1 turn (360°) (Flyaway)	6.304 Swing fwd to salto bwd stretched with 1½ turn (540°) or 2/1 turn (720°)	6.404 Swing fwd to salto bwd stretched with 2½ turn (900°)	6.504 Swing fwd to salto bwd stretched with 3/1 turn (1080°)	6.604		
Jay,	180°	540°	9000	1080°			
	360.	720					
	i E"	Æ					

А	В	C C	D D	E	F/G
6.105	6.205	6.305	6.405	6.505	6.605
	Swing fwd to double salto bwd tucked	Swing fwd to double salto bwd piked	Swing fwd to double salto bwd tucked or piked with 1/1 turn (360°) in first or second salto	Swing fwd to double salto bwd tucked with 1½ turn (540°)	Swing fwd to double salto bwd tucked with 2/1 turn (720°)
	ull	ull	Fill "	wor.	Eiee
			Ever		
0.400	0.000	0.000	0.400	0.500	
6.106	6.206	6.306	6.406 Swing fwd to double salto bwd stretched	6.506 Swing fwd to double salto bwd stretched with 1/1 turn (360°) in first or second salto	6.606  6.706  Swing fwd to double salto bwd stretched with 2/1 turn (720°)
			eq ,		
			vee	Rue reek	· Elle

	6.000 DISMOUNTS					
A	В	С	D	E	F/G	
6.107	6.207	6.307	6.407 Swing fwd to salto bwd tucked with ½ turn (180°) – into salto fwd tucked	6.507 Swing fwd to salto bwd stretched with ½ turn (180°) – into salto fwd stretched	6.607	
			wer	180°	6.707 Swing fwd to triple salto bwd tucked	
			Swing fwd with ½ turn (180°) to double salto fwd tucked	Swing fwd with ½ turn (180°) to double salto fwd piked		
				A deple		
			Ferr	√£00v		

	6.000 DISMOUNTS							
A	В	С	D	E	F/G			
6.108 Swing bwd to salto fwd tucked, piked or stretched or clear straddle circle fwd on HB to salto fwd tucked	6.208 Swing bwd to salto fwd tucked or stretched with ½ turn (180°) or 1/1 turn (360°)	6.308 Swing bwd to salto fwd stretched with 1½ turn (540°) or 2/1 turn (720°)	6.408 Swing bwd to double salto fwd tucked	6.508 Swing bwd to double salto fwd tucked with ½ turn (180°) – also salto fwd with ½ turn (180°) into salto bwd tucked	6.608 Swing bwd to double salto fwd piked with ½ turn (180°)			
Or "	180°	540° 720° C		Nove Mere	180°			
	360.							

A	В	C 0.000 DISMIC	D	Е	F/G
6.109	6.209 Hip circle bwd (also clear) on LB or HB – hecht	6.309 Hip circle bwd (also clear) on LB or HB – hecht with 1/1 turn (360°)	6.409 Hip circle bwd (also clear) on LB or HB – hecht with salto bwd tucked	6.509  Hip circle bwd (also clear) on LB or HB – hecht with ½ turn (180°) to salto fwd	6.609 Hip circle bwd (also clear) on LB or HB – hecht with 1/1 turn (360°) to salto bwd
	The de	HHH Sto		180. 180. 180. 18 A A	
	~	σÉ	ore	of the	oule ne
		360.			
	$\sim$	$\sim\epsilon$	~ie		
6.110	6.210 On HB - salto fwd tucked	6.310 On HB – salto fwd piked or salto bwd tucked or piked	6.410	6.510	6.610





**Balance Beam — Elements** 



		1.000 — MC	UNTS		
A	В	С	D	Е	F/G
1.101 (D)	1.201 (D)	1.301	1.401 (D)	1.501	1.601
Leap - on landing must show	Split leap (180°)		Leap fwd with leg change (free leg		
arabesque position (leg min. at	opin roup (100)		swing to 45°) to cross split		
arabesque position (leg min. at	<b>&gt;</b> 6		Swing to 40 ) to cross spill		
horizontal)	-497 😡		n - X		
	<b>*</b>			(D) = To be counted as I	Dance element
			2 LANGE	` ′	
			<u></u>		
,			17		
	<del></del>		/-		
1	/ -		<del></del>		
1.102 (D)	•	1.302 (D)	1.402 (D)	1.502	1.602
Thief vault – take-off from one leg	– free leap over beam, one leg	Straight Jump with ½ turn (180°) in	Jump with 1/1 turn (360°) in flight		
after another to rear support – 90°	annroach to heam or	flight phase to stand – take-off from	phase to stand, take-off from both		
Scissor Leap over beam to cross s	approach to bear to	both feet	legs – approach at end or diagonal		
	sit on triigii – diagoriai approacti to	Doin reei	iegs – approach at end or diagonal		
beam			to beam		
5 A BB	9-1-86.	3	ه السري		
		l l	(A.39) 78.4		
		Han	12 H X 2		
	- ( <i>y</i> 2	5 to 18 18			
		B B			
		- NI	\$ 360° \ /21		
u/	/_	1 /~=	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \		
<i>F</i> =	<u> </u>	~			
⊻					
1.103	1.203	1.303	1.403	1.503	1.603
Flank to rear support also with 1/2	Two flying flairs	Two flank circles followed by leg	3 flying flairs		
turn (180°)	, , , , , , , , , , , , , , , , , , , ,	"Flair"	o nying nano		
(100)		I idii			
- A =	<b>A</b> .				
	D (2) D)	es & & & n	<b>A</b> 1 1 1		!
	A PROPERTY	Nest est la la	A LOVE PO MAR &		
11		TV TV	IN THE MAN		
		<u></u>			
	_ ·				
0 9 1 0 0		b a a			
0 9 10 V		HI AN EN-KAL			
	Mala .	and I	\ <b>'</b> \' -		
W	ET PS R		3 <b>\</b>		
=	// 1 = 2/1 U		<u> </u>		
lump with hand aumnort 3/ to-	'	a has a cooller -			
Jump with hand support, ¾ turn	' ' 2 ' 🐧				
(270°) in support to cross sit on	•				
thigh		Y			
		•			
a Arra & M	.•,	4 4 V			
	20%	772			
3.	26	,			

	_	1.000 — MC		_	F /-
Α Α					
1.104  1.105 (D) Jump (with hand support) to side split sit or straddle position (must show split without hands touching the beam as the final position (in straddle position the	I.204 (D)  Jump with ½ turn (180°) to clear straddle support, or jump bwd through straddle position over the beam to front support, or to side split–90° approach to beam	1.304 (D) Straddle pike jump bwd over beam from round-off into immediate hip circle bwd – 90° approach to beam  1.305 (D) Free jump to cross split sit, also free jump with leg change – take-off from both legs – diagonal approach to beam	D 1.404	nted as Dance element  1.505	1.604 1.604
Jump (with hand support) to side split sit or straddle position (must show split without hands touching the beam as the final position (in straddle position the trunk must touch the beam)		1.305 (D)  Free jump to cross split sit, also free jump with leg change – take-off from both legs – diagonal	Leap with leg change and ½ turn (180°) away from beam to free cross split sit – diagonal approach	1.505	1.605
- take-off two feet or Leap to cross split sit from one foot take-off –diagonal approach to beam (with hand support)					

		1.000 — MC	ONIS	F	F/O
1.106	1.206	C 1.306	D 1.406	E 1.506	F/G <b>1.606</b>
Trans side stand severt an atom	1.200	1.300	1.400	1.500	1.000
From side stand - squat or stoop through to rear support					
tillough to real support					
0 10 0					
D. Marill					
( ) ~ d d d					
M M					
_					
4.407	4 207		4.407	4.507	4 607
1.107	1.207		1.407	1.507	1.607
	Jump to roll fwd at end or middle of beam				
	or beam				
	80-50				
	$\alpha$				
	/ ≜				
	<del>-</del>				
	Jump to clear straddle support				
	Jump to clear straddle support on end of beam – swing bwd to roll fwd				
	roll fwd				
	1				
	Bus to the self				
	PU DAT				
	<b>∮</b>				
	<i>=</i> /				
	· lar				
	<b>\</b> \				
	2 1				

		1.000 — MC			
A	В	С	D	E	F/G
1.108	1.208	1.308	1.408	1.508	1.608
Cartwheel with bending of both				11000	11000
Cartwrieer with bending or both	Jump with ½ turn (180°) over	Jump with ½ turn (180°) over			
arms through chest stand to	shoulder to neck stand, ½ turn	shoulder to neck stand, 1/1or 11/2			
swing down	(180°) to chest stand (Silivas)	turn (360°- 540°) to neck stand			
	_ /	~ //			
	and and				
	TO FOLK IL				
	Tyler of the second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second sec	VIII .			
\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	100.	√ 360° - 540°			
<u> </u>	JW 180	200 - 040			
—×	<u> </u>				
Stand at side of Beam and jump		ė x			
to Chest stand with both arms					
bent	Ö	Ö			
E E					
<b>(</b> }					
/b,					
1 ) 1					
<i>-</i>					
1.109	1.209	1.309	1.409	1.509	1.609
1.103	1.203	From cross stand facing end of	1.400	1.303	Round-off at end of beam –
		From cross stand facing end of			Round-off at end of beam –
		beam – head kip			flic-flac with ½ turn (180°) and
		1			walkover fwd
		11 18			
					State 1 1st
					· · · · · · · · · · · · · · · · · · ·
					The state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the s
		<b>↑</b> 》 ∇ ▼			A MAR MAN
					1000
		From cross stand facing end of			$\mathcal{L} \longrightarrow \mathcal{L}$
		harman in man to hatel with him a nate			
		beam – jump to hstd with hip angle			
		(pike) to front walkover			-
		$\mathcal{B}$			$\iota$
					N !
					,, ,,
		( )			
		\ \ \ /			
		<u>_</u>			
		From cross stand facing end of			
		beam – jump to hstd with hip angle			
		(pike) to handspring fwd with step-			
		(pike) to handspring fwd with step- out or land on 2 feet			
		4			
		// <sub>10</sub>			
		a de Be			
		M			
		/ !			
		/ / / - I			
		<u> </u>			

A	В	1.000 — MC	D	E	F/G
1.110	1.210	1.310	1.410	1.510	1.610
	Jump, press, or swing to side or				
	cross hstd (2 sec) – lower to end	Jump, press or swing to cross or side hstd with 1/1 - 1½ turn (360°-			
	position touching beam or to	540°) – lower to end position			
	position touching beam or to clear straddle support; also with ½ turn (180°) in hstd.	touching beam or to clear straddle			
	/2 turri (160 ) iri rista.	support			
		l k to det			
	20 11 10 B	1 1 1 1 th 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			
	ALF RULL				
		A P T A T WE			
		)			
	4	<u> </u>			
	Me	0 0			
	2, 4	gi ring you			
		7 1 74			
	1				
	1 4 8				
	Ral B	, 1 to 1 to 1 .			
	<u> </u>	1 12 ME AR HAR			
		540°			
	204	-12- 4			
	$\mathcal{M}_{1}$				
	1 1	1 M yet			
		/! /! Me:			
	1 1 1				
	a ARAN -				
	<u> </u>				
	<b>Y</b> ,				
	<u> </u>				
	;=				
				]	

		1.000 — MC			
A	В	С	D	E	F/G
1.111	1.211	1.311	1.411	1.511	1.611
Planche with support on one or			Jump, press or swing to cross or		
hath hant arms (2 and ) also	From cross or side stand jump	Jump with stretched hips to	aida bata 1/1 tura (2000) in bata		
both bent arms (2 sec.), also	with bent hips to clear front	planche (2 sec.)	side hstd – 1/1 turn (360°) in hstd –		
legs in cross split position	support above horizontal		lower to planche (2 sec.),		
	minimum at 45° (Planche)		or to clear pike support (2 sec.)		
	(2 sec.)	R W W	,		
	- lower to optional end position	A W W	1 80- 1 1		
The second	- lower to optional end position		, R K # # A		
		<b>}</b> /			
		_15			
/ '	10	Jump, press, or swing to hstd –			
	M	lower to planche (2 sec.)			
1 1	al PCX	also with ½ turn (180°) in hstd			
l W/		also with 72 turn (100 ) in ristu	∑ 360°		
=			(/ / 300		
	(	l R sa	<u>_</u>		
	))		•		
	X 1 1	104 104	a. 0.		
			MA A		
1 2 1			/ My Mit		
		Y Y Y/ Y	/ 1 1 1 1 1 1 1		
La La	yy yi	Z Z Z 180° 2			
	MM	180°			
) Y	1 . 1	M M	R & 4 R		
,		/! T	—→		
		7:1	A A A M M DIMI N		
1					
1 1/1/2		luman muaaa ay ayyinay ta batal			
W		Jump, press, or swing to hstd –	TO TO THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF		
<del>-</del>		lower to clear pike support (2 sec.)	ັ້360°		
		also with ½ turn (180°) in hstd	<del></del>		
		r R	.0 .0 .0		
		(1)	MG 16 15/16		
			/. 10 NO NO 10		
			, , , , , ,		
		\ \	Jump, press, or swing to cross or		
		Y MG	side hstd – 1/1 turn (360°) in hstd –		
			release one hand with swing down		
			swd		
		Jump, press, or swing to cross or	X 1 4 9 4		
		side bate (2 and ) release are best			
		side hstd (2 sec.) release one hand	· 10 10 00 00 00 10 10 10 10 10 10 10 10		
		to land on one foot, or with swing	BOND HAR HAR BOND BOND		
		down swd; also with ½ turn (180°)	The state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the s		
		in hstd	360°		
		B	4		
		1 # /s .	1. ~ ~		
		1 1/2 da 2 (10	/m /m .e/he		
			/ <u> </u> / <u> </u> / <del> </del> / <del> </del> / <del> </del>		
			•		
		+ + + + +			

			1.000 — IVIC			
	Α	В	C	D	E	F/G
1.112	A	1.212	1.312 Hstd in cross position with large arch span, also piked with one leg vertical, other leg bent (2 sec.) - lower to optional end position  Cross or side Hstd with horizontal leg hold (2 sec.) – reverse planche in different variations - lower to optional end position	1.412  Jump or press to side Hstd – walkover fwd to side stand on both legs  NII.	E 1.512	F/G 1.612
1.113		1.213 Press to side hstd, with bending - stretching of legs – hop with ¼ turn (90°) to cross hstd - lower to optional end position	1.313 Jump press or swing to hstd shift weight to one arm hstd (2 sec.) – lower to optional end position	1.413  Jump or press on one arm to hstd lov jump, press or swing to cross or side arm (2 sec.), lowering to clear stradd (90°)	wer to optional end position, also hstd – shift weight to side hstd on one lle support on one arm, also with ¼ turn	1.613

A B C D E F/G  1.114  Jump to hstd with bent or straight legs – lower to optional end position  1.214  Cartwheel on one or both arms  O° approach to beam – jump with ¼ turn (90°) and extended hips through a momentary hstd on one arm with immediate ¼ turn (90°) and support on second arm to side hstd - lower to optional end position  1.414  From rear stand (back towards beam), flic flac over beam to candle position, ending in front support with or without bwd hip circle  in the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the	
Jump to hstd with bent or straight legs – lower to optional end position  Cartwheel on one or both arms  90° approach to beam – jump with ½ turn (90°) and extended hips through a momentary hstd on one arm with immediate ½ turn (90°) and support on second arm to side  Prom rear stand (back towards beam), flic flac over beam to candle position, ending in front support with or without bwd hip circle	<u>G</u> _
With Status (1807) to near side histo-lower to optional position  White the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state o	G

A B C D E F/G  1.115  1.215  Handspring fwd with hand repulsion from springboard to rear support – or with ¼ turn (90°) to cross sit on thigh – 90° approach to beam  A B C D E F/G  1.415  1.515  1.615  Aerial walkover fwd to rear support – or with ¼ turn (90°) to cross sit on thigh, or Free (aerial) cartwheel to front support – 90° approach to beam	
Handspring find with hand Free (aerial) walkover find to rear	/G
approach to beam  i.e. i.e. i.e. i.e. i.e. i.e. i.e. i.e	fwd to cross ch at end of

	1	1.000 — IVIC			1
A	В	С	D	E	F/G
1.116	1.216	1.316	1.416 Salto fwd tucked to cross or side stand – approach at end of beam	1.516 Salto fwd piked to stand – approach at end of beam	1.616 Salto fwd tucked with ½ twist (180°)
				W!	1.716 Round-off at end of beam – take off bwd. with ½ turn (180°) – tucked salto fwd. to stand
					\\\\_\_\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
1.117	1.217	1.317 Round-off at end of beam – flic-flac through hstd with swing down to cross straddle sit	1.417 Round-off at end of beam – flic-flac through hstd – support on one or both arms – to cross stand on beam	1.517 Round-off at end of beam – flic-flac with ¾ twist (270°) to cross stand on beam	1.617
		The state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the s		270	
		₩ŧ	Round-off at end of beam – flic-flac with 1/1 twist (360°) into swing down to cross straddle sit	<b>√</b>	
			360°		
			// <del>{</del>		

		1.000 — MC	-	_	=
Α Α	В	С	D	E	F/G
1.118	1.218	1.318	1.418	1.518 Round-off at end of beam – salto bwd tucked, piked or stretched with step-out to cross or side stand on beam	1.618  Round-off at end of beam – salto bwd tucked with 1/1 twist (360°) to cross stand
					360.
				Lee	KEN
				d d	Round-off at end of beam – salto bwd stretched to cross stand on beam
				prer	
					1.718 Round-off at end of beam – salto bwd stretched with 1/1 twist (360°) to cross stand on
				(he)	beam beam
					360.
					<u> </u>

A	В	С	D	E	F/G
1.119	1.219	1.319	1.419	1.519	1.619
					Jump fwd with ½ twist (180°) – salto bwd piked
					juli

Λ	В	2.000 — GYMNASTIC LEAPS	D	E	F/G
2.101	2.201	2.301	2.401	2.501	2.601
Stag Split leap fwd (leg separation 180°)	Split leap fwd (leg separation 180°)	Split leap fwd with ½ turn (180°).	Split ring leap (180° separation of legs	Split leap with 1/1 turn (360°)	2.001
		180°		360°	
<u>o</u> ,	<u> </u>	<u>)c</u>	_ق	<u> </u>	
2.102	2.202 Split jump (leg separation 180°) from cross position	2.302 Split jump with ½ turn (180°) from cross position	2.402 Split jump with 1/1 turn (360°) from cross position	2.502	2.602
		180°	360°	Jumps from side position position, or vice versa – celements performed in cre (additional 90° does not redifferent)	consider as oss position
	" -	п <del>-</del>			

Α	В	C C	D	E	F/G
2.103	2.203(*)	2.303	2.403	2.503	2.603
	Straddle pike jump (both legs above horizontal), or side split jump from cross position	Straddle pike jump with ½ turn (180°) from cross position	Straddle pike with 1/1 turn (360°) from cross position		
	ıı 📐	"×	<sub>II</sub> &		
				lumpo from sido position	finishing in areas
				Jumps from side position position, or vice versa – celements performed in creation (additional 90° does not redifferent)	consider as oss position
	11 =				

		2.000 — GYMNASTIC LEAPS			
A	В	С	D	E	F/G
2.104	2.204 Fouetté hop with ½ turn (180°) to land in arabesque (free leg above horizontal)		2.404 Fouette hop with leg change to cross split (leg separation 180°) (tour jeté)  180°	2.504	2.604
2.105 Stride leap fwd with change of legs to wolf position (hip angle at 45°)	2.205	2.305 Leap fwd with leg change (free leg swing to 45°) to cross split (180° separation < after leg change) (Switch Leap)	2.405 Switch Leap with ½ turn (180°)	2.505 Switch leap to ring position (180° separation of legs)	2.605
2.106	2.206 Leap with ¼ turn (90°) into straddle pike position (both legs above horizontal), to land on one or both feet	2.306 Leap fwd with leg change and ¼ turn (90°) to side split (180°) or straddle pike position (Johnson)	2.406	2.506 Johnson with additional ½ turn (180°)  180°  90°	2.606

Λ.	В	2.000 — GYMNASTIC LEAPS	D	E	F/G
2.107	2.207	2.307	2.407	2.507	2.607
Pike jump from cross position (hip <90°)	Pike jump from cross position with ½ turn (180°)	2.507	Pike jump from cross position with 1/1 turn (360°)	2.501	2.007
V	180'		<u>V</u> 360° }	Jumps from side position position, or vice versa – elements performed in c (additional 90° does not different)	consider as ross position
2.108 Sissone, (leg separation 180° on the diagonal /45° to the floor) take off from both feet, land on one foot	2.208(*) Ring jump (rear foot at head height, body arched and head dropped bwd, 180° separation of legs), or stag-ring jump	2.308  Jump with upper back arch and head release with feet to head height/closed Ring (Sheep jump)	2.408(*) Split jump to ring position (180° separation of legs)  Jump to cross over split with body arched and head dropped bwd (Yang-Bo)	2.508	2.608

Α	В	2.000 — GYMNASTIC LEAPS	D	E	F/G
2.109	2.209  Hop with ½ turn (180°) free leg extended above horizontal throughout	2.309 Stretched jump/hop with 1/1turn (360°) from cross position	2.409 Stretched jump/hop with 1½ turn (540°) from cross position	2.509	2.609
	180	360°	- 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		
	Ϋ́	Q	Ø		
2.110 Cat leap (knees above horizontal alternately)	2.210 Cat leap with ½ turn (180°)	<b>2.310</b> Cat leap with 1/1 turn (360°)	2.410	2.510	2.610
M. M.	3 7 180°	1 360°			
	,				

2.000 — GYMNASTIC LEAPS, JUMPS AND HOPS					
A	В	C	D	E	F/G
2.111	2.211 Tuck hop or jump with ½ turn (180°) from cross position (hip & knee angle at 45°)	2.311 Tuck hop or jump with 1/1 turn (360°) from cross position	2.411 Tuck hop or jump with 1½ turn (540°) from cross position	2.511	2.611
	180° N	360°	540°	Jumps from side position position, or vice versa – conclusion elements performed in cross (additional 90° does not modifferent)	onsider as oss position
2.112(*) Wolf hop or jump from cross position. (hip angle at 45°, knees together)	2.212 Wolf hop or jump with ½ turn (180°) from cross position.	2.312	2.412 Wolf hop or jump with 1/1 turn (360°) from cross position	2.512 Wolf hop or jump with 1½ turn (540°) from cross position	2.612
	180° \$		360°	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
	" <u>M</u> C		"\ <u>\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\</u>	" <u>M</u> &	
" <u>W</u>					

3.000 — GYMNASTIC TURNS  A B C D E F/G						
3.101	3.201	3.301	3.401	3.501	3.601	
1/1 turn (360°) on one leg – free leg optional below horizontal	1½ turn (540°) on one leg – free leg optional below horizontal	3.301	2/1 turn (720°) on one leg – free leg optional below horizontal	3/1 turn (1080°) on one leg – free leg optional below horizontal	3.001	
340.	A Brook of A		7 720	A PORO PARA		
O	y)		×	*		
3.102	3.202	3.302 1/1 turn (360°) on one leg, thigh of free leg at horizontal, bwd upward throughout turn	3.402 1½ turn (540°) on one leg, thigh of free leg at horizontal, bwd upward throughout turn	3.502	3.602	
		360°	540			
		<b>○</b> ^	Ø			

Α	В	C 3.000 — GTMIN	D	E	F/G
3.103	3.203	3.303	3.403	3.503	3.603
3.103	3.203	3.303	1/1 turn (360°) pirouette with free leg held bwd with both hands	3.303	3.003
			360°		
3.104	3.204	3.304 (*)  1/1 turn (360°) with heel of free leg fwd at horizontal throughout turn, with/without holding free leg with hand (support and free leg may be straight or bent)	3.404 (*)  1½ turn (540°) with heel of free leg fwd at horizontal throughout turn, with/without holding free leg with hand (support and free leg may be straight or bent)	3.504 2/1 turn (720°) with heel of free leg fwd at horizontal throughout turn (support and free leg may be straight or bent)	3.604
		360°	540°	720°	
		**************************************	2 F 3 F 3 F 3 F 3 F 3 F 3 F 3 F 3 F 3 F	×	
		AFIFI	AFFE		
		<b>⊘</b> ∕	Ø		

Λ.	Р	3.000 — GTIVIIV	<u> </u>	Г	F/0
A	В	С	D	E	F/G
3.105	3.205	3.305 1/1 turn (360°) with free leg held upward in 180° split position throughout turn  360°	3.405 1 ½ turn (540°) with free leg held upward in 180° split position throughout turn  540°	3.505	3.605
3.106	3.206 ½ illusion turn (180°) through standing split (180° legs separation) with/without brief touching of beam with one hand	3.306	3.406 1/1 illusion turn (360°) through standing split (180° legs separation) with/without brief touching of beam with one hand	3.506	3.606

	T D	3.000 — GYMN C	AOTIC TORIUS		F/C
3.107	3.207	3.307	3.407	3.507	F/G <b>3.607</b>
1/1 turn (360°) in knee arabesque – hand support alternate		2/1 turn (720) in knee arabesque – hand support alternate	3.407	3.507	3.607
3.108	3.208 1/1 turn (360°) in tuck stand on one leg - free leg optional	3.308 1½ turn (540°) in tuck stand on one leg - free leg optional	3.408(*) 2/1 turn (720°) or 2½ turn (900°) in tuck stand on one leg - free leg optional  720°  900°  ——————————————————————————————	3.508 3/1 turn (1080°) in tuck stand on one leg-free leg optional	3.608

	A B C D E F/G F/						
А	В	С	D	Е	F/G		
3.109	3.209(*)  1/1 turn to 1½ turn (360°- 540°) in prone position – alternate support of hands permitted	3.309	3.409 1¼ (450°) turn on back in kip position (hip-leg angle closed)	3.509	3.609		
	360.		1 Formally of				
	00		6				
	<del>540°</del>						
	E O						

Δ.	В В	- HOLDS AND ACROBATIC NON-FLIGH	<u>I</u> D	Г	F/G
4.101 (D)	4.201	4.301	4.401	4.501	4.601
From kneeling sit position, rise upward with body wave through toe-balance stand	4.201	(D) To be counted as dance		4.301	4.601
4.102 (D) (*) Standing split fwd with hand support in front of support leg (leg separation 180°) – Needle scale (2 sec.) or Stand on one leg with foot of free leg in fwd hold above head (2 sec.)  Scale fwd, support leg extended (leg separation 180°) - 2 sec.	4.202 Clear pike support (2 sec.)	4.302	4.402	4.502	4.602
4.103 Kick to side or cross hstd (2sec), lower to end position touching beam	4.203 Kick to cross hstd – roll fwd with or without hand support to sit position or to tuck stand	4.303	4.403	4.503	4.603

A	В	C - HOLDS AND ACROBATIC NON-FLIGH	<u>D</u>	Е	F/G
4.104	4.204	4.304	4.404	4.504	4.604
	Roll fwd without hand support to sit position or to tuck stand  Light Control of the stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand Stand	Free shoulder roll fwd with hip extension and without hand support to sit position or tuck stand			
4.105	4.205 Roll bwd to hstd - lower to end position touching beam	4.305	4.405	4.505	4.605
4.106	4.206 Roll swd, body tucked – or roll swd stretched through neck stand, also with 1/2 turn (180°) over shoulder	4.306 Roll swd, body stretched	4.406	4.506	4.606

	4.000	- HOLDS AND ACROBATIC NON-FLIGHT			T = 10
A	В	C	D	Е	F/G
4.107 Cartwheel, also with support on one arm, or Cartwheel with flight phase before or after hand support	4.207	4.307 Side split – roll swd stretched, legs separated – end position optional	4.407	4.507	4.607
* A		production &			
XX					
_X					
4.108 Walkover fwd, with/without alternate hand support (Tinsica)	4.208 Walkover fwd, with support of one arm	4.308 Kick to cross hdst with ½ turn (180°) to walkover fwd	4.408	4.508	4.608
	Y & A	Mark That			
	√j	Walkover fwd in side position to Side stand			
Walkover fwd, bwd (Tic-Toc)		She both			
PRAM					
$\bigcirc$					

A	<b>4.000</b>	C C	D	Е	F/G
4.109	4.209	4.309	4.409	4.509	4.609
Walkover bwd, with/without alternate hand support, also with swing down to cross sit	Walkover bwd, with support of one arm	Walkover bwd with ½ turn (180°) to walkover fwd			
cross sit		180' Walkover bwd in side position to side stand			
A A A A A A A A A A A A A A A A A A A	$\sqrt{\cdot}$				
4.)		Walkover bwd with stoop through of one leg to cross split sit			
A Tologo		A Car			
4.110	4.210 From extended tuck sit – walkover bwd (Valdez)	4.310 Valdez with 1/1 turn (360°) lower to end position touching beam	4.410	4.510	4.610
		W.			
	₩.	Kick over bwd through horizontal plane with support on one arm			

A	В	С	D	Е	F/G
A 5.101	5.201  Handspring fwd with flight to land on one or both legs (same element), also with support on one arm	5.301 Handspring fwd with leg change in flight phase	5.401  Jump bwd (flic-flac take-off) with ½ twist (180°) through hsdt to walkover fwd, also with support on one arm, or to tic-toc	5.501  Jump bwd (flic-flac take-off) with ½ twist (180°) to handspring fwd land on 2 feet.	F/G 5.601
5.102	5.202 Flic-flac to land on both feet	5.302 Flic-flac with ½ twist (180°) to hstd (2 sec.) - lower to optional end position	5.402 Flic-flac from side position with ½ twist (180°) to side hstd lower to optional end position	5.502	5.602

A	В	С	D	E	F/G
5.103	5.203	5.303 Flic-flac with ¼ twist (90°) to hstd (2 sec.) - lower to optional end position	5.403  Flic-flac with ¾ twist (270°) to side hstd (2 sec.) - lower to optional end position  270'	5.503	5.603
5.104	5.204 Flic-flac with step-out, also with support on one arm	5.304 Flic-flac with ½ twist (180°) after hand support	5.404 Flic-flac with min. ¾ twist (270°) before hand support	5.504	5.604

А	В	С	D	E	F/G
5.105	5.205	5.305	5.405	5.505	5.605
		Flic-flac from side position to front support or with hip circle bwd	Flic-flac with step-out from side position	Flic-flac from side position with 1/1 twist (360°) to hip circle bwd	
		support or with hip circle bwd		twist (360°) to hip circle bwd	
				. B. R.	
		Y A 1			
		8 0 8 th th 60 th		I IS I I I I I I I I I I I I I I I I I	
		1 1 1 1 1 1 1 1 1 1 1 1	<u> </u>		
		1 1 1 1 1 1.			
			a		
		$\dot{\sim}$		C.	
		( )/ ( )2	l I	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	
		. ,		.,	
5.106	5.206 Gainer flic-flac also with support on	5.306 Coince flip floo with 1/ twist (00°) to	5.406	5.506	5.606
	one arm	Gainer flic-flac with ¼ twist (90°) to hstd (2 sec.) - lower to optional end	Gainer flic-flac with min. ¾ twist (270°) before hand support		
		position	Service Support		
	1 11 11	y , m	TI W		
	1 W d 4 8 2 3 1 78		d of a land		
		F W W			
	1 3 4 6 1 1 4 4 4		2700		
	77	90°	210 334 33		
		237 0 11			
	- 1				
	X =	***	၁		
	<b>\</b>	$\wedge$			
	2 19	,			
	1				
	47				
	/ V				

Α	В	С	D	E	F/G
5.107	Flic-flac or Gainer flic-flac – with high flight phase, and swing down to cross straddle sit	5.307  Flic-flac or Gainer flic-flac – with piking and stretching of hips in flight phase and swing down to cross straddle sit	5.407 Flic-flac with 1/1 twist (360°) – swing down to cross straddle sit	5.507	5.607
5.108	5.208 Round-off	5.308	Free (aerial) cartwheel – landing in cross or side position, also with leg change  XA   Z  Z  X4	Free aerial round-off tucked or piked – take off from 2 feet  N  Free (Aerial) Cartweel in side position	5.608

А	В	С	D	E	F/G
5.109	5.209	5.309	Free (aerial) walkover fwd, landing on one or both feet	5.509	5.609
5.110	5.210	5.310 Salto fwd tucked, take-off from one leg to stand on one or two feet	5.410 Salto fwd tucked to cross stand	5.510 Salto fwd piked to cross stand	5.610

A	В	С	D	E	F/G
5.111	5.211	5.311	5.411 Salto swd tucked take off from one leg to side stand	5.511 Salto swd tucked with ½ turn (180°) take off from one leg to side stand	5.611 Arabian salto tucked (take-off bwd with ½ twist [180°], salto fwd)
				180°	
			du	du	" \
5.112	5.212	5.312 Salto bwd tucked, piked or stretched (step out)	5.412	5.512 Salto bwd stretched with legs together	5.612 Salto bwd tucked with 1/1 twist (360°)
		I we			360.
		JAN ULV			5.712 Salto bwd stretched with 1/1 twist (360°)
		Jan W			S/ 3ro.

A	В	С	D	E	F/G
5.113	5.213	S.313 Gainer salto bwd tucked, piked or stretched-step out	5.413	5.513	Jump fwd with ½ twist (180°) – salto bwd tucked or piked  MUL MUN

# 6.000 — DISMOUNTS

6.000 — DISMOUNTS								
А	В	С	D	Е	F/G			
6.101 Free (aerial) walkover fwd with ½ twist (180°)	6.201 Free (aerial) walkover fwd with 1/1 twist (360°)	6.301 Free (aerial) walkover fwd with 1½ twist (540°)	6.401	6.501 Free (aerial) cartwheel into salto bwd tucked	6.601			
No.	A A A A A A A A A A A A A A A A A A A							
Upe	Nfé	NE		XfQ				
6.102 Salto fwd tucked or piked, also with ½ twist (180°)	6.202 Salto fwd stretched, also with ½ twist (180°)	6.302 Salto fwd stretched with 1/1 twist (360°) or 1½ twist (540°)	6.402 Salto fwd stretched with 2/1 twist (720°)	6.502	6.602 Double salto fwd tucked			
	180°	3400	720°		PARMA S			
V W	√ √°	E	₹E		38			
180.	Salto fwd tucked with 1/1 twist (360°)	540			U U			
te me	TE	8 E						

### 6.000 — DISMOUNTS

	6.000 — DISMOUNTS							
A	В	С	D	E	F/G			
6.103	6.203 Jump bwd, with ½ twist (180°), salto fwd tucked or piked (Arabian salto)	6.303 Stretched jump fwd with 1/1 twist (360°) and salto fwd tucked or piked,	6.403 Stretched jump fwd with 1/1 twist (360°) and salto fwd stretched	6.503	6.703 Arabian double salto fwd. tucked			
	180'	ET LON			Arabian double saito two. tucked			
6.104 Salto bwd tucked, piked, or stretched, also with ½ twist (180°)	6.204 Salto bwd tucked or stretched with 1/1 (360°)	6.304 Salto bwd tucked or stretched with 1½ twist (540°)	6.404 Salto bwd stretched with 2½ twist (900°)	6.504	6.604 Salto bwd stretched with 3/1 twist (1080°)			
Le ver el	360. A	540°	900'		1080°			
180°		Salto bwd stretched with 2/1 twist (720°)	(ww)		3			


## 6.000 — DISMOUNTS

	т	6.000 — DIS		-	=:-
A	В	С	D	E	F/G
6.105	6.205	6.305	6.405 Double salto bwd tucked	6.505 Double salto bwd piked	6.605 6.705 Double salto bwd tucked or piked with 1/1 twist (360°)
			20	veer	Ede v
6.106 Gainer salto tucked, piked, or stretched to side of beam, also with ½ twist (180°) (tucked, or stretched)	Gainer salto tucked or stretched with 1/1 (360°) to side of beam	Gainer salto bwd tucked or stretched with 1½ (540°) or 2/1 twist (720°) to side of beam	Gainer salto bwd stretched with 2½ twist (900°) to side of beam	6.506	6.606 Gainer salto bwd stretched with 3/1 twist (1080°) to side of beam
se ser ser	360°	540°	900°		1080°
180°		720° - LE LE E	<i>γ~ γ</i>		pu e

# 6.000 — DISMOUNTS

	T D	6.000 — Dis		-	F/C
6.107	6.207	6.307	6.407	6.507	F/G <b>6.607</b>
6.107	Gainer salto tucked or piked at end of beam	Gainer salto stretched with legs together at end of the beam	Gainer salto stretched with 1/1 twist (360°) at end of beam	6.507	6.607
	Walland of		360. See		
	res	reA	res		
		Gainer salto tucked with 1/1 twist (360°) at end of beam			
	ren	reg			





Floor Exercise — Elements





WWW.GYMNOVA.COM

		1.000 – GYMNASTIC LEAPS, JUI	WPS AND HOPS		
A	В	C	D	Е	F/G
1.101 Split leap fwd (leg separation 180°)	1.201 Split leap with ½ turn (180°)	1.301 (*) Split leap with 1/1 turn (360°)	1.401 Split leap with 1½ turn (540°)	1.501	1.601
	1- 1- 1- 1- 1- 1- 1- 1- 1- 1- 1- 1- 1- 1				
7 2 1	<u>×</u>	<u>. o</u>	, ø		
		Leap fwd with ¾ turn (270°) into straddle pike position with ¼ turn (90°)		(*) Elements in the same box w (*) asterisk receive credit only of chronological order	vith an once in
<u> </u>		A + 270°	L.		

		1.000 – GYMNASTIC LEAPS, JUI			
A	В	С	D	E	F/G
1.102	1.202 (*) Fouette Hop with leg change to cross split (leg separation 180°) also to ring position (tour jeté)	1.302 Split leap with 1/1 turn (360°) to land in split sit position	1.402	1.502	1.602
	A land			(*) Elements in the same box v (*) asterisk receive credit only v	vith an
	A P	<u>°                                     </u>		chronological order	Shee iii
1.103  Tuck jump with separation of legs to cross split (180°) during flight	1.203 (*) Butterfly fwd torso parallel to floor, slightly arched, legs straddled and	1.303	1.403	1.503	1.603
phase (100 ) during ingin	feet above hip height during flight.				
N_a_	Butterfly bwd torso parallel to floor, slightly arched, legs straddled and feet at or slightly below hip height during flight.				
	<del>\</del>				

1.000 – GYMNASTIC LEAPS, JUMPS AND HOPS							
A	В	С	D	E	F/G		
1.104 (*)	1.204	1.304 (*)	1.404 (*)	1.504	1.604		
Leap fwd with ¼ turn (90°) into	Switch leap with ¼ turn (90°) to side split	Switch leap with ½ turn (180°) in flight	Switch leap with 1/1 turn (360°) in flight				
straddle pike position (both legs	or to straddle pike position (both legs	phase	phase				
above horizontal) or side split to	above horizontal) (Johnson)		67				
land on one or both feet.			l à M M à				
	. 4. 6						
	l AM a						
2 3 3			360°	(*) Elements in th	e same box with an		
		180° 🐇	7 3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	(*) asterisk receiv	re credit only once in		
		* ************************************		chronological ord	er		
		s 1	0				
		<b>.</b> →	Ž.				
		_					
	7 4						
	$Z_{\triangle}$		Johnson with additional 1/1 turn (360°)				
		Johnson with additional ½ turn (180°)	Johnson with additional 1/1 turn (500 )				
		, \s\ h					
~ <b>%</b>		1 1 1 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1 1 0 \6/360°				
90°							
90"			90°				
		90°					
¥							
		U	0				
		フム	フム				
		2	2				
1.105	1.205	1.305	1.405	1.505	1.605		
Stride leap fwd with change of legs	Leap fwd with leg change (free leg swing	Switch leap to ring position (180°	Switch leap to Ring position with ½ turn				
to wolf position	to 45°) to cross split (180° separation	separation of legs)	(180°)				
	< after leg change) (Switch leap)						
			. 1 11				
100	. 200 000 1 6	R Senter to					
			1 2 2				
A A							
			180° 11 (				
		<b>→</b> )	<u>~</u> )				
<del> //</del>							
<u> </u>	_		To a second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second seco				

	•	1.000 – GYMNASTIC LEAPS, JU	MPS AND HOPS		
A	В	С	D	E	F/G
1.106 Pike jump (hip < 90°)	1.206 Jump with upper back arch and head release with feet almost touching head (Sheep jump)	1.306  Pike jump (hip < 90°) with 1/1 turn (360°)	1.406	1.506	1.606
		360°			
1.107 (*)	1.207 (*) Straddle pike or side split jump with ½	1.307 (*) Straddle pike or side split jump with	1.407 (*) Straddle pike or side split	1.507	1.607
Straddle pike jump (both legs above horizontal), or side split jump (leg separation 180°)	turn (180°)	1/1 turn (360°)	jump with 1½ turn (540°)	(*) Elements in (*) asterisk rec chronological o	n the same box with an eive credit only once in order
		360°	540°		
	" \times " \frac{\tau}{\tau}	, <u> </u>	" \\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \		
	Split Jump with ½ turn (180°)	Split Jump with 1/1 turn (360°)	Split Jump with 1½ turn (540°)		
	- DO	360°	540°		

		<u> 1.000 – GYMNASTIC LEAPS, JUI</u>	MPS AND HOPS		
A	В	С	D	E	F/G
1.108 (*)	1.208 (*)	1.308	1.408	1.508	1.608
Straddle pike (both legs above horizontal), or side split jump	Straddle pike (both legs above horizontal), or side split jump with 1/1				
horizontal), or side split jump	horizontal), or side split jump with 1/1				
landing in front lying support (also with ½ turn (180°)	turn (360°) landing in front lying				
with ½ turn (180°)	support				
1					
	4 0 0				
	\$ - F - S -				
A Confirmation of the Confirmation of the Confirmation of the Confirmation of the Confirmation of the Confirmation of the Confirmation of the Confirmation of the Confirmation of the Confirmation of the Confirmation of the Confirmation of the Confirmation of the Confirmation of the Confirmation of the Confirmation of the Confirmation of the Confirmation of the Confirmation of the Confirmation of the Confirmation of the Confirmation of the Confirmation of the Confirmation of the Confirmation of the Confirmation of the Confirmation of the Confirmation of the Confirmation of the Confirmation of the Confirmation of the Confirmation of the Confirmation of the Confirmation of the Confirmation of the Confirmation of the Confirmation of the Confirmation of the Confirmation of the Confirmation of the Confirmation of the Confirmation of the Confirmation of the Confirmation of the Confirmation of the Confirmation of the Confirmation of the Confirmation of the Confirmation of the Confirmation of the Confirmation of the Confirmation of the Confirmation of the Confirmation of the Confirmation of the Confirmation of the Confirmation of the Confirmation of the Confirmation of the Confirmation of the Confirmation of the Confirmation of the Confirmation of the Confirmation of the Confirmation of the Confirmation of the Confirmation of the Confirmation of the Confirmation of the Confirmation of the Confirmation of the Confirmation of the Confirmation of the Confirmation of the Confirmation of the Confirmation of the Confirmation of the Confirmation of the Confirmation of the Confirmation of the Confirmation of the Confirmation of the Confirmation of the Confirmation of the Confirmation of the Confirmation of the Confirmation of the Confirmation of the Confirmation of the Confirmation of the Confirmation of the Confirmation of the Confirmation of the Confirmation of the Confirmation of the Confirmation of the Confirmation of the Confirmation of the Confirmation of the Confirmation of the Confirmation of the Confirmation of the Conf	K B D F				
и	360'				
<u> </u>					
V V	O,				
	2				
	V				
180°					
180° 20-	Hop with 1½ turn (540°) in horizontal				
U	Hop with 1½ turn (540°) in horizontal plane to land in front lying support				
Ž,					
-W	STEP STEP STEP STEP STEP STEP STEP STEP				
Han with 1/1 turn (260°) to atraddla					
Hop with 1/1 turn (360°) to straddle and land in front lying support	540°				
and land in front lying support	340				
\$ A	<u> </u>				
	1 4-				
Marie The Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of					
360°					
300					
1.0					
YE"					

		1.000 – GYMNASTIC LEAPS, JUI	MPS AND HOPS				
A	В	С	D		E	F/G	
1.109 (*)	1.209 (*)	1.309	1.409 (*)	1.509		1.609	
Split jump (leg separation 180°)	Ring jump (rear foot at head height,	Split ring leap (180° separation of legs)	Split leap, or split jump to ring position with 1/1 (360)				
- 1.	body arched and head dropped bwd,		ring position with 1/1 (360)				
#8 #8 FF	180° separation of legs)		turn				
(( <u>~~</u>	40	2 40					
8 A	6 B	THE DESTRUCTION OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERT	4.5				
			M M Later 11				
. <u>.                                   </u>			A P P P				
ıı —			後に   11   11   11   11   11   11   11				
Cto as is small			( 8 )				
Stag jump				Г			ī
1 7		ر <u>ه</u>	5		(*) Elements in the sa	ame box with an	
\$		_	<u>4</u> )		(*) asterisk receive cr	redit only once in	
	Stag ring jump (rear foot at head				chronological order		
I . (4 K	Stag ring jump (rear foot at head height, body arched and head			[ L		1	Ц
	dropped bwd)						
II O							
11 — 7			and Al				
Stag jump with 1/2 turn (180°)			~ B B				
Stag jamp man ne tam (100)							
1 0			360° E >				
997	· ./						
	9-						
The second second	II/		2				
<b>)</b>							
	Split jump to ring position (180°		****				
	separation of legs)						
" O	4-1						
II	2 10 2						
	My - H						
Sissone (leg separation 180°on the	7 7						
diagonal/45°to the floor) take off two							
feet, land on one foot	<u> </u>						
m	II <del>-≃-</del>						
<i>k</i> 40							
1 - W	Split jump to ring position with ½ turn						
100	(180°)						
W K	a kla						
//	A De F						
	\ \gamma \gamma \gamma  \gamma						
1/	180°						
/	¥						
n '							
	" <del></del>						
1	1		1	1		1	

A 1.110	1.210 Stretched hop or jump with 1/1 turn (360°)	C 1.310 Stretched hop or jump with 2/1 turn (720°)  720°	1.410	E 1.510	F/G 1.610
	(360°)	720			
		720			
	0	720			
		720° \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\			
	<u>)</u> )	<u>}</u>			
	<u>O</u>	⊠			
	<u>O</u>	<u> </u>			
				1	
1.111	1.211	1.311	1.411	1.511	1.611
Leap with alternate leg change (knees above horizontal)	Leap with alternate leg change (knees above horizontal) with	Cat leap with 2/1 turn (720°)			
(	1/1 turn (360º) (Cat leap)				
	4. d				
AV D	2 (1) 12 12				
	对 和 临礼				
	360.	7200			
<u> </u>		20			
M	ñ	Àx			
Ū	1/21	<u>m</u>			
	,	/			

Λ	D	1.000 - GYMNASTIC LEAPS,			F/G
A 1.112	B 1.212	C 1.312	1.412	1.512	1.612
Hop with ½ (180°) turn to land in arabesque with free leg above horizontal (Fouettè-hop)	Hop with ½ turn (180°) free leg extended above horizontal throughout	Hop with 1/1 turn (360°), free leg extended above horizontal throughout	1.412	1.512	1.012
180°	13 K /1807				
<u> </u>	Ĭ	<u> </u>			
1.113	1.213 Tuck hop or jump with 1/1 turn (360°)	1.313 (*) Tuck hop or jump with 2/1 turn (720°) also landing in front lying support	1.413	1.513	1.613
	3 2 5500				
	"\( \vec{\beta}\)	" <u>Ä</u>			
		7200			
		Ñ			

		1.000 – GYMNASTIC LEAPS,			
Α	В	С	D	E	F/G
1.114  Hop or Jump with one leg bent and the other – extended straight, fwd above horizontal with knees together (Wolf hop or jump)	<b>1.214 (*)</b> Wolf hop or jump with 1/1 turn (360°)	1.314	1.414 Wolf hop or jump with 2/1 turn (720°)	1.514	1.614
	1 360'		720		
	Wolf hop or jump with 1/1 turn (360°) landing in front lying support				
	180° 180°				

#### 2.000 - GYMNASTIC TURNS

		2.000 - GYMNASTIC TO			F/C
2.101	B 2.201	2.301	D 2.401	2.501	F/G <b>2.601</b>
1/1 turn (360°) on one leg – free leg optional below horizontal	2/1 turn (720°) on one leg – free leg optional below horizontal	3/1 turn (1080°) on one leg – free leg optional below horizontal	2.401	4/1 turn (1440°) on one leg – free leg optional below horizontal	2.001
360°	720°	1080°		1440°	
0	×	*		4	
2.102	2 202 (*)	2.302	2.402.(*)	2.502	2.602
2.102	2.202 (*)  1/1 turn (360°) with heel of free leg fwd at horizontal throughout turn, also with free leg held (support and free leg may be straight or bent)	2.302	2.402 (*) 2/1 turn (720°) with heel of free leg fwd at horizontal throughout turn, also with free leg held (support and free leg may be straight or bent)	2.502	2.602
			720°		
	<b>√</b>		×		

# 2.000 - GYMNASTIC TURNS

	В	C C	D	E	F/G
2.103	2.203 1/1 turn (360°) with free leg held upward in 180° split position throughout turn  360°	2.303	2.403 2/1 turn (720°) with free leg held upward in 180° split position throughout turn  720°	2.503 3/1 turn (1080) with free leg held upward in 180° split position throughout turn	2.603
2.104	2.204 1/1 turn (360°) in back attitude (knee of free leg at horizontal throughout turn)	2.304	2.404 2/1 turn (720°) in back attitude (knee of free leg at horizontal throughout turn)	2.504	2.604
2.105	2.205  1/1 illusion turn (360°) through standing split without touching floor with hand	2.305	2.405	2.505	2.605

### 2.000 - GYMNASTIC TURNS

		2.000 – GYMNASTIC TU			
	В	С	D	E	F/G
2.106 (*)	2.206	2.306	2.406	2.506	2.606
1/1 turn (360°) in tuck stand on	2/1 turn (720°) in tuck stand on one leg		2/1 turn (720°) in tuck stand on one leg - free leg straight throughout turn (no turn initiation with a push from hands on floor)	3/1 turn (1080°) in tuck stand on one	
one leg - free leg optional	- free leg bent		leg straight throughout turn (no turn initiation	leg - free leg straight throughout turn (no turn initiation with a push from	
	nee leg zell		with a push from hands on floor)	(no turn initiation with a push from	
				hands on floor)	
l a tab			il i 1 a	1080°	
The state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the s	The state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the s		A MA I HA P	3 K - 11 M - 11 - 12	
1 2 3 77	2572 8 18 81 18 97		The sale of the P	The sale of the	
380 3			27 120 8 2		
14.0	<u>₩</u>			3)	
	W			/	
	=		\ \\/\'\	₩	
			<u> </u>	_	
Wash Service					
r 1 18					
.co do 360° № 16					
The state of the					
8 8 8 B					
14/2					
VV					
2.107	2.207	2.307	2.407	2.507	2.607
	2/1 spin (720°) or more on back in kip position				
	(hip-leg < closed)				
	LANG THE TANK THE THE				
	∞				
	× ×				
	<u> </u>				

A	В	C C	D	E	F/G
3.101	3.201	3.301	3.401	3.501	3.601
Lump kick or prope to hotel waterm mayons at	Jump kick or press to hstd with	3.301	3.701	3.301	0.501
Jump kick or press to hstd – return movement optional, also with ½ and 1/1 turn (180°- 360°) in hstd	Jump kick or press to rista with				
optional, also with ½ and 1/1 turn (180°- 360°) in	1 ½ - 2/1 turn (540°- 720°) in hstd				
hstd	– return movement optional				
	·				
<b>A</b>					
of Do all					
15 00 00 11	1 (3)				
H / Sa HS []	H HE HE HE HE HE HE				
)/ (/ , \ \ \ \ \ ((					
V P	1 Pr Had Nor Los				
	_ V				
\! \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \	`a x				
/   V,	l l				
/:/					
	1 1				
	•				
	l R				
1 ,(3// 1/ 1/( )/ 1/( )/					
1 11 12 154 1	Dodge Tox red				
1 100 Harding Pe	الدينال مجاريا				
180 V-360	<u>-11 11 11 540 Jl</u>				
V 0	κ κ				
	٩,				
1 1	<b>√</b> 1				
1	/ 1				
•	1 1				
	<i>t</i> ,				

A	В	U — HAND SUPPORT ELEMEN	D D	E	F/G
3.102 Hecht roll	3.202	3.302	3.402	3.502	3.602
3.103 Roll bwd to hstd with ½ or 1/1 turn (180° - 360°) in hstd	3.203 Roll bwd to hstd with 1½ - 2/1 (540° - 720°) turn in hstd	3.303	3.403	3.503	3.603
3.104 Walkover bwd from stand or extended tuck-sit to hstd with 1/1 turn (360°) in hstd – return movement optional	3.204	3.304	3.404	3.504	3.604

A	В	C C	D	Е	F/G
3.105  Handspring fwd, take-off from one leg or Flyspring fwd, take-off from both legs – with or without hecht phase before hand support – landing optional	-	3.305 Handspring fwd with 1/1 twist (360°) after hand support or before	3.405	3.505	3.605
		\$\frac{1}{2}\text{3.500}\$\$			
		Ne			
		360.			
Jump bwd with ½ twist (180°) to handspring fwd – landing optional		M			
1 100 M					
3.106 Round-off	3.206	3.306	3.406	3.506	3.606

Λ	D D	0 — HAND SUPPORT ELEMEN	D	Г	F/G
3.107	3.207	3.307	3.407	3.507	3.607
All flip floo and gainer flip floo variations	5.201  Elio floo with 1/1 twist (260°)	3.307	3.407	3.307	3.007
All flic-flac and gainer flic-flac variations, also with support of one arm	Flic-flac with 1/1 twist (360°) before hand support				
also with support of one arm	before hand support				
War and	11 %				
The state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the s	M Maria				
	A TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTA				
	360				
/ 1	0				
	/ 1				
	1990				
E Company of the comp					
1 8 7 1					
$\bigcap$					
/ V					
Analysis (house takes off) with 47 to 10000 to					
Arabian (bwd take-off) with ¼ twist (90°) – free (aerial) cartwheel – continuing with ¼ twist (90°) to					
(aeriai) cartwheel – continuing with ¼ twist (90°) to					
front lying support					
A 40					
The state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the s					
A MA MANAGES					
P WORK TO SEE					
, <i>M</i>					
dV					
7					
	1	1	1	1	

## 4.000 - SALTOS FORWARD & SIDEWARD

A	В	4.000 – SALTOS FORT	D	Е	F/G/H
4.101	4.201	4.301	4.401	4.501	4.601
Salto fwd tucked or piked	Salto fwd tucked with ½ or 1/1 twist (180° or 360°), also Salto fwd piked with ½ twist (180°)	4.301	7.701	Double salto fwd tucked	Double salto fwd tucked, with ½ twist (180°) or Double salto fwd piked
To the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the					
0 30 A B	re re			700	ME
					Was and
707	W.				W
4.102	4.202 Salto fwd stretched,	4.302 Salto fwd stretched with 1/1 or 1½	4.402 Salto fwd stretched with 2/1	4.502 Salto fwd stretched with 2½ twist	4.602
	also with ½ twist (180°)	twist (360° or 540°)	twist (720°)	(900°)	
	The state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the s	* A Se	720	900.	
		540.	70 C		

# 4.000 – SALTOS FORWARD & SIDEWARD

Α	В	С	D	E	F/G/H
4.103 Free (aerial) walkover fwd	4.203	4.303	4.403	4.503	4.603
THE THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPER					
4.104 Free (aerial) cartwheel or free (aeria	al) round-off	4.304	4.404	4.504	4.604
A A A A A A A A A A A A A A A A A A A	1 Agriculture of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of				
<b>4.105</b> From take-off fwd from one or both	4.205 Arabian salto tucked or piked,	4.305	4.405	4.505 Arabian double salto tucked,	4.605 Arabian double salto piked
legs – salto swd tucked or piked	(take-off bwd with ½ twist [180°], salto fwd) – landing optional			also with ½ twist (180°)	4.805
					Arabian double salto stretched

# 5.000 - SALTOS BACKWARD

Δ.	Т Б	5.000 - SALTOS			F/O/L/I
A	В	C	D	E	F/G/H/I
5.101	5.201	5.301	5.401	5.501	5.601
Salto bwd tucked, piked, or	Salto bwd stretched with 1/2, or salto	Salto bwd stretched with 11/2 or 2/1	Salto bwd stretched with 21/2	Salto bwd stretched with 3/1	Salto bwd stretched with 31/2
stretched	bwd tucked or stretched with 1/1 twist	twist (540° or 720°)	twist (900°)	twist (1080°)	twist (1260°)
	(180° or 360°)	, ,	,		, ,
rever re	E E	540°	9000	1080°	1260°
	8 n/	720.	<b>\\\\</b>	3	W.
5.102	5.202	5.302	5.402	5.502	5.602 / 5.702
			Double salto bwd tucked	Double salto bwd tucked or piked with 1/1 twist (360°)	5.802 Double salto bwd tucked with 2/1 twist (720°)
			ll	a e e & A	
			Double salto bwd piked	560*	
			Dodoic daile bive pineu		1 2 LO DESA
			A COM	ELLE ELLEN	Ell Ell
			LEEN		

# 5.000 - SALTOS BACKWARD

_		5.000 - SALTOS		-	F/O/L/I
A	В	С	D	Е	F/G/H/I
5.103	5.203	5.303	5.403	5.503	5.603 Double salto bwd stretched  5.703 Double Salto bwd stretched with ½ twist (180°)  5.803 Double salto bwd stretched with 1/1
5.104 Whip salto bwd	5.204 Whip salto bwd with ½ twist (180°)	5.304 Whip salto bwd with 1/1 twist (360°)	5.404	5.504/5.604	5.903 Double Salto bwd stretched with 2/1 twist (720°)



# PART V APPENDICES

## 2017 FIG Vault Table

	GROUP I			GROUP II			GROUP III			GROUP IV			GROUP V	
1.00	$\bigcirc$ $\bigcirc$	2.00		Qualification	n: One va	ult must be	performed. Th	is vault sc	core counts	for Team & A	A Total.			
1.01	$\bigvee \ \ \bigvee _{i} \mathbb{E}$	2.40			If the gy	ymnast has	been registere	ed in the S	Start list to q	ualify for Appa	aratus Finla	s, a 2nd vau	ılt must be p	erformed.
1.02	$\bigvee$ $\bigvee_{\epsilon}$	3.00			Score c	of both vault	s averaged = 1	Final score	e.					
1.03	$\bigcap \bigcap \&$	3.60	Team	n & AA Finals	: One va	ult must be	performed.							
1.04	$\bigcap \subseteq \mathcal{E}$	4.00	Ар	paratus Fina	I: The 2 v	aults must	be from differe	nt groups	and may no	ot have identic	al 2nd fligh	t phases.		
1.05	$\bigcap \bigcap E$	4.40												
1.10	$\bigvee$	2.40	2.10	Q 8	4.00	3.10	er w	3.50	4.10	M W	3.30	5.10	NEW Y	4.20
1.11	₩ ĀĀĒ	2.80	2.11	O DE	4.40	3.11	en ue	3.80	4.11	A US	3.60	5.11	NEN TE	4.60
1.12	₩ NJE	3.20		$\bigcap$ &0/		3.12	er ve	4.10	4.12	m we	3.90		NEN E.O/	
			2.12	JE (	4.80	3.13	er uk	4.40	4.13	√ W€	4.20	5.12	NEN TE	5.00
			2.13	Q OF	5.20	3.14	Er WE	4.90	4.14	M W€	4.70	5.13	NEN TE	5.40
1.20		2.00	2.20	O DV	4.20	3.20	er Iv	3.70	4.20	M Iv	3.50	5.20	NEW OV	4.40
1.21	\$\frac{1}{\sqrt{e}}	2.80	2.21	V JVE	4.60							5.21	NEU DVE	4.80
1.22	\$\!\_\ve	3.00		A EOV									NEN EUN	
1.23	\$\ \!\!^\{\bar{\chi}}	3.60	2.22	V Dre	5.00							5.22	NEV JVE	5.20
1.24	\$\rangle \cdot \text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\tin}\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\tetx{\text{\text{\text{\text{\texi}\text{\text{\texi}\text{\text{\texi}\text{\text{\text{\texi}\text{\texit{\texi}\text{\texi}\tex{\texit{\texi}\texit{\texi}\text{\texi}\text{\texi}\texit{\texi}\	4.00												
1.30	$\mathbb{N} \cup$	3.60	2.30	$\bigcap \mathcal{E}$	4.60	3.30	87 w/	4.20	4.30	M W	4.00	5.30	NEN 8	4.80
1.31	EV VE	4.00	2.31	Q &	5.00	3.31	EN DE	4.40	4.31	( ) DE	4.20	5.31	les f	5.20
			2.32	$\bigcap$ $f^{\epsilon}$	5.40	3.32	En De	4.80	4.32	√ √e	4.60	5.32	ller √ <sup>€</sup>	5.60
1.40	$\wedge \wedge \wedge$	2.40	2.33	O SE	5.80	3.33	es of	5.20	4.33	√∩ o/€	5.00	5.33	NEV SE	6.00
						3.34	E OF	5.60	4.34	√∩ o/€	5.40			
						3.35	en of	6.00	4.35	M J	5.80			
1.50		2.60	2.40	60 L	5.20				4.40	her w	4.00			
1.51	l€√ Č€	3.00	2.41	$\mathbb{N}$ $\mathcal{A}_{\Lambda}$	5.60				4.41	KEN VÆ	4.40			
1.52	160 - 0	3.40							4.42	KEN WE	4.60			
1.53	MEN CLE	3.80	2.50	$\bigcirc$ $\infty$	6.40				4.50	NES IN	4.20			
1.60	NEU U	2.80							4.51	LES LES	4.60			
1.61	YEU VĒ	3.20							4.52	KEN DE	5.00			
1.62	YEV JE	3.80							4.53	KEN WE	5.40			

WAG COP 2017-2020 v2

(February 2017)

10		74	A100	B200	C300	D400	E500	F600	G700
03	1.	01	L L						
10	$ \uparrow $	02	UL UL	ŽEL.					
10		03		丛乡					
05 761 06		04	1/ _/	<u></u>	<i>JE</i>				
06			<i>7</i> €/1						
10   10   10   10   10   10   10   10				<del>}</del>	_X	M			
09				70L	18° 1€	Ř			
09				<del>-</del> / <u>/</u> /	<del>-</del> /	1 Kel			
10						The M	<i>ト</i> ベ	Non	Mas
11		10		→ <b>À</b> \\\^\\'	Î A Ă	l å			
2. 01 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9						15l1 184			
9/ 02 9/ 9/ 9/ 02 9/ 0 03 9/ 04 0- 9/ 05 0 0 0 1/ 1/ 1/ 1/ 1/ 1/ 1/ 1/ 1/ 1/ 1/ 1/ 1/	2.		9]	9/9/ /	9]	9]			
03	l . l		·		ol				
0.4					[ <sub>2</sub> /E/l	<u> </u> 9/0	9/0		
3. 01	Q!		0-			el ej			
3. 01			0 0.		N. N.	l.	ei.		
3. 01		06		P4/		W.	ls W	ls	
02 03 04 05 05 05 05 05 05 05 05 05 05 05 05 05		07			~~{				
02 03 04 05 05 05 05 05 05 05 05 05 05 05 05 05	3.	01		MMM	Ů	Ů Ů i			
03	1.7					<b>∵</b> €1	Œ		
04		03				U, U4	W. N. W.		
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$					ŵ.	,	o√E.	.∕nj.	
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$							nex		w§1
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	$  \cap  $				ſŊ.		°\/ (\)\́!		
08						Æ.			
					.√oln	^وب	~~ M ~ &	<i>∩</i> ∕√	(M)
						.,Vu→			
					M M	ſŇ	Å M		

	77	A100	B200	C300	D400	E500	F600	G700
4.	01	⊗-		X/ X/	X.			
X	02		⊗.		X <sup>9</sup>	X, Y	X Y	
	03	~⊗-			~X! ~XĬ	~X! ~X!		
	04	$\otimes$		XI XĬ	~X! ~X! X!	XX		
	05		X-v	X~/	X.V	X/\%\(\sigma\)		
	06	$\otimes$				₩Î		
	07	⊗			MY MY	Y)		
	08		wgw/	Y.		wy whe		
5.	01	$\hookrightarrow$		47 A B;		6V 6VE		
$  \forall $	02		ازی	GH	GO GOV. WE VE			
	03			<b>64</b>	<b>(∮</b> / <b>△</b> →			
	04	91		9/1	94 /94			
	05	∅-			√V! /Ni			
	06	~♡-		\sqrt{sqr}	<b>√</b> √%			
	07		<u>P</u> 4/	<u>P</u> E			<u></u>	
	08	$\odot$		엘 쌜	Ý	Š		
	09				₩/	NIE NIE		
	10				<b>V</b> L→	ΛN>	₩,	$\bigvee^{\sigma}$
6.	01	<u>}</u>	<u>F</u> San	Tren Tren	hoe Are			
	02	be be		ban bæn Xa	be Are	PAE		
$ \downarrow$	03			Tron bron	Tray bray Trae			
	04	·My	Sey Sey	JE JE	Æ	.∕€		
	05		· · · · · · · · · · · · · · · · · · ·	· llv	UEQQ. V	<u> عالىن</u>	ŒU	
	06				···ll/	\(\cdot\)		·EUI/
	07				WET VET	wood Oppor		
	08	0.00 \$ KNO	Wash wen	.√£-€	$\bigcirc \sqrt{m}$	Mgre (V00)E	.√000/€	
	09		~~	3~3~0	مت مه	~ £4	30~0 30~	
	10		<b>∕</b> ∕	/V				

.7	τ_	A100	B200	C300	D400	E500	F.600	G.700
1.	01	Ā	<u>, e</u>		/ <sup>Z</sup>			
1	02	02 11/2		/£1_	<u>/e1</u>			
	03	ا بعد اند اندا		77%	33%			
	04		M M=	ΛÂQ				
	05	<u></u>		<u>_</u>	/ <del>~ •</del> f			
	06	<u> </u>						
	07		S No.					
	08	<u> </u>	ગર્ષા					
	09			LM M			₩.	
	10		MAILĂW Ž	LMM.				
	11	WW	Ţ	MMMM	ing is why			
	12			Ø ₽ ₽	Λ̈́			
	13		<u>/-{</u>	1 1 9	<u> </u>			
	14	M	$\nearrow$ $\nearrow$	Δij		K⁄ i <u>e</u>		
	15		<u></u>	<u>^</u> #			M	
	16				<u></u>	TON	/%	Km
	17			M	MMM	ιÅ		
	18					he ;	WE"	<i></i> ₩ <u>1</u>
	19						July	

WAG COP 2017 - 2020 v2	
(February 2017)	

]		7	A100	B200	C300	D400	E500
	2.	01	<u> </u>	_	<u> </u>	<u>a</u>	<u>. °</u>
	-	02		_ <u></u>	C300		
		03		"^	"×	" &	
		04		<u>&amp;</u>		9/_	
		05	₩		Z ZA	ž	2) zĂ
		06		<u>ÿ</u> <u>ÿ</u> <u>ÿ</u> <u>ÿ</u> <u>Y</u> <u>ÿ</u> <u>ü</u> <u>w</u> <u></u>	za		zĂ
		07	<u>V</u>	<u> </u>		<u>\( \alpha\)</u> "\( \alpha\) "\( \alpha\)	
		08	'/_	<u> </u>	o N O O M O	"\$"\\$	
		09		Ϋ́	Q	Ø	
		10	\bar{\bar{\bar{\bar{\bar{\bar{\bar{	يَمْ	m		
		11		Й	Ñ	Ν̈́	
		12	w/	" <u>M</u>		, <u>w</u>	**
	3.	01	0	Ø			*
	0	02			<b>√</b>	\$	
		03				₹	
		04			✓	ø	×
		05			₹	₫	
		06			√ ≠ 200 200	<u></u> √0	
		07	20	20	200		
		08		<u>₩</u> ^	w <sup>®</sup>		<b>√</b> 3
		09		<u></u>		4	
	14	01	%_				
	=	02	Jo I Y	ig In In In In In In In In In In In In In			
		03	ļį	jē			
		04		<u>¥</u>	<u>600</u> f		
		05		ue!			
		06		₹ ₹	₹		
		07	$\times \times X$		11		
		08	NNA	<u> </u>	'n Ò.		
		09	0 €0 0	<b>⊙</b>	¾. √• ∪• ∪• ∪• ∪• ∪• ∪• ∪• ∪• ∪• ∪• ∪• ∪• ∪•		
		10		Ā	M. W.		

_	7	τ.	A100	B200	C300	D400	E500	F.600	G.700
7		Ì	A100	$\bigcap$ $\bigcap$	Č.	WWW	<u></u>	1.000	0.700
+	5.	01			1 i	<u> </u>			
4	1	02		(11)	1!	1			
╛		03			Ä	A			
		04		$\cap \cap$	$\  \   \cap$	$\sim$			
		05			i, ie	$\dot{\cap}$	E,		
		06		1	<u> </u>	Ŷ			
		07		A -7	ont vont	Å			
		08				Xf XJ	. Ly WV Xif		
		09				Nf			
1		10			8	Ln	M		
1	γ	11				du	di	,pr	
		12			werey		<b>∞</b> /"	En	ε/
	W	13			repere			July	
1	6.	01	NE	Nfé	NE		XfQ		
1	7	02	LN MA	√ √° 7E	√E √E	√E		90	
		03		In W	188 h	port			m
		04	01 8 m	٤,	£, E	, (ww)		ش	
		05				QQ	Leev		Ever "
1		06	/01, /l/61/	/QE)	NOE" NOE"	/o/E		/v/E	
		07		/°4 /°4	pot poq	/o/ <sup>©</sup>			

		A100	В-	.200	С-	.300	D400	E500
1.	01	<u> </u>	_	<u>X</u>	<u>. 8</u>	<u>~</u>	øo <u>l</u>	
	02			9-	<u>გ</u>	<u> </u>		
	03	И <u>о</u>	¥	A				
	04		_	ZA		zĂ	2zÅ	
	05	₩	-	 Z	-	2	<b>2</b>	
	06	$\underline{\vee}$	<u>V</u>	<u>√</u>		<u>Ů</u>		
	07	" / <u></u>	×(	<u>  OC</u>	, ,,	<u></u>	<u>go</u>	
	08	14 14 E	12	18				
	09	<u> </u>	?- <sub>.</sub> .?"	<u> </u>		<u></u>	ऽ <u>नि</u> । °वि।	
	10			2		<u> </u>		
	11	\J	,	ζ,	/	<u>,</u>		
	12	£Ţ		Ϋ́		ř		
	13			<u>"</u> 2		<u>"</u>		
	14	" <u>W</u>	<u> </u>	₩ <sup>₩</sup>			11 <u>W</u>	
2.	01	0		×	113	*		4
0	02		Ó	<b>-</b> /			$\swarrow$	
	03			o≠			*	*
	04		0	/			×	
	05			$\downarrow$				
	06	<b>№</b> №	,	<u>~</u> ¤			₩	<b>2</b> 3 €
	07			ø G				

		A100	B200	C300	D400	E500	F600	G700	H800	I900
3.	01	∆Ņ ĬÎ	+							
=	02									
	03	o (-)	الم +							
	04									
	05			<u>√</u> € <u>⁄</u> €∕ <u>,</u>						
	06									
	07	$\bigcap \bigcap \mathcal{M}$	0(							
4.	01	J 20	25% 26 <sub>N</sub>			90	000 goo			
6	02		4 X &	€ E	E	₹®				
	0.3	$\bigcap$								
	04	XI XI								
	05	K"	No Now			Voo Voore	/		hoo	
5.	01	Q ××	& E'	E W	βm)	(w)	Jum			
æ	02				oo \	Eraev			٤٩٩	
	03						ما	00/E	so E	.∭.{€
	04	$\sim$	$\searrow$	%						

Qual	ification AA Apparatus	Finals	Tea	m Finals				
#	# Performed		#		# P	erformed		
Nat		D-score	Nat				D-score	_
		Deductions					Deductions	
		Deductions					Deductions	>
		Final Score			_\		Final Score	е
	/			/				
#	# Performed		#		# P	erformed		
Nat		D-score	Nat				D-score	
		Deductions					Deductions	S
		Final Score			_\		Final Score	e
#	# Performed	•	#		# P	erformed	•	
Nat		D-score	Nat				D-score	
		Deductions					Deductions	s
		Final Score				_	Final Score	е
#	# Performed	<u> </u>	#		# P	erformed		
Nat		D-score	Nat				D-score	_
		Deductions					Deductions	S
		Final Score			_\		Final Score	е
#	# Performed		#	<del>,</del>	# P	erformed		-
Nat		D-score	Nat				D-score	_
		Deductions					Deductions	s
		Final Score				_	Final Score	е

<b>∓</b> CV 0,1	0,2	CR	7 T CV	0,1	0,2	CR	CV	0,1	0,2		CR	
D + D	D (flight → or ✓ )		Acro Flight	C + C	C/D+D		Acro Indirect	B/C+D	C + E			
or more	+ C or more on HB	HB ∕▲ LB	(Must be rebounding)	B + E	B + D (fwd dir)	2 different Dance - 1 with			D + D	2 diff	erent Danc	e - 1 with
	(Must be performed		DMT min.F	<u> </u>	B + F	180° split / straddle	<u> </u>	A + A + D	A + A + E	18	80° split / st	raddle
	in this order)	Flight →	SB - Dance/Mixed & Acro	B+B+C			Acro Direct	A + D	A + E			
				(DMT min. C)		Turn (Gr. 3)		C + C	C + D	Salto w	ith LA turn	(min. 360°)
	D + E	2 different Grips	Dance & Mixed	C + C (Dance)	D + D		Mixed	D (salto) + B (dance)				
	(both flight ele.)	(No cast, MT, DMT)		A + C (Turns)		Acro Series		E (salto) + A (dance)		Sal	to with Dou	ble BA
				B + D (Mixed)		(2 ele. 1 salto)	Turns	D + B				
		Non-flight with	Salto + 1 foot Scale (this order)	D + A				B + B (no step)			o bwd & fw	
		360° turn	Confidence		0, 1	Acro Direction	Lack of expre		0,1	same	or different	acro line
		(No MT)	Personal style	1.0	0,1	(fwd/swd & bwd)		gesture or facial expres		Missing mover	nant tauahi	na floor
lump from LD to LID	0.5		Rhythm & tempo in move. (no D Ex. as a series of disconnected of		0.1 0.1	MT without DV 0.1		gage the audience	0,1	No structure to		•
Jump from LB to HB Hang on HB, feet on L	0,5 .B, grasp LB 0,5		Insufficient Complexity or creativ		0.1	WIT WILLIOUS DV 0.1		ay a role or a character i a series of disconnected		Lack of sync. d		0,1 f exercise 0,3
More than 2 of same e			Insufficient use of entire length o		0, 1			ection of move. for mus	ic 0.1/03	Lack of sync. a	t end of exe	ercise 0,3
Word than 2 of same d	Sichiciti Into Divi 0, 1		Missing combination of move./el		0,1			omplexity or creativity of		Background mu		0,5
			Lack of side movements (no DV)		0,1		moumoioni o	omprosity or oroutivity or	movemente 0,1	Baongrouna me	1010	0,0
			More than 1 ½ turn on 2 feet wi		0,1							
				ar en angrir rege	2,1					UB	[	)V
										Acro Dance	Total	
<u> </u>			J						1 -			<u>,                                    </u>
									.9 I			R
									.8 H			
									.7 G		c	v
									.6 F			D - Score
									.5 E			
									.4 D			E - Score
									.3 C			
								EXE				FINAL
								LAL				LINAL
									.1 A			
										UB		V
										Acro Dance	Total	
<del> </del>			1						.9 I	++		R
									.8 H			,,,,
										+ + +		
									.7 G		C	:v
									.6 F			D - Score
										++		
									.5 E			F 0
									.4 🗅			E - Score
									.3 C			
								EXE	ART .2 B			FINAL
									.1 A			
										UB		V
										Acro Dance	Total	
·			-						.9 I		C	R
									.8 H			
										1 1		:v
									.7 G		C	
									.6 F			D - Score
									.5 E			
										<del>                                     </del>	+	E - Score
									.4 D	++		2 00010
									.3 C			
								<u>EXE</u>	ART .2 B			FINAL
									.1 A	<del>                                     </del>		
FIG-WTC Janua									.1 A			



# WOMEN'S ARTISTIC GYMNASTICS - D Panel Judge's Slin

Gymastique Artistique Féminine - D J		
	Date:	
Competition/Concours:  Qualification□ AA □ Apparatus Finals □ Team Final □	Gymnast's Name / Nom de la	gymnaste
Gymnast No./ Gymnaste No. Country / Pays	D.V.	Neutral Deductions
	C.R.	Time
1	C.V.	Line
2		
Signature of D1 / Signature de l'D1	TOTAL	
Signature of D2 / Signature de l'D2		
To be filled out by each judge on the E Panel/A  WOMEN'S ARTISTIC GYMNASTICS  Gymastique Artistique Féminine - E J	S - E Panel Judge's Slip	
Competition/Concours:	Date:	
Qualification□ AA □ Apparatus Finals □ Team Final □	Gymnast's Name / Nom de la	gymnaste
Gymnast No./ Gymnaste No. Country / Pays		
<b>T</b> ₩ <b>T</b>	Execution Exécution	
1	Artistry BB & FX	
Judge's Position & Signature Position et Signature du Juge	TOTAL	

# FEDERATION INTERNATIONALE DE GYMNASTIQUE





# **WAG LINE**

Gymnast #	Name of Gymnast	NAT	0.10	0.30	Total Deductions	Comments
	<b>A</b>					
Qualification	Sub #:	Apparatus	5		Line Judge's signatur	e:
AA Final				a		
<b>Apparatus Finals</b>						
Team Final						

# FEDERATION INTERNATIONALE DE GYMNASTIQUE





# **WAG TIME**

Gymn #	Name of Gymnast	NAT	Fall time	Exercice time	Other T-deductions	Total Time Ded.	Comments
Qualification	Sub #:	Apparat	us	•	Time Judge's sig	nature:	
AA Final							
Apparatus Finals		<del>                                      </del>	7 7				
Team Final							

## **WAG COP modifications for Junior Competitions**

## The **2017 CODE** is designed to:

- be utilized at all international competitions under the official jurisdiction of FIG, its Member Federations and Continental Unions, namely Youth Olympic Games and other Multisport Games, International Competitions and Tournaments as well as special events created by FIG.
- standardize the judging of the four phases of FIG official competitions:
   Qualification, Team Finals, All Around and Individual Event Finals.

For Junior Competitions, the 2017 CODE with some modifications should be used.

# 2.1 Rights of the Gymnast

## 2.1.2 Warm up

 In Qualifying, Team Final, All Around Final & Apparatus Finals each competing gymnast (including substitute of injured gymnast) is entitled to a touch warm up period immediately prior to the competition on the podium.

The maximum warm up time as per FIG TR 4.11.8

- In Apparatus Finals: Warm up in <u>2 groups</u>

#### NOTE:

• In Qualifying and Team Final the entire warm-up time (30 seconds per gymnast on beam and 50 seconds on bars) belongs to the team. The team must pay attention to the elapsed time, so that the last gymnast receives a warm-up.

In mixed-groups the warm-up time belongs personally to the gymnast.

## 7.2 Difficulty Value (DV)

<u>DV Restriction</u>: If performed "F", "G", "H" or "I" elements the maximum value of 0.50 for each element may be rewarded.

## 7.3 Composition Requirements (CR) 2.00 P.

Composition requirements are described in the respective Apparatus Sections. A maximum of 2.00 P. is possible.

 One element may fulfill more than one CR; however, an element may not be repeated to fulfill another CR.

### 7.4 Connection Value

Formulas for CV are described in the respective apparatus Part 3: Sections 11, 12 and 13. (DV Restriction will be taken into consideration).

## 10.4 Requirements

- The **intended** vault number to be flashed (manually or electronically) before the vault is performed
- In the Qualifying, Team Final and All-Around:
   One vault must be performed.

- In Qualifying, the 1<sup>st</sup> vault score counts toward the Team and/or All-Around Total.
- The gymnast who wishes to qualify for the **Apparatus Final** must perform two vaults as per the **Apparatus Finals** rules below.

## **Apparatus Finals**

Gymnast must perform two different vaults (<u>maybe from the same group</u>, <u>but with different numbers</u>), which will be averaged for the final score.

## 10.4.2 Specific Apparatus Deductions (D- Panel)

All vaults are illustrated with a number.

There is no penalty, if a different vault than the flashed vault is performed

Support with one hand (taken from Final Score)2.00 P.

- In the Qualification for the Apparatus Finals & Apparatus Finals
  - when only one vault is performed
  - when one of two vaults receives "0" points (10.4.3)

**Evaluation:** Score of the performed vault divided by 2 = Final Score

## **SECTION 14 – TABLE OF ELEMENTS**

Following elements are prohibited for performance:

- VT vaults with sideward take-off or landing.
- UB salto & DMT with take off two feet.
- BB dance elements with cross sit landing on BB.
- FX acro elements with sideward take off and/or landing into roll.

# FÉDÉRATION INTERNATIONALE DE GYMNASTIQUE



Women's Artistic Gymnastics Symbol Brochure **Kunstturnen Frauen Symbolschrift** 

Gymnastique artistique féminine Ecriture symbolique

Gimnasia artistica feminina Escritura simbólica

Женская спортивная гимнастика Буклет с символами

2017 Edition

#### TABLE OF CONTENTS

#### **Page**

Preface Acknowledgments

- 1. **BASIC SYMBOLS** for All Apparatus
- 2. 6. **UNEVEN BARS** Apparatus Specific Symbols
- 7. 13. **BALANCE BEAM AND FLOOR** Apparatus Specific Symbols
- 14. 15. **VAULT** Apparatus Specific Symbols Examples for Vaults in Group

**NOTE:** For logical reasons, the sequence is not in Olympic order.

The presentation begins with the basic symbols for all apparatus – hangs, supports, handstands, leaps-jumps-hops, leg and body positions and turns around the breadth, long and median axes.

Apparatus specific symbols and element groups for uneven bars are treated separately; however, beam and floor specific symbols, common dance and acrobatic elements are handled in the same section. Vault specific symbols and examples for vaults in each of the groups are featured in the last section.

Through a combination of the basic symbols and specific symbols, practically all elements can be recorded, even those that are submitted and performed for the first time.

### ACKNOWLEDGMENTS

The WTC\* wishes to profoundly thank those persons who assisted with the production and translation of *Symbol Brochure*:

1986	Advisor for the original Organization, Text & Symbols in	Margot Dietz	GER
	History of the Symbols	Jackie Fie	USA
1999-2017	Layout, Production, Computer Symbols and updates	Linda Chencinski	USA
1999	Editorial Work and English Translation	Jackie Fie	USA
1999 - 2017	Editorial Work and English Translation	Linda Chencinski	USA
1999 - 2017	French & German Translation	Agneta Göthberg Esbela Fonseca Miyake Yvette Brasier Sabrina Klaesberg	SWE POR FRA GER
1999 - 2017	Spanish Translation	Helena Lario	ARG
1997 - 2017	Russian Translation	Nellie Kim Elena Lowery	BLR USA

#### **PREFACE**

#### The History of the Development of Symbol Notation

In 1979, for the first time, the FIG Women's Technical Committee published symbols for Women's Artistic Gymnastics for the principle elements.

During the time period from 1980 through 1986, the symbol notation underwent extensive practical testing, with a goal toward perfection in keeping with the evolution of gymnastics. All exercises executed in official FIG Competitions (Olympic Games, World Championships, World Cups and the Senior and Junior European Championships under the jurisdiction of FIG) were recorded in symbol notation by the Scientific Technical Collaborators (STCs), then checked by means of video analysis. Thus, a systematic analysis was developed. Through use of the recorded exercise content, the WTC was able to monitor the developmental tendencies and their resulting indications for continual improvements in the WAG Code of Points.

In 1985 a supplement was published and in July 1986 the first symbol publication entitled "Proposal for the Introduction of an International *Symbols Language* for Women's Artistic Gymnastics" was published. Then, in 1990/91 the FIG issued a *Video Film and Brochure* for learning and practicing the Symbol Notation in WAG. The *Video*, as well as the accompanying *Brochure*, was prepared by Ms. Margot Dietz – GER, who was entrusted with this task by the governing President of the FIG/WTC, Mrs. Ellen Berger. Based on the realization of this sophisticated development of the symbol system, the appropriate symbol for each element and its variation appeared in the 1993 edition of the Code of Points for the first time.

Since 1999 the *Symbol Notation Brochure* has been updated and formatted with computer symbols by Mrs. Linda Chencinski to reflect the development of new skills.

With the constant progressive and exciting development of new elements in WAG, the WTC is pleased to publish the 2017 update to the *Symbol Notation Brochure*, with the objective to provide a uniform official revision for judges throughout the world of gymnastics. The WTC hopes that this updated brochure will assist judges in:

- accurately recording all elements performed
- quickly establishing the content of the exercise
- communicating with fellow judges from the various language groups and
- most importantly, to recall dynamic and modern exercises in their entirety during competitions.

The pictures are meant to serve as a guide and are not all inclusive.

ENGLISH	FRANÇAIS		DEUTSCH	ESPAÑOL
Basic Symbols for All Apparatus	Symboles de base pour tous les agrès		Grundsymbole für alle Geräte	Símbolos básicos para todos los aparatos
• Hang	• Suspension	ı	• Hang	• Suspensión
Stable Support surface	Surface d'appui stable	=	• Stabile Stützfläche	Superficie de apoyo estable
• Stand frontways, rearways	• Station faciale, dorsale (fac., dors.)	<u> </u> <u>  </u>	• Stand vorlings, rücklings (vl., rl.)	• Posición de pie de frente, de espaldas
• Support, ie with support of hips	• Appui, par ex. avec appui facial	<u>L</u>	• Stütz, z. B. mit Stütz der Hüfte	• Apoyo, ej. con apoyo de caderas.
• Without support of the hips (clear)	• appui dorsal libre	4	• ohne Stütz der Hüfte (frei) - Spitzwinkelstütz	• Sin apoyo de cadera (libre)
Clear pike support	<ul> <li>Appui dors, libre jambs levees à la tete</li> </ul>	le	Freier Spitzwinkelstütz	Al apoyo libre carpado
Handstand	• Appui tendu renversé (atr)	ļ	• Handstand	Apoyo invertido
• Jump, Leap, Hop, flight phase	• Saut, phases d'envol	_	• Sprung, Flugphasen	• Salto, fase de vuelo

Leg and body positions	Position des jambes et du corps		Bein-und Körperstellungen	Posición de piernas y cuerpo
• Tuck, pike, straddle	• groupé, carpé, écarté	ИУЛ	Hocken, Bücken, Grätschen	Agrupado, carpado, piernas separadas
• Kehr-rear, flank	• dorsal, costal	L 9	• Kehre, Flanke	• Dorsal, lateral
Body position stretched, with step- out	• position du corps tendu, écarté	1 7	Körperhaltung gestreckt, gespreizt	Posición de cuerpo extendida, con separación de piernas (a una pierna)
Turns	Rotations		Drehungen	Rotaciones
around the breadth axis     Forward, backward	<ul> <li>autour de l'axe transversal en avant, en arrière</li> </ul>	8 l	• um die Breitenachse vorwärts, rückwärts	• en el eje transversal adelante, atrás
• around the long axis	• autour de l'axe longitudinal	13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 July 13 Jul	• um die Längsachse	• en el eje longitudinal
Or	ou	360° 540° 720° 900° 1080°	oder	O
\$ 540 \$ \$ \$		OØØ <del>Ø</del> \		
• around the median axis	• autour de l'axe antèro-postérieur (latéral)	L	• um die Tiefenachse	• en el eje antero-posterior (lateral)

### **UNEVEN BARS**

### BARRES ASYMÉTRIQUES

### STUFENBARREN

### PARALELAS ASIMÉTRICAS

Apparatus Specific Symbols	Symboles spécifiques à l'agrès		Gerätspezifische Symbole	Símbolos específicos del aparato
Grip change	• Changement de prises		<ul> <li>Griffwechsel</li> </ul>	Cambio de tomas
— with small flight phase	- avec petit envol	•	<ul> <li>mit kleiner Flugphase</li> </ul>	— con pequeña fase de vuelo
- with large flight phase (LB to HB)	<ul><li>avec grande phase d'envol (bi -bs)</li></ul>		- mit grosser Flugphase (uH -oH)	- con gran fase de vuelo (BI a BS)
<ul> <li>with hop (mostly to reverse grip)</li> </ul>	<ul><li>en sautant (principalement en prises palm.)</li></ul>	_	<ul><li>mit Umspringen (meistens i.d. Kammgriff)</li></ul>	<ul><li>con salto (principalmente a toma palmar)</li></ul>
<ul><li>reverse grip (use only when necessary)</li></ul>	<ul> <li>prises palm.(utiliser seulement si nécessaire)</li> </ul>	~	<ul> <li>Kammgriff (nur wenn nötig benützen )</li> </ul>	<ul> <li>toma palmar (usar sólo si es necesario)</li> </ul>
- to L grip, to mixed L grip	<ul> <li>en prises cub. ou prises mixtes palm. cub.</li> </ul>	$\sim$ $\sim$	- i.d. Ellgriff oder Mix-Ellgriff	- a toma cubital, a toma cubital mixta
• Flight bwd. over the	• Envol en arr. par-dessus		• Flug rw über den	<ul> <li>Vuelo atrás sobre</li> </ul>
- same bar	<ul> <li>la même barre</li> </ul>	<b>→</b>	- gleichen Holm	<ul> <li>la misma banda</li> </ul>
- From the HB over the LB	– de la bs par-dessus bi	<b>¬</b>	- vom oH über den uH	<ul> <li>desde BS por sobre BI</li> </ul>
- To handstand on the LB	— à l'appui renversé sur bi	1	<ul> <li>in den Handstand auf den uH</li> </ul>	— al apoyo invertido en BI
• Leg Swing Movements	<ul> <li>Mouvements d'élan des jambes</li> </ul>		<ul> <li>Beinschwungbewegungen</li> </ul>	Movimientos con impulso de piernas
- Squat on, stoop on, straddle on	<ul> <li>Pour poser jambes fl. tendues, écartées</li> </ul>	Ä Ā 🕏	<ul> <li>Aufhocken, aufbücken, aufgrätschen</li> </ul>	<ul> <li>al apoyo de piernas flexionadas (cuclillas), extendidas, separadas</li> </ul>
<ul> <li>Squat through, stoop through</li> </ul>	<ul> <li>Passer jambes fl. tendues</li> </ul>	₩ ¥	- Durchhocken, durchbücken	<ul> <li>a pasar las piernas flexionadas, extendidas</li> </ul>

Casts	Elans en arrière		Rückschwünge	Impulsos hacia atrás
Cast backward without/with reaching the handstand	Elan arr.sans/avec atteindre l'atr	g gl	Rückschwünge ohne/mit Erreichen d. Handstandes	Impulso atrás con o sin llegar al apoyo invertido
<ul> <li>Cast to handstand</li> <li>release-hop change to reverse grip in handstand phase</li> </ul>	<ul> <li>Elan en arr. à l'atr</li> <li>en sautant en prises palm.</li> <li>dans la phase d'atr</li> </ul>	<u> 1</u>	<ul> <li>Rückschwung i.d. Handstand</li> <li>mit Umspringen i.d.</li> <li>Kammgriff i.d. Handstand- phase</li> </ul>	<ul> <li>Impulso atrás al apoyo invertido</li> <li>con cambio-saltado a toma palmar en la vertical</li> </ul>
<ul> <li>in reverse grip release- hop to L grip in handstand phase</li> </ul>	<ul> <li>en sautant pour terminer en prises cub. dans la phase d'atr</li> </ul>	A	<ul> <li>mit Umspringen i.d. Ell-Griff i.d. Handstandphase</li> </ul>	<ul> <li>en toma palmar, cambio-saltado a toma cubital en la vertical</li> </ul>
Uprise to support/ handstand	• Etablissement à l'appui / à l'atr	S 81	<ul> <li>Schwungstemme i. d. Stütz/Handstand</li> </ul>	<ul> <li>Elevación atrás al apoyo / al apoyo invertido</li> </ul>
Circle Movements	Mouvements circulaires		Felgbewegungen	Movimientos circulares
<ul> <li>Underswings</li> <li>Underswing without/with support of the feet</li> </ul>	<ul> <li>Elans par dessous barres</li> <li>Elan par-dessous la barre sans/avec appui des pieds</li> </ul>	የ <u>የ</u>	<ul> <li>Unterschwünge</li> <li>Unterschwung ohne/mit Stütz der Füsse</li> </ul>	<ul> <li>Impulsos por debajo de la banda</li> <li>Impulso por debajo de la banda con o sin apoyo de pies</li> </ul>
- Underswing bwd.	— Elan par-dessous en arr.	9	<ul> <li>Unterschwung rw.</li> </ul>	<ul> <li>Impulso por debajo de la banda hacia atr.</li> </ul>
• Circles	• Tours d'appui		• Felgen	Giros de apoyo libre
Clear hip circle without/with reaching the handstand	<ul> <li>Tour d'appui libre sans/avec l'atr</li> </ul>	l l!	<ul> <li>Freie Felge i.d.freien Stütz/i.d. Handstand</li> </ul>	Giro de apoyo libre con o sin llegar al apoyo invertido
<ul> <li>Giant circle bwd. without/with reaching handstand</li> </ul>	<ul> <li>Grand tour en arr. sans/avec l'atr</li> </ul>	U 4	- Riesenfelge rw. i.d. Handstand	<ul> <li>Gran vuelta atr. con o sin llegar al apoyo invertido</li> </ul>

<ul> <li>Giant circle fwd. without/with reaching handstand (also in regular grip)</li> </ul>	<ul> <li>S'abaisser en av. grand élan circ.en av. sans/avec l'atr (aussi en prise dorsale)</li> </ul>	ତତା ଔ	<ul> <li>Abschwingen vw./Riesenfelge vw. ohne/mit Erreichen d. Handstand (auch mit Ristgriff)</li> </ul>	<ul> <li>Gran vuelta ad. con o sin llegar al apoyo invertido (también con toma dorsal)</li> </ul>
<ul> <li>Giant circle fwd. in L grip without/with reaching handstand</li> </ul>	<ul> <li>Grand élan circ. en av. en prises cub.sans/avec l'atr</li> </ul>	VI W	<ul> <li>Abschwingen Ellgriffs - (Ellgriffriesenfelge) i.d.</li> <li>Handstand mit Ellgriff</li> </ul>	<ul> <li>Gran vuelta ad. en toma cubital con o sin llegar al apoyo invertido</li> </ul>
- Stalder circle bwd. without/ with reaching the handstand	— Stalder en arr. sans/avec l'atr	X/ X/i	<ul> <li>Stalder rw. i.d. freien Stütz/i.d. Handstand</li> </ul>	Stalder atr. con o sin llegar al apoyo invertido
Stalder circle fwd. without/with reaching the handstand, also in L grip	<ul> <li>Stalder en av. sans/avec l'atr, aussie en prises cub.</li> </ul>	X/ X/i ~X/i	<ul> <li>Stalder vw. i.d. freien Stütz/i.d. Handstand, auch mit Ellgriff</li> </ul>	<ul> <li>Stalder ad. con o sin llegar al apoyo invertido, también en toma cubital</li> </ul>
Pike circle or clear pike circle fwd. to handstand	<ul> <li>Elan circ. carpé ou libre Elan circ en av. à l'atr</li> </ul>	M MA	<ul> <li>Bückumschwung.oder</li> <li>Bückumschwung frei vw i. d.</li> <li>Handstande</li> </ul>	<ul> <li>Con o sin apoyo de pies ad. con llegar alapoyo invertido</li> </ul>
<ul> <li>Pike circle or clear pike circle bwd. to handstand</li> </ul>	<ul> <li>Elan circ. carpé en arr. sans/avec l'atr</li> </ul>	ષં ઋ	<ul> <li>Bückumschwung rw. ohne/mit Erreichen d. Handstande</li> </ul>	<ul> <li>Con o sin apoyo de pies atr. con llegar alapoyo invertido</li> </ul>
<ul> <li>seat (pike) circle forward through clear extended support to finish near handstand</li> </ul>	<ul> <li>Tour d'appui dors, en av. à l'appui libre dans la phase d'atr</li> </ul>	@N.	<ul> <li>freier Bückumschwung rl. vw.</li> <li>i.d. freien Stütz i.d.</li> <li>Handstandnähe</li> </ul>	<ul> <li>Giro dorsal adelante sentado- carpado pasando por el apoyo libre extendido a finalizar cerca de la vertical</li> </ul>

<b>Hip Circles and Hechts</b>	Tours d'appui et poissons		Felgumschwünge und Hechtbewegungen	Vueltas y Ángeles
• with support of the hips fwd., bwd.	• avec appui des hanches av., arr.	0-0	• mit Stütz der Hüfte vw., rw.	• con apoyo de caderas ad., atr.
Hip circle bwd. with hecht	<ul> <li>tour d'appui facial en arr. et poisson</li> </ul>	~	Umschwung rw. mit Abhechten	• vuelta atr. y ángel
• Clear hecht	• tour d'appui fac. libre et poisson	~	• Freies Abhechten	• vuelta libre atr. y ángel
Kips	Bascules		Kippebewegungen	Kips
Glide kip-up on the LB	Bascule fac. bi	L	Schwebekippe am uH	• Kip en BI
Glide, back kip to rear support	• Elan en av. passer les jambes entre les prises, bascule dorsale	<u>[</u> <u></u>	<ul> <li>Durchbücken-Kippaufschwung rl. vw.</li> </ul>	• Deslizamiento, pasaje de piernas entre brazos al apoyo dorsal (kip dorsal)
Long hang Kip-up	<ul> <li>Bascule faciale à la suspension bs</li> </ul>		<ul> <li>Langhangkippe</li> </ul>	• Desde la suspensión, kip en BS
• Inverted pike swing fwd to rear support (fwd. seat circle)	Bascule dors. en av.	</td <td>• Kippaufschwung rl. vw.</td> <td>• Impulso invertido carpado ad. al apoyo dorsal (vuelta ad. sentada - carpada-)</td>	• Kippaufschwung rl. vw.	• Impulso invertido carpado ad. al apoyo dorsal (vuelta ad. sentada - carpada-)
• Inverted pike swing bwd to rear support (bwd. seat circle)	Bascule dors. en arr.	<b>&gt;</b>	• Kippaufschwung rl. rw.	• Impulso invertido carpado atr. al apoyo dorsal (vuelta atr. sentada - carpada-)
Reverse kip-up on the LB	<ul> <li>Bascule dors. de l'élan en av. passé carpé en arr. mi-renv., et bascule en arr.</li> </ul>	<u> </u>	<ul> <li>Rückenkippe aus dem Vorschweben, Durchbücken i.d. Kipphang mit Kippaufschwung</li> </ul>	• Kip dorsal (invertido) en BI

<b>Elements with Long Axis Turns</b>	Eléments avec rotation de l'axe longitudinal		Elemente mit Längsachendrehung	Elementos con giro en el eje longitudinal
• Underswing with ½ turn (180°) to a clear support on the same bar without/with support of the feet	• Elan par-dessous avec ½ tour (180°) à l'appui libre à la même b. avec ou sans appui des pieds	het het	<ul> <li>Unterschwung mit ½ Dre. (180°)</li> <li>i.d. freien Stütz am gleichen</li> <li>Holm mit oder ohne Stütz d.</li> <li>Füsse</li> </ul>	• Impulso por debajo de la banda con ½ giro (180°) al apoyo libre en la misma banda con o sin apoyo de pies
• Giant swing with 1/2 turn (180°) and flight to handstand on LB	• Elan par-dessous bs avec ½ tour (180°) et envol à l'appui à bi	SA.	<ul> <li>Unterschwung mit ½ Dre. (180°) und Flug i.d. Handstand auf d. uH</li> </ul>	• Gran vuelta atr. con 1/2 giro (180*) y vuelo al apoyo invertido en BI
• Giant circle bwd. to handstand with 1/1 turn (360°)	• grand tour en arr. à l'atr avec 1/1 tour (360°)	Ů	• Riesenfelge rw. i.d. Handstand mit 1/1 Dre. (360°)	• Gran vuelta atr. al apoyo invertido con 1/1 giro (360°)
• Giant circle bwd. to handstand with 1½ turn (540°)	• grand tour en arr. à l'atr avec 1½ tour (540°)	Ĭ	• Riesenfelge rw. i.d. Handstand mit 1½ Dre. (540°)	• Gran vuelta atr. al apoyo invertido con 1½ giro (540°)
Flight Elements with	Eléments d'envol avec		Flugelemente mit	Elementos de vuelo con
<ul> <li>Breadth Axis Turn</li> <li>Comaneci – Salto</li> </ul>	<ul> <li>rotation autour l'axe transversal</li> <li>salto Comaneci</li> </ul>	$\mathcal{I}$	<ul><li>Breitachsendrehung</li><li>Comaneci - Salto</li></ul>	<ul> <li>Giro en el eje transversal</li> <li>Mortal Comaneci</li> </ul>
— Jägersalto	— salto Jäger	M	— Jägersalto	— Mortal Jäger
Counter Straddle Technique	Technique de contre-mouvement		Kontertechnik	Técnica de contramovimiento con piernas separadas
- Tkatchev	- Tkatchev	ં	- Tkatchev	<ul><li>Tkatchev</li></ul>
- Ricna-Straddle	<ul> <li>passé écarté Ricna</li> </ul>	Χ,	- Ricna-Grätsche	— Ricna
Combination Turns in Flight	<ul> <li>Rotations combinées pendant l'envol</li> </ul>		Kombinierte Drehungen im Flug	Giros combinados durante el vuelo
- Deltchev - Salto	- salto Deltchev		<ul><li>Deltchev - Salto</li></ul>	<ul> <li>Mortal Deltchev</li> </ul>

- Mortal con toma mixta

— Chorkina	— Chorkina		— Chorkina	- Chorkina
Flight from LB to a Hang on HB	Envol de bi à la suspension bs		Flug vom uH i.d. Hang am oH	Vuelo desde BI a la suspensión en BS
Counter movement fwd	Contremouvement	4	Konterbewegung	Contramovimient
• Schaposchnikova	<ul> <li>Schaposchnikova</li> </ul>	W	<ul> <li>Schaposchnikova</li> </ul>	<ul> <li>Schaposchnikova</li> </ul>
• Stalder bwd. through a handstand with ½ turn (180°) and flight to hang on the HB	• Stalder en arr. à l'atr avec ½ (180°) et envol à la suspension bs	XM\$	• Stalder rw. über den Handstand mit ½ Dre. (180°) und Flug i.d. Hang am oH	• Stalder atr. pasando por el apoyo invertido con ½ giro (180°) y vuelo a la suspensión en BS
<ul> <li>Clear underswing on LB release and counter movement fwd. in flight to hang on HB</li> </ul>	<ul> <li>Élan par dessous bi, contremouvement avec envol à la suspension bs</li> </ul>	Ы/	<ul> <li>Freier Unterschwung mit Konterbewegung und Flug i.d. Hang am oH</li> </ul>	<ul> <li>Impulso por debajo de la band (sin apoyo de pies) bi, y contramovimiento y vuelo atr a la suspensión en BS</li> </ul>
<b>Mounts - Examples</b>	Entrées - Exemples		Angänge - Beispiele	Entradas - Ejemplos
• Indication of direction by arrows	<ul> <li>Signe distinctif de la direction par des flèches</li> </ul>	7/5/←	<ul> <li>Kennzeichnung der Richtung durch Pfeile</li> </ul>	<ul> <li>Indicación de la dirección por medio de flechas</li> </ul>
• Indication of take-off (flight)	• Signe distinctif de l'appel (vol)	_	<ul> <li>Kennzeichnung von Absprungs (Flug)</li> </ul>	• Indicación de despegue (vuelo)
• Indication of flight up to the bar by a long line	<ul> <li>Signe distinctif de l'envol vers la barre par un trait long</li> </ul>	_	<ul> <li>Kennzeichnung des Anfliegens zum Holm durch langen Strich</li> </ul>	<ul> <li>Indicación de vuelo hasta la banda con una línea larga</li> </ul>
• Straddle over or free Straddle over the LB to a hang on the HB	<ul> <li>Saut écarté ou saut écarté libre par-dessus bi à la susp. bs</li> </ul>	/\/ /\/	<ul> <li>Übergrätschen oder freies Übergrätschen über den uH i.d. Hang am oH</li> </ul>	<ul> <li>Salto con piernas o libre con piernas separadas sobre BI a la suspensión en BS</li> </ul>
Glide on LB - stoop through, straddle cut backward to hang on the same bar	• Elan en av. bi - passer entre les prises en écartant les jambes à la susp. à la même barre	4	<ul> <li>Durchschub - Ausgrätschen in den Hang am gleichen Holm</li> </ul>	<ul> <li>Deslizamiento en BI - pasaje de piernas entre brazos, corte atrás con separación de piernas a la suspensión en la misma banda</li> </ul>
• Jump to handstand on the LB	• Saut à l'atr bi	$\Lambda$	<ul> <li>Sprung in den Handstand auf dem uH</li> </ul>	Salto al apoyo invertido en BI

salto en prises mixtes

- Zwiegriff - Salto

- Mixed Grip Salto

• Salto ángel con repulsión encima

LB to hang on HB	répulsioin des mains à la suspension bs		Abdruck von den Händen und Flug i.d. Hang am oH	BI a suspensión en BS
Dismounts	Sorties		Abgänge	Salidas
• Clear underswing to salto fwd. tucked with ½ twist (180°)	• Elan libre par-dessous et salto av. groupé avec ½ tour (180°)	bose	• Freier Unterschwung und Salto vw. gehockt mit ½ Dre. (180°)	• Impulso libre por debajo de la banda al mortal ad. agrupado con ½ giro (180°)
• Swing fwd. to salto bwd. tucked or stretched with 2/1 twist (720°)	• Elan en av. entre les barres et salto arr. groupé ou tendu avec 2/1 tour (720°)	عرب عن	<ul> <li>Vorschwung – Salto rw gehockt oder gestreckt mit 2/1 Dre. (720°)</li> </ul>	• Impulso ad. al mortal atr. agrupado o extendido con 2/1 giros (720°)
• Swing fwd. to double salto bwd. piked	• Elan en av. et double salto arr. carpé	···llv	<ul> <li>Vorschwung Doppelsalto rw. gebückt</li> </ul>	<ul> <li>Impulso ad. al doble mortal atr. carpado</li> </ul>
<ul> <li>Swing down fwd. between bars in reverse grip, swing bwd. to double salto fwd. tucked</li> </ul>	• S'abaisser en av. entre les b – élan en arr. et double salto av. groupé	(·YW	<ul> <li>Abschwingen vw. mit Kammgriff zwischen beiden Holmen – Rückschwung mit Doppelsalto vw. gehockt</li> </ul>	Descenso ad. entre bandas en toma palmar, impulso atr. al doble mortal ad. agrupado
<ul> <li>Outer front support on HB – cast near handstand to salto fwd. tucked</li> </ul>	<ul> <li>Appui fac. bs. face à bi – élan en arr. près de l'ar et salto av. groupé</li> </ul>	√0	<ul> <li>Aussenseitstütz vl. am oH –</li> <li>Rückschwung i. Handstandnähe –</li> <li>Salto vw. gehockt</li> </ul>	<ul> <li>Apoyo facial en BS mirando BI - impulso atr. cerca de la vertical al mortal ad. Agrupado</li> </ul>
Exercise Symbol Notation Example — Uneven Bars	Descriptions d'exercises Exemple — Barres Asyémetriques		Übungsmitschriften Beispiel — Stufenbarren	Anotación de ejercicios en símbolos Ejemplo — Paralelas Asimétricas
	ا مبلً المو /	M Sel /~	/   P.J. M. Moo	

• Hechtsprung über d. uH mit

Hecht jump with hand repulsion over
 Saut poisson par-dessus bi avec

BALANCE BEAM AND FLOOR	POUTRE ET SOL		SCHWEBEBALKEN UND BODEN	VIGA DE EQUILIBRIO Y SUELO
Apparatus Specific Symbols	Symboles spécifiques à l'agrès		Gerätspezifische Symbole	Símbolos específicos del aparato
• Dot (.) over the symbol indicates execution in the side position (SP)	Point (.) sur le symbole signe distinctif pour la position latérale	•	<ul> <li>Punkt (.) über den Symbol Kennzeichnung der Ausführung im Seitverhalten (SV)</li> </ul>	Punto (.) sobre el símbolo indica ejecución en posición transversal
<ul> <li>Handstand in Side Position</li> </ul>	<ul> <li>Atr en position latérale</li> </ul>	į	- Handstand im SV	<ul> <li>Apoyo invertido transversal</li> </ul>
Sit in Side Position	<ul> <li>siège en position latérale</li> </ul>	<b>≐</b>	– Sitz im SV	<ul> <li>Sentado transversal</li> </ul>
- Press to Handstand in SP	— Elévation à l'atr lat	Ą	<ul> <li>Heben i.d. Seithandstand</li> </ul>	<ul> <li>Pulse para Apoyo invertido transversal</li> </ul>
<ul> <li>Mounts without/with support of the hands</li> <li>free jump up to a straddle stand (long)</li> </ul>	<ul> <li>entrées sans / avec l'appui des mains</li> <li>saut libre à la stat. écartée.</li> </ul>	$\triangle$	<ul> <li>Angänge ohne/mit Stütz der Hände</li> <li>freies Aufspringen i. d.</li> </ul>	<ul> <li>Entradas con o sin apoyo de manos</li> <li>– salto libre a la posición de pie</li> </ul>
line indicating no hand support)			Grätschwinkelstand	con piernas separadas
<ul> <li>jump up to straddle stand with support of hands (no line mark)</li> </ul>	<ul> <li>saut à la stat. jambes écartées, avec appui des mains</li> </ul>	<u>_</u>	<ul> <li>Aufspringen i.d. Grätschwinkel -stand mit Stütz der Hände</li> </ul>	<ul> <li>salto a la posición con piernas separadas con apoyo de manos</li> </ul>
Balance Stand	• Stations		• Stände	<ul> <li>Posiciones de equilibrio</li> </ul>
<ul> <li>headstand, kneestand</li> </ul>	<ul> <li>appui renversé sur la tête, planche à genou</li> </ul>	<u> </u>	- Kopfstand, Kniestand	<ul> <li>apoyo invertido de cabeza, equilibrio sobre rodilla</li> </ul>
<ul> <li>planche support, clear (front support)</li> <li>planche</li> </ul>	<ul> <li>appui facial horiz., appui fac. horiz. libre</li> </ul>	h H	- Stützwaage, freie Stützwaage	<ul> <li>plancha horizontal con apoyo, plancha horizontal libre</li> </ul>

• Stands on the ball of the foot (always in connection with the symbol)	• Station sur la pointe des pieds (toujours en relation avec le symbole)	$\sim$	Ballenstände (immer in Verbindung mit dem Symbol)	• Equilibrio en punta de pie (siempre en relación al símbolo)
<ul><li>Waves</li><li>Scale fwd., bwd on the ball of the foot</li></ul>	<ul> <li>Ondes</li> <li>planche faciale, dors sur la pointe du pied</li> </ul>	z z	<ul><li>Wellen</li><li>Standwaage vl., rl. im Ballenstand</li></ul>	<ul><li>Ondas</li><li>Balanza ad., atr. en punta de pie</li></ul>
<ul> <li>Body wave fwd. to a scale bwd. on the ball of the foot</li> </ul>	<ul> <li>Onde du corps av. à la planche dor. sur la pointe du pied</li> </ul>	ZL	<ul> <li>Körperwelle vw. i.d.</li> <li>Standwaage rl. im Ballenstand</li> </ul>	<ul> <li>Onda de cuerpo ad. a la balanza atr. en punta de pie</li> </ul>
<ul> <li>Body wave swd. to a scale swd on the ball of the foot</li> </ul>	<ul> <li>Onde du corps lat. à la planche lat. sur la pointe du pied</li> </ul>	it	<ul> <li>Körperwelle sw. i.d.</li> <li>Standwaage seitlings (sl) im</li> <li>Ballenstand</li> </ul>	<ul> <li>Onda de cuerpo lat. a la balanza lat. en punta de pie</li> </ul>
• Steps fwd, bwd	• Des pas en av. en arr.	// 🔌	• Schritte vw, rw	• Pasos ad., atr.
• Split position – cross, side	• Position de grand écart transv., lat.	<u> </u>	• Spagathaltung quer, seit	<ul> <li>Posición de spagate longitudinal, transversal</li> </ul>
• take-off from both feet or land on both feet (use only if necessary)	<ul> <li>Appel des deux pieds ou réception sur les deux pieds (utilisation seulement si nécessaire)</li> </ul>	II	• Absprung von beiden Beinen bzw. Landung auf beiden Beinen (Anwendung nur wenn notwendig)	• despegue con ambos pies o recepción sobre dos pies (usar sólo si es necesario)
<ul> <li>Flic-flac land on both feet</li> </ul>	<ul> <li>Flic flac à la réception sur 2 pieds</li> </ul>		<ul> <li>Flick-Flack, Landung auf beiden Beinen</li> </ul>	<ul> <li>Flic-flac recepción a dos pies</li> </ul>
• Elements with flight phase and no additional support (free)	• Eléments avec phase d'envol, et sans appui supplémentaire (éléments libres)	4	• Elemente mit Flugphase und ohne zusätzlichen Stütz (freie Elemente)	• Elementos con fase de vuelo y sin apoyo adicional ( <i>libre</i> )
<ul> <li>Free (aerial) walkover fwd.</li> </ul>	- renv. av. libre	Pf	– freier Überschlag vw.	<ul> <li>Inversión ad. libre</li> </ul>
<ul> <li>Elements with support of one arm</li> <li>Walkover fwd. on one arm</li> </ul>	<ul> <li>Eléments avec appui d'un bras</li> <li>renversement av. sans phase d'envol</li> </ul>	$\bigcirc$	<ul> <li>Elemente mit Stütz eines Armes</li> <li>Überschlag vw. ohne Flughphase</li> </ul>	<ul> <li>Elementos con apoyo de un brazo</li> <li>Inversión ad. sin vuelo</li> </ul>

<ul> <li>Long line for Elements with gainer preparation</li> </ul>	<ul> <li>Trait long comme signe distinctif des éléments avec Auerbach</li> </ul>		Langer Strich zur Kennzeichnun der Elemente mit Auerbachansat	
<ul> <li>Gainer salto tucked</li> </ul>	<ul> <li>salto Auerbach groupé</li> </ul>	je	<ul> <li>Auerbachsalto gehockt</li> </ul>	<ul> <li>Mortal gainer (Auerbach) agrupado</li> </ul>
<ul> <li>Gainer flic- flac</li> </ul>	<ul> <li>flic-flac Auerbach</li> </ul>		<ul> <li>Auerbach Flick-Flack</li> </ul>	<ul><li>Flic-flac gainer (Auerbach)</li></ul>
Leaps, jumps, hops	Sauts		Sprünge	Saltos
Split leap fwd., stag leap	<ul> <li>saut enjambé en av., saut de chamois</li> </ul>	<del>।</del>	Spagatsprung vw. Rehsprung	Zancada ad., gacela
• Scissors leap fwd., bwd, Cat leap	<ul> <li>saut ciseaux av., arr. saut de chat</li> </ul>	≤ ≥ /₾	<ul> <li>Schersprung vw. rw., Scherhocksprung</li> </ul>	• Tijera ad., atr., salto de gato
• Tuck jump with ½ turn (180°) - take off from both legs	<ul> <li>saut groupé avec ½ tour (180°) appel des deux pieds</li> </ul>	. <u>ઍ</u>	<ul> <li>Hocksprung mit ½ Dre (180°)</li> <li>Absprung von beiden Beinen</li> </ul>	• Salto agrupado con ½ giro (180°) - despegue con ambas piernas
Wolf hop (one leg tucked, one leg extended horizontally fwd.) – take-off from one leg  Wolf hop (one leg tucked, one leg extended horizontally fwd.) –	• Saut groupé, (une jambe tendue horiz. en av.) - appel d'un pied	<u>w</u> /	Hockspreizsprung (Spielbein horizontal vw.) - Absprung von einem Bein	<ul> <li>Salto agrupado con una pierna extendida horizontal ad despegue con una pierna</li> </ul>
Wolf jump – take-off from both legs	<ul> <li>Saut groupé, (une jambe tendue horiz. en. av.) -</li> <li>appel des deux pieds</li> </ul>	11 <u>w</u>	Hockspreizsprung - Absprung von beiden Beinen	<ul> <li>Salto agrupado con una pierna extendida horizontal ad despegue con ambas piernas</li> </ul>
• Scissors leap fwd. with ½ turn (180°) (Tour Jeté)	• saut ciseaux en av. avec jambes tendues et ½ tour (180°) ( <i>Tour jeté</i> )	9/-	• Kadettsprung. Schersprung vw. mit gestreckten Beinen und ½ Dreh. (180})	• Tijera ad. con ½ giro (180°) (Tour Jeté)
• Hop with 1/1 (360°) with one leg extended (90°)	• saut avec 1/1 tour (360°) en écartant la jambe libre au dessus de l'horiz. (90°)	الم	• Sprung mit 1/1 Dre. (360°) und Spreizen eines Beines über die Horiz. (90°)	• Salto con 1/1 giro (360°) con una pierna extendida sobre la horizontal (90°)
• Split leap fwd. with leg change (Switch leap)	<ul> <li>saut enjambé avec changement de jambes</li> </ul>	Z	<ul> <li>Spagatsprung vw mit Beinwechsel</li> </ul>	Zancada ad. con cambio de piernas

• Stretched jump with 1½ turn (540°)	• saut en extension avec 1½ tour (540°)	Ø	• Strecksprung mit 1½ Dre. (540°)	• Salto extendido con 1½ giro (540°)
• Pike jump	• saut carpé	<u>V</u>	• Bücksprung	Salto carpado
Straddle jump	saut carpé écarté	<u></u>	• Grätschristsprung	<ul> <li>Salto carpado con piernas separadas</li> </ul>
• Leap with ¼ turn to straddle pike position or side split position	<ul> <li>appel des deux pieds/appel d'un pied</li> </ul>	9 <u> </u>	Schrittgrätschristsprung	• despegue con dos pies, con un pie
• Schuschunova	• Schuschunova	X,	• Schuschunova	• Schuschunova
• Ring leap, Ring jump	• saut cambré, une jambe tendue, l'autre fl. en arr.	ے ہے	• Ringsprung	• Salto anillo despegue con dos pies, con un pie
Turns	Pirouettes		Drehungen	Giros
• Turns on one foot	• Tours sur une jambe	O Ø Ø 😾 😾	• Dre. auf einem Bein	Giros sobre una pierna
• 1/1 illusion turn (360°)	• Pirouette plongée 1/1 (360°)	$\downarrow_{\mathcal{O}}$	• 1/1 Taucherdrehung (360°)	• 1/1 giro ilusión (360°)
• 1½ turn (540°) in a scale fwd.	• 1½ tour (540°) en planche fac.	Ø)	• 1½ Dre. (540°) in der Standwaage vl.	• $1\frac{1}{2}$ giro (540°) en balanza ad.
• 2/1 turn (720°) in tuckstand on one leg	• Pirouette 2/1 (720°) à la stat. groupée sur une jambe	<u>₩</u>	• 2/1 Dre. (720°) im Hockstand auf einem Bein	<ul> <li>2/1 giros (720°) en posición agrupada sobre una pierna</li> </ul>
• 1/1,1½ turn (360°, 540°) with free leg above horizontal, also 1/1 turn (360°) with hand holding free leg	• Pirouette 1/1, 1½ tour (360° - 540°) avec la jambe libre au-dessus de l'horizontal, aussie avec 1/1 tour (360°) la jambe d'avoir de main	√ & F	• 1/1,1½ Dre. (360°, 540) mit Spielbeinhalte über d. Horiz., oder 1/1 Dre (360°) mit Handbesitzbein	• 1/1, 1½ giro (360°,540°) con pierna libre sobre la horizontal, o con 1/1 giro (360°) mano que tiene pierna

jambe d'avoir de main

• 1/1 turn (360°) thigh of free leg above horizontal rearward.	• Pirouette 1/1 tour (360°) sur une jambe la cuisse de la jambe libre au-dessus de l'horizontal en arr.	$\bigcirc^{\wedge}$	• 1/1 Dre. (360°) auf einem Bein – Oberschenkel d. Spiebeines über d. Horiz. rückhoch	<ul> <li>1/1 giro (360°)con muslo de pierna libre encima de horizontal hacia atrás</li> </ul>
• 2/1 spin (720°) on back	• Pirouette 2/1 tours (720°) en pos. couchée dors.	×	• 2/1 Dre. (720°) i.d. Kipplage	• 2/1 giros (720°) sobre la espalda
Walkovers	Renversements		Überschläge	Inversiones
• without flight phase fwd., bwd., swd. (cartwheel)	• sans phase d'envol av., arr., lat.	ÚΘX	• ohne Flugphase vw., rw., sw.	• sin vuelo ad., atr., lat.
• with flight phase swd. (Dive Cartwheel)	• avec phase d'envol lat.	X	• mit Flugphase sw.	<ul> <li>con vuelo antes del apoyo de manos lat.</li> </ul>
<ul> <li>with support of one arm fwd., bwd., swd.</li> </ul>	• avec appui d' un bras av., arr., lat.	ÚΨX	<ul> <li>mit Stütz eines Armes vw., rw., sw.</li> </ul>	<ul> <li>con apoyo de un brazo ad., atr., lat.</li> </ul>
• Free (aerial) walkover fwd., swd.	• renv. av. libre, lat. libre	Nf Xf	• freier Überschlag vw., sw.	• inversión ad., lat. Libre (sin manos)
• Round off, free (aerial) round off	Rondade ou rondade libre	X X	• Rondat, freies Rondat	• Round-off, round-off libre (sin manos)
• Butterfly fwd., bwd	• Papillon en avant, en arr.	$\forall$ $\forall$	• Schmetterlinge vw., rw.	<ul> <li>Mariposas ad., atr.</li> </ul>
Arabian walkover	• Renv. twist	$\overline{\mathcal{N}}$	• Twistüberschlag	• Inversión por twist
Handsprings	Renversements		Überschläge	Flic-flac ad.
Handspring fwd., Flyspring	Renv. av. avec envol, appel d'un ou des deux pieds	U U	<ul> <li>Überschlag vw. mit Flugphase.</li> <li>Absprung von einem oder beiden Beinen</li> </ul>	<ul> <li>Inversión ad. con vuelo despegue con una pierna o inv. ad. con vuelo despegue con dos piernas (flic-flac ad.)</li> </ul>
• Flic-flac, with support of one arm	• Flic-flac avec appui d'un bras	$\cup$ $\bullet$	• Flick-flack mit Stütz eines Armes	• Flic-flac con apoyo de un brazo
Gainer Flic-flac	• flic-flac Auerbach		Auerbach Flick-Flak	• Flic-flac gainer (Auerbach)
Saltos	Salti		Salti	Mortales
• Forward – tucked, piked, stretched	• av. – groupé, carpé, tendu	8 M X	<ul> <li>vw. gehockt – gehocht, gebückt, gestretckt</li> </ul>	<ul> <li>Adelante - agrupado, carpado, extendido</li> </ul>

<ul> <li>Backward – tucked, piked, stretched, step-out</li> </ul>	<ul> <li>arr. – groupé, carpé, tendu, écarté</li> </ul>	e er el el	• rw. – gehockt, gebückt, gestretckt. gespreizt	<ul> <li>Atrás - agrupado, carpado, extendido, a una pierna</li> </ul>
<ul> <li>Sideward salto tucked, piked or stretched. Take off bwd.</li> </ul>	<ul> <li>Saut en arr. salto lat. – groupé, carpé, tendu</li> </ul>	L 6N 6/	<ul> <li>Salto sw. gehockt, gebückt, gestreckt (aus dem Rückwärtsabsprung)</li> </ul>	<ul> <li>Lateral - agrupado, carpado, extendido. Despegue hacia atr.</li> </ul>
• Whip- salto bwd.	• Salto tempo	$\wedge$	• Temposalto	Mortal tempo
• Double Salto	<ul> <li>Double salto</li> </ul>		<ul> <li>Doppelsalto</li> </ul>	<ul> <li>Doble mortal</li> </ul>
<ul> <li>Fwd. tucked, piked</li> </ul>	– en av., groupé, carpé	le ser	- vw., gehockt, gebückt	<ul> <li>Ad. agrupado, carpado</li> </ul>
- Bwd. tucked, piked	<ul> <li>en arr., groupé, carpé</li> </ul>	IL IIV	- rw., gehockt, gebückt	- Atr. agrupado, carpado
• Rolls	• Roulés		• Rollen	• Roles
- Roll fwd, Dive roll, hecht roll	<ul> <li>roulé en av, saut, roulé en av. ou saut de poisson</li> </ul>	Ĭ <u> </u>	<ul> <li>Rolle vw., Sprungrolle - oder Hechtrolle</li> </ul>	- Rol ad., salto y rol ad., angel
— roll bwd.	<ul> <li>Roulé en arr.</li> </ul>	<u>_</u>	– Rolle rw.	— Rol atr.
– roll swd.	<ul><li>Roulé lat.</li></ul>	<u>«</u>	- Rolle sw.	- Rol lat.

Examples for the Combination of Basic - and Specific Symbols	Exemples pour la combinaison de symboles de base et spécifiques		Beispiele für die Kombination von Grund - und gerätspezifischen Symbolen	Ejemplos de combinación de símbolos básicos y específicos
Acrobatic Elements with Long Axis Turns	Eléments acrobatiques avec rotation longitudinale		Akrobatische Elemente mit Längsachsendrehung	Elementos acrobáticos con giro en el eje longitudinal
Handstands	<ul> <li>Appuis renversés</li> </ul>		Handstände	<ul> <li>Apoyos invertidos</li> </ul>
<ul> <li>- ½ (90°), ½ (180°), 1/1 (360°) turn in handstand</li> </ul>	- ½ (90°), ½ (180°), 1/1 (360°)tour à l'atr		- ½ (90°), ½ (180°), 1/1 (360°)Dre. im Handstand	<ul> <li>1/4 (90°), ½ (180°), 1/1 (360°)</li> <li>giro en apoyo invertido</li> </ul>
- Jump with 1/1 (360°) to a handstand	<ul> <li>Saut avec 1/1 (360°) tour à l'atr</li> </ul>	Æ!	<ul> <li>Sprung mit 1/1 Dre. (360°)</li> <li>i.d. Handstand</li> </ul>	<ul> <li>Salto con 1/1 giro (360°) al apoyo invertido</li> </ul>
• Rolls	• Roulés		• Rollen	• Roles
<ul> <li>Roll bwd. to a handstand with 2/1 turn (720°)</li> </ul>	<ul> <li>Roulé arr. à l'appui renversé avec 2/1 (720°) tour</li> </ul>	اِّھٍ اِ	<ul> <li>Rolle rw. i.d. Handstand mit</li> <li>2/1 (720°) Dre.</li> </ul>	<ul> <li>Rol atr. al apoyo invertido con 2/1 giros (720°)</li> </ul>
<ul> <li>Stretched jump fwd. with 1/1 turn (360°) hecht roll</li> </ul>	<ul> <li>Saut en extension av. avec 1/1 (360°) tour – saut de poisson, roulé en av.</li> </ul>	kg	<ul> <li>Strecksprung vw. mit 1/1 Dre.</li> <li>(360°) – Hechtrolle</li> </ul>	<ul> <li>Salto extendido ad. con 1/1 giro (360°) al ángel y rol</li> </ul>
<ul> <li>Handsprings</li> </ul>	• Renversements		• Überschläge	• Inversiones con vuelo
<ul> <li>Arabian handspring</li> </ul>	<ul> <li>Saut en arr avec ½ tour et renv. avec phase d'envol</li> </ul>	M	<ul> <li>Twistüberschlag mit Flugphase</li> </ul>	<ul> <li>Salto atr. con ½ giro (twist) e inversión ad. con vuelo</li> </ul>
<ul> <li>Handspring fwd. with flight phase and 1/1 turn (360°)</li> <li>after the hand support</li> <li>before the hand support</li> </ul>	<ul> <li>Renv. av. avec envol et 1/1 tour (360°)</li> <li>après l'appui des mains</li> <li>avant l'appui des mains</li> </ul>	<u>√</u> € <u>Æ</u>	<ul> <li>Überschlag vw. mit Flugphase und 1/1 Dre. (360°)</li> <li>nach dem Stütz d. Hände</li> <li>vor dem Stütz d. Hände</li> </ul>	<ul> <li>Inversión ad. con vuelo y 1/1 giro (360°)</li> <li>después del apoyo de manos</li> <li>antes del apoyo de manos</li> </ul>
- Flic-flac with 1/1 turn (360°)	<ul> <li>Flic-flac avec 1/1 (360°)</li> </ul>	$\mathring{\cap}$	- Flick Flack mit 1/1 Dre. (360°)	- Flic-flac con 1/1 giro (360°)
• Saltos	• Salti		• Salti	<ul> <li>Mortales</li> </ul>
- Fwd. tucked with ½ turn (180°), piked 1/1 turn (360°), stretched with 1½ turn (540°)	<ul> <li>En av. groupé avec ½ tour (180°),</li> <li>carpé avec 1/1 tour (360°),</li> <li>tendu avec 1½ tour (540°)</li> </ul>	SE SE SE	- vw. gehockt mit ½ Dre. (180°) gebückt mit 1/1 Dre., (360°) gestreckt mit 1½ Dre. (540°)	<ul> <li>Ad. agrupado con ½ giro (180°), carpado con 1/1 giro (360°), extendido con 1½ giro (540°)</li> </ul>
- Bwd. stretched with turn	- En arr. tendu avec tour	£ £ £ £ £ 360° 540° 720° 900° 1080°	- rw. gestreckt mit Dre.	<ul> <li>Atr. extendido con giro</li> </ul>

Saltos with combined turns	Salti avec rotations combinées	Salti mit kombinierten Drehungen	Mortales con giros combinados
Arabian tucked	Twist groupé	Twist gehockt	Twist agrupado
Double arabian tucked	• Double Twist groupé	• Doppeltwist gehockt	Doble twist agrupado
• Double salto bwd tucked, piked	• Tsukahara groupé, carpé Ell Ell	<ul> <li>Tsukahara gehockt, gebückt</li> </ul>	Tsukahara agrupado, carpado
Exercise Symbol Notation Examples — Balance Beam	Descriptions d'exercises Exemples — Poutre	Übungsmitschriften Beispiele — Schwebebalken	Anotación de ejercicios en símbolos Ejemplos - Viga de Equilibrio
Mount Series	Séries d'entrées	Angangsserien	Series de entrada
	me el	Lee net	
<b>Dismount Series</b>	Séries de sorties	Abgangsserien	Series de salida
	Mill Live		
Exercise Symbol Notation Example — Beam	Descriptions d'exercise Exemple — Poutre	Übungsmitschriften Beispiel — Schwebebalken	Anotación de ejercicios en símbolos Ejemplo - Viga de Equilibrio
→ <del>/\</del>	1)	zů     \[ \text{Nell} \]	
Start of exercise début de l'exercice Übungsbeginr Comienzo del ejercicio			
1) End of a beam pass	1) fin d'une longueur de poutre	1) Ende einer Balkenreihe	1) Fin de una pasada
Exercise Symbol Notation Example — Floor	Descriptions d'exercises Exemple — au sol	Übungsmitschriften Beispiel — Boden	Anotación de ejercicios en símbolos Ejemplo - Suelo
	d Mill ez z	D 6 Off for X	WÉ

VAULT	SAUT		SPRUNG	SALTO
First Flight Phase	• 1er envol		• 1. Flugphase	Primera fase de vuelo
<ul> <li>Forward take-off — Handspring on to the horse</li> </ul>	<ul> <li>Renversement av.</li> </ul>	A.	<ul> <li>Vorwärtsabsprung —</li> <li>Überschlag vw. auf das Pferd</li> </ul>	<ul> <li>Despegue hacia adelante — inversión ad.</li> </ul>
- Handspring with ¼ - ½ (90°-180°) turn in entry phase ( <i>Tsukahara</i> )	- Renversement avec ½ - ½ tour (90°-180°) pendant le 1er envol ( <i>Tsukahara</i> )	E	<ul> <li>Überschlag vw. mit ¼ - ½</li> <li>Dre. (90°-180°) i .d. 1.</li> <li>Flugphase (<i>Tsukahara</i>)</li> </ul>	<ul> <li>Inversión ad. con ¼ - ½ giro (90°-180°) en el 1er. vuelo (Tsukahara)</li> </ul>
<ul> <li>Round-off on to the springboard —</li> <li>Flic-flac on to the horse</li> </ul>	<ul> <li>Rondade — flic-flac</li> </ul>	$\bigwedge$	<ul> <li>Rondat auf das Sprungbrett — Flick-Flack auf das Pferd</li> </ul>	<ul> <li>Round-off al trampolín — flic- flac al caballo</li> </ul>
<ul> <li>Second Flight Phase</li> </ul>	• 2e envol		• 2. Flugphase	<ul> <li>Segunda fase de vuelo</li> </ul>
<ul> <li>Handspring fwd.</li> </ul>	<ul> <li>Renversement av.</li> </ul>	Ū	<ul> <li>Überschlag vw.</li> </ul>	<ul> <li>Inversión ad.</li> </ul>
- Salto fwd., bwd.	- Salto av., arr.	o le	- Salto vw., rw.	- Mortal ad., atr.
Basic Symbols and Specific Acrobatic Symbols on Vault (See Balance Beam and Floor)	des Symboles de base et symboles spécifiques de l'acrobatie au saut (voir poutre et sol)		Grundsymbole und spezifische Symbolen der Akrobatik am Sprung (siehe Schwebebalken und Boden)	Símbolos básicos y específicos de la acrobacia en Salto (ver Viga de Equilibrio y Suelo)
Handsprings — Group 1	Renversements — groupe 1		Überschläge — Gruppe 1	Inversiones — Grupo 1
Handspring fwd. with	Renversement av. avec		• Überschlag vw. mit	Inversión ad. con
- 1/1 turn (360°) on – Handspring off	<ul> <li>1/1 t. (360°) pendant le 1er envol - renversement av. dans le 2e envol</li> </ul>	er j	<ul> <li>1/1 Dre. (360°) i.d. 1.</li> <li>Flugphase</li> </ul>	<ul> <li>1/1 giro (360°) en el 1er. vuelo- inversión ad. en el segundo vuelo</li> </ul>
<b>−</b> − 1/1 turn (360°) off	<ul> <li>1/1 t. (360°) pendant le 2e envol</li> </ul>	V VE	<ul> <li>1/1 Dre. (360°) i.d. 2.</li> <li>Flugphase</li> </ul>	- 1/1 giro (360°) en el 2do. Vuelo
- 1/2 turn (180°) on - 1/1 turn (360°) off	<ul> <li>1/2 t. (180°) pendant le 1er –</li> <li>1/1 t. (360°) pendant le 2e envol</li> </ul>	EN VE	<ul> <li>1/2 Dre. (180°) i. d.</li> <li>1.Flugphase und 1/1 Dre.</li> <li>(360°) i. d. 2. Flugphase</li> </ul>	<ul> <li>1/2 giro (1800°) en el 1er.</li> <li>vuelo- 1/1 giro (360°) en el 2do.</li> <li>vuelo</li> </ul>
- ½ turn (180°) on - 1½ turn (540°) off	<ul> <li>½ t. (180°) pendant le 1er –</li> <li>½ t. (540°) pendant le 2e envol</li> </ul>	er ve	<ul> <li>½ Dre. (180°) i. d. 1.</li> <li>Flugphase und 1½ Dre. (540°)</li> <li>i. d. 2. Flugphase</li> </ul>	- ½ giro (180°) en el 1er. vuelo - 1½ giro (540°) en el 2do. vuelo
• Yamashita with ½ turn (180°)	• Yamashita avec ½ (180°) pendant le 2e envol	A NE	<ul> <li>Yamashita mit ½ Dre. (180°) i.d.</li> <li>Flugphase</li> </ul>	• Yamashita con ½ giro (180°)

Saltos Fwd — Group 2	Salti av. — groupe 2		Salti vw. — Gruppe 2	Mortales ad. — Grupo 2
• Handspring fwd. on – tucked salto forward off with ½ turn (180°)	• Renversement av. – salto av. groupé avec ½ tour (180°) pendant le 2e envol	AN	• Überschlag vw. – Salto vw. gehockt mit ½ Dre. (180°) i.d. 2. Flugphase	• Inversión ad. en el 1er. vuelo – mortal ad. agrupado con ½ giro (180°) en el 2do. vuelo
• 1/1 turn (360°) on – piked salto forward off	• Renversement av. avec 1/1 t. (360°) pendant le 1er – salto av. carpé pendant le 2e envol	EN W	• Überschlag vw mit 1/1 Dre. (360°) i. d. 1.Flugphase und Salto vw. gebückt i. d. 2. Flugphase	• Inversión ad. con 1/1 giro (360°) en el 1er. vuelo – mortal ad. carpado en el 2do. vuelo
<ul> <li>Handspring fwd. on – ½ turn (180°) piked salto backward off</li> </ul>	• Renversement av. – ½ tour (180°) et salto carpé pendant le 2e envol	A EUN	• Überschlage vw. – ½ Dre. (180°) Salto rw. gebückt i.d. 2. Flugphase	• Inversión ad. en el 1er. vuelo – ½ giro (180°) y mortal ad. carpado en el 2do. vuelo
Handspring with ½ - ½ (90°-180°) turn in entry phase (Tsukahara) — Group 3	Renversement avec 1/4 - 1/2 tour (90°-180°) pendant le 1er envol (Tsukahara) — groupe 3		Überschlag vorwärts mit ¼ - ½ (90°-180°) i. d. 1. Flugphase (Tsukahara) — Gruppe 3	Inversiones con ¼ - ½ giro (90°-180°) en el 1er. vuelo (Tsukahara) — Grupo 3
• Tsukahara stretched with 1/1 turn (360°)	• Tsukahara tendu avec 1/1 tour (360°)	Er we	• Tsukahara gestreckt mit 1/1 Dr. (360°)	• Tsukahara extendido con 1/1 giro (360°)
Tsukahara with tucked salto backward off	Tsukahara avec salto arr. groupé	NU	Tsukahara mit salto rw. Gehockt	<ul> <li>Tsukahara con mortal atr. agrupado</li> </ul>
Round-Off — Group 4	Sauts avec rondade — groupe 4		Rondatsprünge — Gruppe 4	Round-off — Grupo 4
Round-off, flic-flac on – tucked salto backward off	• Rondade- flic-flac – salto arr. groupé pendant le 2e envol	Me	<ul> <li>Rondat - Flick-Flack – Salto rw. gehockt i.d. 2. Flugphase</li> </ul>	• Round-off, flic-flac – mortal atr. agrupado en el 2do. vuelo
• Round-off, flic-flac with ¾ turn (270°) on – piked salto backward off	• Rondade - flic-flac avec <sup>3</sup> / <sub>4</sub> tour (270°) pendant le 1er – salto arr. carpé pendant le 2e envol	KENU	<ul> <li>Rondat - Flick-Flack mit <sup>3</sup>/<sub>4</sub> Dr. (270°) i.d. 1. Flugphase – Salto rw. gebückt i.d. 2. Flugphase</li> </ul>	• Round-off, flic-flac con ¾ giro (270°) en el 1er. vuelo – mortal atr. carpado en el 2do. vuelo
Round-Off ½ turn — Group 5	Sauts avec rondade ½ tour — groupe 5		Rondatsprünge ½ Dr. — Gruppe 5	Round-off ½ giro — Grupo 5
• Round-off, flic-flac with ½ turn (180°) on – piked salto forward off	• Rondade - flic-flac avec ½ tour (180°) pendant le 1er – salto av. carpé pendant le 2e envol	NEW W	<ul> <li>Rondat - Flick-Flack mit ½ Dr. (180°) i.d. 1. Flugphase – Salto vw. gebückt i.d. 2. Flugphase</li> </ul>	• Round-off, flic-flac con ½ giro (180°) en el 1er. vuelo – mortal ad. carpado en el 2do. vuelo
• Round-off, flic-flac with ½ turn (180°) on – Stretched salto forward off	• Rondade - flic-flac avec ½ tour (180°) pendant le 1er – salto av. tendu pendant le 2e envol	NO V	<ul> <li>Rondat - Flick-Flack mit ½ Dr. (180°) i.d. 1. Flugphase – Salto vw. gestreckt i.d. 2. Flugphase</li> </ul>	• Round-off, flic-flac con ½ giro (180°) en el 1er. vuelo – mortal ad. extendido en el 2do. vuelo

				WOMEN'S ARTISTIC GYMNASTICS ELEMENTS		
APPARATUS		NAMED AFTER	FED	DESCRIPTION	EVENT / YEAR	VIDEO
Vault	1	Kim Nellie	USSR	Handspring fwd on - 11/2 (540°) off	WC Varna (BUL) 1974	
Vault	1	Korbut Olga	USSR	Handspring fwd with 1/1 turn (360°) on - 1/1 turn (360°) off		
Vault	2	Chusovitina Oksana	UZB	Handspring fwd on - piked salto fwd with 1/1 turn (360°) off		
Vault	2	Chusovitina Oksana	UZB	Handspring fwd on - stretched salto fwd with 1½ turn (540°) off		
Vault		Davidova Elena	USSR	Handspring fwd with 1/1 turn (360°) on - tucked salto fwd off		
Vault	2	Ewdokimova Irina	KAZ	Handspring fwd on - stretched salto fwd off		
Vault		Produnova Elena	RUS	Handspring fwd on - tucked double salto fwd off		
Vault		Wang Hui Ying	CHN	Handspring fwd on - stretched salto fwd with ½ turn (180°) off		
Vault		Kim Nellie	USSR	Tsukahara tucked with 1/1 turn (360°) off	OG Montreal (CAN) 1976	
Vault		Kim Nellie	USSR	Tsukahara stretched with 1/1 turn (360°) off	WC Strasbourg (FRA) 1978	
Vault		Tourischeva Liudmila	USSR	Tsukahara tucked		
Vault	3	Zamolodchikova Elena	RUS	Tsukahara stretched with 2/1 turn (720°) off		
Vault		Amanar Simona	ROU	Round-off flic-flac on - stretched salto bwd with 2½ turn (900°) off		
Vault	4	Dungelova Erika	BUL	Round-off flic-flac on - tucked salto bwd with 2/1 turn (720°) off		
Vault		Luconi Patrizia	ITA	Round-off, flic-flac with ¾ turn (270°) on – tucked salto bwd off		
Vault	4	Baitova Svetlana	USSR	Round-off flic-flac on - stretched salto bwd with 2/1 turn (720°) off		
Vault		Yurchenko Natalija	USSR	Round-off flic-flac on - tucked salto bwd off		
Vault		Cheng Fei	CHN	Round-off flic-flac with ½ turn (180°) on - stretched salto fwd with 1½ turn (540°) off		
Vault		Ivantcheva Velina	BUL	Round-off flic-flac with ½ turn (180°) on - tucked salto fwd off		
Vault		Khorkina Svetlana	RUS	Round-off flic-flac with ½ turn (180°) on - tucked salto fwd with 1½ turn (540°) off		
Vault		Omelianchik Oksana	USSR	Round-off flic-flac with ½ turn (180°) on - piked salto fwd off		
Vault	5	Podkopaieva Liliya	UKR	Roud-off flic-flac with ½ turn (180°) on - piked salto fwd with ½ turn (180°) off		
Vault	5	Servente Veronica	ITA	Round-off flic-flac with ½ turn(180°) on – tucked salto fwd with ½ turn (180°) off		

## WOMEN'S ARTISTIC GYMNASTICS ELEMENTS

	ELEMENIS							
APPARATUS		NAMED AFTER	FED	DESCRIPTION	EVENT / YEAR	VIDEO		
Uneven Bars								
Uneven Bars	1	Gonzales Leyanet	MEX	Round-off in front of LB flic-flac through hstd phase on LB				
Uneven Bars	1	Gurova Elena	USSR	Round-off in front of LB flic-flac with 1/1 turn (360°) to clear support or through hstd phase on LB				
Uneven Bars	1	Jentsch Martina	DDR	Round-off in front of LB - Tucked salto bwd over LB to hang on LB				
Uneven Bars	1	Maarranen Anna-Mari	FIN	Jump with extended body to hstd on LB also with 1/1 turn (360°) in hstd phase				
Uneven Bars	1	Makhautsova Volha	BLR	Free stretch jump over LB with legs together to hang on HB	WC Tokyo (JPN) 2011			
Uneven Bars	1	McNamara Julianne	USA	Jump to clear support on HB - clear hip circle to hstd on HB also with ½ turn (180°) in hstd phase on HB				
Uneven Bars	1	Gebeshian Houry	ARM	Mount: - Hecht jump (legs together) with hand repulsion and 1/1 turn (360°) over LB to hang on HB	OG Rio de Janeiro, (BRA)2016			
Uneven Bars	2	Caslavska Vera	CZE	From front support on HB – swing bwd with release and 1/1 turn (360°) to hang on HB				
Uneven Bars	2	Comaneci Nadja	ROU	Front support on HB - cast with salto fwd straddled to hang on HB				
Uneven Bars	2	Yarotska Irina	UKR	Clear hip circle bwd on LB with hecht to hang on HB				
Uneven Bars	2	Delladio Tanja	CRO	From hstd on LB hecht vault to hang on HB				
Uneven Bars	2	Hindorff Silvia	DDR	Clear hip circle on HB counter straddle to hang on HB				
Uneven Bars	2	Khorkina Svetlana	RUS	Clear hip circle through hstd with ½ turn (180°) in flight to hang on HB				
Uneven Bars	2	Radocla Birgit	DDR	From inner front support on LB - cast with salto roll fwd to hang on HB				
Uneven Bars		Reeder Anika	GBR	Cast with 1½ turn (540°) to hstd				
Uneven Bars		Shang Chunsang	CHN	Clear hip circle on HB, counter pike to hang on HB	WC Antwerp (BEL) 2013			
Uneven Bars		Shaposchnikova Natalia	USSR	Inner front support on LB - clear hip circle through hstd with flight to hang on HB				
Uneven Bars		Bhardwaj Mohini	USA	Pak Salto with 1/1 turn (360°)	OG Athens, (GRE) 2004			
Uneven Bars		Cappuccitti Stehanie	CAN	Swing bwd and salto fwd stretched to hang on HB				
Uneven Bars		Chusovitina Oksana	UZB	Giant circle bwd to hstd with hop 1/1 turn (360°) in hstd phase				
Uneven Bars		Davydova Yelena	USSR	Long swing fwd counter straddle-reverse hecht over HB to hang				
Uneven Bars		Ejova Liudmila	RUS	Swing bwd release and ½ turn (180°) in flight between the bars to catch LB in hang				
Uneven Bars	3	Hristakieva Snejana	BUL	Swing fwd and salto bwd stretched with 1½ turn (540°) to hang on HB				
Uneven Bars	3	Kononenko Nataliya	UKR	Tkatchev with ½ turn (180°)	WC Tokyo (JPN) 2011			
Uneven Bars		Li Ya	CHN	Jaeger Salto straddled with ½ turn (180°) to hang on HB				
Uneven Bars		Liu Xuan	CHN	Giant circle bwd to hstd on one arm				
Uneven Bars		Mo Huilan	CHN	Swing bwd salto fwd tucked to hang on HB (Jaeger-Salto)				
Uneven Bars	3	Monckton Mary-Anne	AUS	Long Swing fwd with ½ turn (180°), pike vault over HB to hang	WC Tokyo (JPN) 2011			
Uneven Bars		Nyeste Adrienn	HUN	Swing fwd and salto bwd with ½ turn (180°) straddle-piked				
Uneven Bars		Pak Gyong Sil	PRK	Hang on HB, facing LB – swing fwd, salto bwd stretched between bars to clear support on LB				
Uneven Bars		Schuschunova Elena	USSR	Long swing fwd with ½ turn (180°) further ½ turn (180°) to counter straddle in flight over HB to hang				
Uneven Bars		Strong Lori	CAN	Hang on HB – Swing fwd with 1½ turn (540°) and flight over LB to hang on LB				
Uneven Bars		Volpi Giulia	ITA	Swing bwd with free stoop or straddle vault and ½ turn (180°) over HB to hang				
Uneven Bars		Wenning Zhang	CHN	Swing bwd with free stoop or straddle vault and ½ turn (180°) over HB to hang				
Uneven Bars	3	Retiz Hernandez, Karla Yanin	MEX	Hang on HB – Swing fwd with ½ turn (180°) and flight to hstd with ½ turn (180°) on LB	WC Nanning (CHN), 2014			
Uneven Bars		Zaytseva Anna	KAZ	Giant circle fwd in L grip to hstd with piked or stretched body, also with ½ turn (180°) to hstd				
Uneven Bars		Downie Rebecca	GBR	Stalder bwd on HB with counter pike – reverse hecht over HB to hang	WC Rotterdam (NED) 2010			
Uneven Bars		Frederick Marcia	USA	Stalder bwd with 1/1 turn (360°) in hstd phase				
Uneven Bars		Galante Paola	ITA	Clear pike Circle bwd with counter straddle (open hip before flight) – reverse Hecht over HB to hang	WC London (GBR) 2009			
Uneven Bars		Komova Viktoria	RUS	Clear pike circle bwd through hstd with flight and ½ turn(180°) to hang on HB	YOG Singapore (SIN) 2010			
Uneven Bars		Komova Viktoria	RUS	Clear pike circle bwd through hstd with flight to hang on HB.	WC Tokyo (JPN) 2011			
Uneven Bars		Krasnyanska Irina	UKR	From hstd clear pike circle bwds to rear inverted pike support				
Uneven Bars		Ray Elise	USA	Facing inward - Stalder bwd with release and counter movement fwd in flight to hang on HB				
Uneven Bars	4	Ricna Hanna	CZE	Stalder bwd on HB with counter straddle-reverse hecht over HB to hang				

# WOMEN'S ARTISTIC GYMNASTICS ELEMENTS

APPARATUS		NAMED AFTER	FED	DESCRIPTION	EVENT / YEAR	VIDEO
Uneven Bars	4	White Morgan	USA	Stalder fwd in L grip to hstd also with ½ turn (180°) in hstd phase		
Uneven Bars	4	Zgoba Dariya	UKR	Clear pike circle bwd on LB with hecht flight to hang on HB		
Uneven Bars	5	Church Savannah	GBR	Pike sole circle bwd counter straddle-reverse hecht over HB to hang		
Uneven Bars	5	Hoefnagel Hanneke		Pike sole circle fwd in reverse or L grip with 1/1 turn (360°) in hstd phase		
Uneven Bars	5	Kim (Name TBC)	PRK	Facing outward on HB – underswing with support of feet-counter salto fwd straddled to catch on HB		
Uneven Bars	5	Li Li		Clear rear pike support (legs together) on HB - full circle swing bwd with stoop out bwd to hang on HB		
Uneven Bars	5	Li Li	CHN	Clear rear pike support (legs together) on HB - full circle swing bwd with counter flight bwd straddled		
Uneven Bars	5	Liubov Burda	USSR	Underswing on HB or LB with 1 ½ turn (540°) to hang		
Uneven Bars	5	Lucke Anneke		Pike sole circle bwd with 1½ turn (540°) to hatd		
Uneven Bars	5	Luo Li	CHN	Stoop in to Adler-seat (pike) circle fwd through clear extended support to finish in L grip (deviation up to 30° allowed)		
Uneven Bars	5	Maloney Kristen	USA	Inner front support on LB – pike sole circle bwd through hstd with flight to hang on HB		
Uneven Bars	5	Mirgoradskaja Anna	UKR	Clear rear pike support on HB (legs together)-full circle swing bwd-continuing through clear rear pike support bwd over HB into hang.		
Uneven Bars	5	Nabieva Tatjana	RUS	Pike sole circle bwd with counter stretched hecht (layout position over HB) to hang	WC Rotterdam (NED) 2010	
Uneven Bars	5	Ray Elise	USA	Hstd on HB - Pike sole circle bwd counter straddle-reverse hecht over HB to hang	, ,	
Uneven Bars	5	Seitz Elisabeth	GER	Pike sole circle bwd through hstd with flight 1/1 turn(360°) to hang on HB	WC Tokyo (JPN) 2011	
Uneven Bars		Teza Elvire	FRA	Circle swing bwd and continue to salto bwd stretched (or piked) between bars to clear support on LB	, , , , , , , , , , , , , , , , , , ,	
Uneven Bars	5	Tweddle Elizabeth	GBR	Pike sole circle bwd with counter straddle hecht over HB with ½ turn (180°) to hang in mixed L-grip		
Uneven Bars	5	Van Leeuwen Laura		Pike sole circle bwd through hstd with flight and ½ turn (180°)		
Uneven Bars		Arai (Name TBC)	JPN	Swing down fwd between bars in L Grip. Swing bwd to salto fwd with ½ turn (180°) into salto bwd tucked		
Uneven Bars		Bar (Name TBC)	TBC	Swing down between bars - swing fwd to salto bwd stretched witth 3/1 turn (1080°)		
Uneven Bars		Blanco Bibiana	COL	Swing down between bars - swing fwd to salto bwd stretched with ½ turn (180°) - into salto fwd stretched		
Uneven Bars		Brunner Jenny		Clear pike circle bwd to salto fwd stretched with ½ turn (180°)		
Uneven Bars		Chusovitina Oksana		Swing fwd to double salto bwd tucked with 1/1 turn (360°) in second salto		
Uneven Bars		Comaneci Nadja		Underswing with ½ turn (180°) to salto bwd tucked or piked		
Uneven Bars		Delladio Tanja		On HB - Salto bwd s tucked		
Uneven Bars		Fabrichnova Oksana		Swing fwd to double salto bwd tucked with 2/1 turn (720°)		
Uneven Bars		Fontaine Larisa	USA	Swing fwd to salto bwd tucked with ½ turn (180°) – into salto fwd tucked		
Uneven Bars		Giovannini Carlotta	ITA	Swing fwd with ½ turn (180°) to double salto fwd piked		
Uneven Bars		Gonzales Gabriela, Gratt Tanja		Salto bwd tucked or piked over HB		
Uneven Bars		Ji (Name TBC)		Swing fwd to salto bwd stretched with 2½ turn (900°)		
Uneven Bars		Kraeker Steffi		From HB – underswing with ½ turn (180°) to salto bwd tucked with 1/1 turn (360°)		
Uneven Bars		Li Ya		Swing down between bars - swing fwd with ½ turn (180°) to double salto fwd piked		
Uneven Bars		Ma Yen Hong		Hip circle bwd (also clear) on LB or HB - hecht with 1/1 turn (360°) to salto bwd		
Uneven Bars		Magaca Brenda	MEX	Sping fwd to triple salto bwd tucked		
Uneven Bars		Moors Victoria		From HB - underswing with salto fwd stretched with ½ turn (180°)	OG London (GBR) 2012	
Uneven Bars		Morio Maiko	JPN	Swing down between bars - swing fwd to double salto bwd tucked with 1/1 turn (360°) in first salto	CO London (CBN) 2012	
Uneven Bars		Mukhina Elena		Hip circle bwd (also clear) on LB or HB - hecht with salto bwd tucked	<u> </u>	
Uneven Bars		Mustafina Aliya	RUS	Swing fwd to double salto bwd tucked with 1½ turn (540)	WC Rotterdam (NED) 2010	
Uneven Bars		Okino Betty		Front support on HB - clear underswing with ½ turn (180°) to salto bwd stretched	C. tottordam (HEB) 2010	
Uneven Bars		Parolari Lia	ITA	Salto bwd s tucked	<u> </u>	
Uneven Bars		Pechstein Tanja		Swing bwd to salto fwd stretched with 1½ turn (540°)	<u> </u>	
Uneven Bars		Pentek Tunde	HUN	Swing bwd to salto fwd site to fed with 1/2 turn (180°)	1	+
Uneven Bars		Plichta Paula	POL	Clear straddle circle with salto fwd tucked	1	+
Uneven Bars		Ray Elise	USA	Swing fwd to double salto bwd stretched with 2/1 turn (720°)		
Uneven Bars		Varga Adrienne		Swing fwd to salto bwd stretched with ½ turn (180°) into salto fwd piked with ½ turn (180°)	1	+

# WOMEN'S ARTISTIC GYMNASTICS ELEMENTS

APPARATUS		NAMED AFTER	FED	DESCRIPTION	EVENT / YEAR	VIDEO
Balance Beam						
Balance Beam	1	Baitova Svetlana	USSR	Two flank circles folowed by leg "Flair"		
Balance Beam	1	Marisa Dick	TTO	Mount: Change leg leap to free cross split sit - diagonal approach to beam.	WC Glasgow (GBR) 2015	
Balance Beam	1	Marisa Dick	TTO	Mount: Diagonal approach to beam – Leap with leg change and ½ turn (180°) to free cross split sit	OG Rio de Janeiro, (BRA)2016	
Balance Beam	1	Beukes Ramona	NAM	Straddle pike jump bwd over beam from round-off into immediate hip circle bwd – 90° approach to beam		
Balance Beam	1	Dunn Jacqui	AUS	Round-off at end of beam – flic-flac with ½ turn (180°) and walkover fwd		
Balance Beam	1	Erceg Tina	CRO	Round-off at end of beam – take off bwd. with ½ turn (180°) - tucked salto fwd to stand		
Balance Beam	1	Garrison Kelly	USA	Round-off at end of beam – salto bwd stretched with 1/1 turn (360°) to cross stand on beam		
Balance Beam	1	Gurova Elena	USSR	Round-off in front of beam – jump with ½ turn (180°) to near side hstd		
Balance Beam	1	Hand-Li Yifang	CHN	Jump press or swing to cross or side hstd – 1/1 turn (360°) in hstd - release one hand with swing down swd		
Balance Beam	1	Homma Leah	CAN	3 flying flairs		
Balance Beam	1	Philips Kristie	USA	Press to side hstd - walkover fwd to side stand on both legs		
Balance Beam	1	Rankin janine	CAN	Jump or press on one arm to hstd		
Balance Beam	1	Shushunova Elena	USSR	Jump with stretched hips to planche		
Balance Beam	1	Tsavdaridou Vasiliki	GRE	Round-off at end of beam - flic-flac with 1/1 turn (360°) into swing down to cross straddle sit		
Balance Beam	1	Wong Hiu Ying Angel	HKG	Salto fwd tuck with ½ turn (180°)	OG London (GBR) 2012	
Balance Beam	1	Zamolodchikova Elena	RUS	Round-off in front of beam - flic-flac with 1/1 turn (360°) to hip circle bwd		
Balance Beam	2	Johnson Kathy	USA	Leap fwd with leg change and 1/4 turn (90°) to side split leap (180°) or straddle pike position		
Balance Beam	2	Teza Elvire	FRA	From side stand – Jump to over split with body arched and head dropped bwd		
Balance Beam	2	Yang Bo	CHN	From Cross stand – Jump to over split with body arched and head dropped bwd		
Balance Beam	3	Galante Paola	ITA	11/2 turn (540°) with free leg held upward in 180° split position throughout turn	WC London (GBR) 2009	
Balance Beam	3	Humphrey Terin	USA	2½ turn (900°) in tuck stand on one leg - free leg optional		
Balance Beam	3	Li Li	CHN	11/4 (450°) turn on back in kip position (hip-leg angle closed)		
Balance Beam	3	Mitchell Lauren	AUS	3/1 turn (1080) in tuck stand on one leg – free leg optional	WC Rotterdam (NED) 2010	
Balance Beam	3	Okino Betty	USA	3/1 turn (1080°) on one leg - free leg optional below horizontal		
Balance Beam	3	Preziosa Elisabetta	ITA	1/1 turn (360°) pirouette with free leg held bwd s with both hands	WC Tokyo (JPN) 2011	
Balance Beam	3	Wevers Sanne	NED	2/1 turn (720) with heel of free leg fwd at horizontal throughout turn ( support and free leg may be straight or bent)	WC Rotterdam (NED) 2010	
Balance Beam	5	Anastasia Kolesnikova	RUS	Flic-flac from side position with ½ turn (180°) to side hstd lower to optional end position		
Balance Beam	5	Colussi Pelaez Silvia	ESP	Free (Aerial) Cartwheel in cross position	WC Antwerp (BEL) 2013	
Balance Beam	5	Schaefer Pauline	GER	Salto sideward tucked with ½ turn - take off from one leg to side stand	WC Nanning (CHN), 2014	

WOMEN'S ARTISTIC GYMNASTICS ELEMENTS										
APPARATUS		NAMED AFTER	FED	DESCRIPTION	EVENT / YEAR	VIDEO				
Balance Beam	5	Garrison Kelly	USA	"Valdez" swing over bwd through horizontal plane with support on one arm						
Balance Beam	5	Grigoras Cristina Elena	ROU	Salto fwd tucked with ½ turn (180°) take-off from both legs						
Balance Beam		Khorkina Svetlana	RUS	Gainer flic-flac with min. 3/4 turn (270°) before hand support						
Balance Beam		Kochetkova Dina	RUS	Flic-flac with min. ¾ turn (270°) before hand support						
Balance Beam		Kochetkova Dina	RUS	Flic-flac from side position with ½ turn (180°) to side hstd lower to optional end position						
Balance Beam		Liukin Nastia	USA	Salto fwd tucked, take-off from one leg to stand on one or two feet						
Balance Beam		Omelianchik Oksana	USSR	Flic-flac with ¾ turn (270°) to side hstd (2 sec.) - lower to optional end position						
Balance Beam		Onodi Henrietta	HUN	Jump bwd (flic-flac take-off) with ½ turn (180°) to walkover fwd						
Balance Beam		Produnova Elena	RUS	Jump fwd with ½ turn (180°) - salto bwd piked						
Balance Beam		Kitti Honti	HUN	Gainer flic - flac with ¼ turn (90°) to hstd (2 sec.)	WC Glasgow (GBR) 2015					
Balance Beam		Rueda Eva	ESP	All flic-flac variations with piking and stretching of hips in flight phase with swing down to cross straddle sit						
Balance Beam		Rulfova Jana	CZE	Flic-flac with 1/1 turn (360°) - swing down to cross straddle sit						
Balance Beam		Schischova Albina	USSR	Salto bwd tucked or stretched with 1/1 turn (360°)						
Balance Beam		Teza Elvire	FRA	Flic-flac from side position with 1/1 turn (360°) to hip circle bwd						
Balance Beam		Tousek Yvonne	CAN	Flic-flac with step-out from side position						
Balance Beam		Portocarrero Luisa	GUA	Free (aerial) walkover fwd, landing on one foot in extended tuck sit, without hand support						
Balance Beam		Worley Sheyla	USA	Jump bwd with ½ turn (180°) handspring to land on two feet						
Balance Beam		Araujo Heine	BRA	Salto fwd stretched with 2/1 turn (720°)						
Balance Beam	6	Bohmerova Lubica	SVK	Gainer salto stretched with 1½ turn (540) to side of beam						
Balance Beam	6	Domingues Gabriela	ESA	Salto bwd tucked with 1½ turn (540°)	YOG Singapore (SIN) 2010					
Balance Beam	6	Khorkina Svetlana	RUS	Gainer salto bwd stretched with 2½ turn (900°) to side of beam						
Balance Beam	6	Kim Nellie	USSR	Gainer salto tucked 1/1 turn (360°) at end of beam	OG Montreal (CAN) 1976					
Balance Beam	6	Kim Nellie	USSR	Free (aerial) cartwheell into salto bwd tucked	OG Moscow (RUS) 1980					
Balance Beam	6	Patterson Karly	USA	Arabian double salto fwd tucked						
Balance Beam	6	Steingruber Giulia	SUI	Gainer Salto bwd Stretched with 1/1 turn (360°) at the end of beam	WC Tokyo (JPN) 2011					

WOMEN'S ARTISTIC GYMNASTICS ELEMENTS										
APPARATUS		NAMED AFTER	FED	DESCRIPTION	EVENT / YEAR	VIDEO				
Floor Exercise										
Floor Exercise	1	Sankova Krystyna	UKR	Change Leg Ring Leap with ½ turn (180°)	WC Antwerp (BEL) 2013					
Floor Exercise		Bulimar Diana	ROU	Johnson Leap with additional 1/1 turn (360°)	WC Tokyo (JPN) 2011					
Floor Exercise		Csillag Tunde	HUN	Side split leap with 1/1 turn (360°)	WC Rotterdam (NED) 2010					
Floor Exercise	1	Ferrari Vanessa	ITA	Split leap with 1/1 turn (360°) to ring position	OG London (GBR) 2012					
Floor Exercise	1	Frolova Tatiana	USSR	Switch leap with ½ turn (180°) or with 1/1 turn (360°) in flight phase						
Floor Exercise		Popa Celestina	ROU	Straddle pike jump with 1/1 turn (360°)						
Floor Exercise		Jurkowska - Kowalska, Katarzyna	POL	Split jump with 1/1 turn (360°) to ring position	WC Nanning (CHN), 2014					
Floor Exercise		Vulcan Dora	ROU	Split jump with ½ turn (180°) to ring position	2016 TE Rio de Janeiro					
Floor Exercise		Gomez Elena	ESP	4/1 turn (1440°) on one leg - free leg optional below horizontal						
Floor Exercise	2	Hopfner-Hibbs Elyse	CAN	2/1 (720°) illusion turn without hand or foot support						
Floor Exercise	2	Memmel Chelsia	USA	2/1 turn (720°) with free leg held upward in 180° split position						
Floor Exercise	2	Mitchell Lauren	AUS	3/1 turn (1080°) in tuck stand on one leg – free leg straight throughout	WC Rotterdam (NED) 2010					
Floor Exercise	2	Semenova Ksenija	RUS	2/1 turn (720°) in back attitude (knee of free leg at horizontal throughout turn)						
Floor Exercise		Mustafina, Aliya	RUS	3/1 (1080°) with leg held up in 180° split position	WC Nanning (CHN), 2014					
Floor Exercise	3	Mostepanova Olga	USSR	Handspring fwd with 1/1 turn (360°) after hand support or before						
Floor Exercise	3	Tsavdaridou Vasiliki	GRE	Hop with 1/1 turn (360°) to straddle and land in front lying support						
Floor Exercise	4	Andreasen (Name TBC)	SWE	Arabian double salto tucked						
Floor Exercise	4	Tarasevich Svetlana	BLR	Salto fwd stretched with 2½ turn (900°)						
Floor Exercise	4	Cojocar Sabina	ROU	Salto fwd stretched with 2½ turn (900°)						
Floor Exercise	4	Dos Santos Daiane	BRA	Arabian double salto piked						
Floor Exercise	4	Dos Santos Daiane	BRA	Arabian double salto stretched						
Floor Exercise	4	Podkopaeva Lilja	UKR	Double salto fwd tucked. Also with ½ turn (180°)						
Floor Exercise	4	Brenna Dowell	USA	Double Salto fwd Piked	WC Glasgow (GBR) 2015					
Floor Exercise	5	Kim Nellie	USSR	Double salto bwd tucked	OG Montreal (CAN) 1976					
Floor Exercise	5	Kim Nellie	USSR	Double salto bwd stretched-piked	WC Strasbourg (FRA) 1978					
Floor Exercise	5	Mukhina Elena	USSR	Double salto bwd tucked with 1/1 turn (360°)						
Floor Exercise	5	Silivas Daniella	ROU	Double salto bwd tucked with 2/1 turn (720°)						
Floor Exercise	5	Chusovitina Oksana	USSR	Double salto bwd stretched with 1/1 turn (360°)						
Floor Exercise	5	Biles Simone	USA	Double Salto bwd stretched with ½ turn (180°)	WC Antwerp (BEL) 2013					
Floor Exercise	5	Moors Victoria	CAN	Double Salto bwd Stretched with 2/1 turn (720°)	WC Antwerp (BEL) 2013					